



## SELECTING THE RIGHT LUBRICANT

CAN SAVE YOU TIME, MONEY AND IMPROVE YOUR PERFORMANCE.

This catalogue has been compiled to assist in selecting the right lubricant, specialty fluid or grease for the intended application. Through a series of prompts and questions, these product 'decision trees' narrow the choice of lubricant products available to the best product for your application.

Our extensive line up of lubricants and greases includes products that are environmentally sensitive, recyclable, virtually non-toxic, and biodegradable. We have an enviable reputation for high quality, long-lasting and value-added products.

This catalogue has been designed for both general applications and a selected number of specialized applications. Not all possible applications and conditions could be represented in these pages. If you have a unique or specialized application that may not be covered in this catalogue or you wish to discuss your application in more detail, please contact a Petro-Canada Lubricants Representative or one of our many qualified Authorized Petro-Canada Lubricants Distributors around the globe. They would be pleased to give you personal assistance in selecting the right product.

Petro-Canada Lubricants has made every effort to provide complete and accurate information with regard to its own brand of lubricant products. As with all Petro-Canada Lubricants products, our standard No-Nonsense Lubricants Warranty applies. Petro-Canada Lubricants accepts no responsibility for the substitution of competitive products of a similar nature by an end user based on the recommendations found in this catalogue.

At the back of this catalogue, we have included a listing of our lubricant product part numbers. There is a unique product part number for each individual product SKU that includes product name, grade and package size.

## LUBESOURCE INDEX

COMMERCIAL TRANSPORTATION LUBRICANTS	
Heavy-Duty Diesel Engine Oil6Power Transmission Fluids9Passenger Car Motor Oils10Automotive Gear Oils & Axle Fluids12Manual Transmission Fluids14Commercial Transportation Hydraulic Fluids16Tractor/Hydraulic Fluids18Transmission/Drive Train Fluids19Small Engine Oils20	
TACKIFIED PRODUCTS, PAPER MACHINE OILS & SAW GUIDES	
Tackified Products, Paper Machine Oils & Saw Guides	
GREASES	
Multi-Application Greases24Mining Greases28Specialty Greases32	
INDUSTRIAL LUBRICANTS	
Industrial Gear Oils36Industrial Hydraulic Fluids38Turbine Fluids and Wind Turbine Gear Oils40Stationary Gas Engine Oils42Compressor Fluids44Heat Transfer Fluids48	
FOOD GRADE LUBRICANTS	
Food Grade Lubricants	
MACHINE LUBRICANTS & FLUIDS	
Machine Lubricants & Fluids	
ELECTRICAL INSULATING FLUIDS	
LUMINOL <sup>TM</sup> 62	





## **HEAVY-DUTY**DIESEL ENGINE OIL

#### FLEETS LOOKING TO EXTEND THE LIFE OF THEIR ENGINES YES Operations are primarily off-road YES (possibly using non ULSD diesel) Long or Short Haul (Frequent Idle) Normal Loads/ Normal Severe Loads >80,000 lbs Service Advanced Advanced All-Weather Performance? All-Weather Performance? YES YES NO (down to -25°C/-13°F) (down to -30°C/- 22°F) **DURON™ UHP DURON SHP DURON UHP DURON HP DURON UHP** 10W-40 5W-40 5W-30 15W-40 DURON UHP 10W-40 has DURON SHP 15W-40, made DURON UHP 5W-40 Full synthetic, high performance oil that provides fuel economy benefits and exceptional outstanding pumpability and shear stability with the potential to extend drains† and conserve energy through ease of start-up with a synthetic base oil blend and high performance additives, raises the stakes by delivering has outstanding performance and improves your bottom line by extending drains† good cold start-up performance minimizes engine wear and oil exceptional shear stability, and conserving energy Choose DURON HP 15W-40 All-weather engine oil with cold start-up performance and minimizes the need for top-up oil. through ease of start-up and lower viscous drag. and lower viscous drag. extended drain performance capability (exceeding OEM standard intervals)† even in It combines excellent pumpability at -30°C/-22°F with industry leading engine wear control performance in your low emission or legacy engines. It also provides superior It combines excellent protection for vital engine pumpability with advanced severe operating conditions and top-up performance. parts with the potential for extending drain intervals<sup>†</sup>. engine wear control and top-up performance. Superior low temperature performance that offers DURON UHP 10W-40 is the ultimate synthetic all-season, all fleet heavy-duty engine oil. DURON UHP 5W-40 and extended drains. further widens the all season licenced synthetic formula.

<sup>&</sup>lt;sup>†</sup> Extending drain intervals should always be undertaken in conjunction with an oil analysis program


DURON line of premium performance multigrade diesel engine oils delivers industry leading protection against increased wear which can lead to lower productivity and impaired fuel economy. They're formulated to exceed API CK-4 requirements and are suitable for use in the latest 2015 EPA compliant low emission engines. DURON is back serviceable and carries the API service CJ-4, CI-4 Plus, CI-4, and CH-4 licenses required by pre-'10 diesel engines.

- DURON UHP 5W-30 is an Ultra High Performance Diesel engine oil formulated with synthetic base oils and high performance additives to deliver fuel economy benefits and exceptional protection against engine wear.
- DURON SHP 10W-30 is a Super High Performance synthetic blend heavy-duty engine oil that delivers advanced engine protection and all-weather performance. It provides optimal engine durability and can deliver up to 1%\* fuel economy improvements.
- DURON UHP 10W-40 is an Ultra High Performance synthetic all-weather heavy-duty diesel engine oil. It is formulated to provide exceptional protection against engine wear and deliver extended drain performance (exceeding OEM standard intervals)<sup>†</sup> even in the harshest operating conditions.
- DURON UHP 5W-40 and 0W-40 are Ultra High Performance synthetic engine oils that provide all-season protection and performance, especially in low temperature environments. DURON UHP 5W-40 and 0W-40 help conserve energy and reduce engine wear through ease of cold weather start-up and lower viscous drag.
- DURON HP 15W-40 is a high performance heavy-duty engine oil
  that delivers all weather engine protection including dependable
  cold start up and exceptional shear stability. It can deliver extended
  drain capabilities (exceeding OEM standard intervals)<sup>†</sup>.



#### **OTHER PRODUCTS**

Product	Application and Performance
DURON UHP E6 10W-40 and 5W-30	<ul> <li>Ultra High Performance synthetic diesel engine oil designed for longer engine life, better all weather performance and increased efficiency.</li> <li>Exceeds ACEA E4/E6/E7/E9 standards.</li> <li>Low SAPS (Sulphated Ash, Phosphorous, Sulphur).</li> </ul>
DURON CLASSIC 15W-40 and 20W-50	<ul> <li>Premium multigrade heavy-duty engine oils recommended for engines fueled by diesel, gasoline, propane, or compressed natural gas (CNG), where applications specify API CH-4 / SJ.</li> <li>Available in China and other select countries.</li> </ul>
DURON EXTRA 15W-40 and 20W-50	<ul> <li>Premium multigrade heavy-duty engine oils recommended for engines fueled by diesel, gasoline, propane, or compressed natural gas (CNG), where applications specify API CJ-4 / SN.</li> <li>15W-40 is licensed with API as CJ-4 / SN.</li> <li>Available in China and other select countries.</li> </ul>
DURON SAE 10W, 30, 40 and 50	Used in many applications such as older heavy-duty transmissions, older diesel engines, including 2-stroke Detroit Diesel models, and hydraulic systems needing a detergent-containing hydraulic oil. Meets former API level CF (SAE 10W). Meets former API level CF and CF-2 (SAE 30, 40, 50).
DURON GEO LD 15W-40 and 10W-30	<ul> <li>Designed for Compressed Natural Gas/Liquefied Natural Gas (CNG/LNG) mobile engines and works in diesel and gasoline engine as well - a true mixed fleet fluid.</li> <li>Approved for Cummins CES 20092 and fully backserviceable to CES 20085 specifications.</li> <li>API CK-4/SN licensed and approved by other major diesel engine OEMs like Detroit Diesel, Mack, Volvo and Renault.</li> <li>Extended drain intervals in CNG/LNG engines without the risk of increased engine wear and sluggish performance.</li> </ul>
RALUBE™ 940 CF (9 TBN) and 40 CFS (13 TBN)	<ul> <li>Designed for severe service locomotive, marine and stationary power plant.</li> <li>Chlorine-free and zinc-free chemistry. These products provide excellent oxidation resistance, wear protection and deposit control.</li> <li>RALUBE 940 CF is approved for: Electro-Motive Diesel Inc. (EMD, now known as Progress Rail), General Electric.</li> </ul>



<sup>†</sup> Extended periods of usage of high sulfur fuels will shorten the oil drain intervals. An oil analysis program is recommended.

## **POWER**TRANSMISSION FLUIDS

#### **PERFORMANCE BENEFITS**

- Petro-Canada Lubricants offers a full line of power transmission fluids that meet the latest performance credentials of the major car manufacturers.
- Offers outstanding wear protection to extend the life of automatic transmissions.
- Offers exceptional low temperature performance.

#### **POWER TRANSMISSION FLUIDS**

	Performance Features	Credentials
DEXRON°-VI	Delivers 2X the service life of the former DEXRON-III (H) ATF fluids.  Offers enhanced performance in new and older General Motors transmissions.  Provides more consistent and responsive shift feel.  Extends life of transmission through improved oxidation resistance, wear protection and friction durability.	GM DEXRON®-VI licensed.  Meets GM service fill specification GMW16444.  Petro-Canada DEXRON®-VI is suitable for use where Volvo specification 97342 is mandated. It is also suitable where Chrysler/Dodge/Jeep vehicles call for Part Number 68043742AA.  GM recommends the use of DEXRON®-VI for all GM automatic transmissions including where the former DEXRON®-IIIH, -IIIG, -IIE, or -II specification was recommended.  Approved for Voith standard drain intervals (H55.6335.xx DIWA Service Bulletin 013 & 118, formerly G1363).  Mercedes-Benz-Approval 236.41.
	Offers optimized shift efficiency, improved oxidation and shear stability for use in Chrysler automatic transmissions.     Extensively tested and approved by Chrysler for their material specification, MS-9602.	Chrysler ATF+4® licensed.  Meets Chrysler material specification MS-9602.  Back-serviceable in transmissions where ATF+3® fluids or earlier versions were recommended.
ATF D3M*	Demonstrates outstanding oxidation and thermal stability, giving long service life under severe operating conditions.     Excellent low temperature protection and smoother shifting.	ATF D3M may be used in automatic transmissions where a fluid meeting the former DEXRON®-IIIH, -IIIG, -IIE, -II, or MERCON® specifications is recommended.  Meets Allison TES-389.  Suitable for use where MB 236.1/.5/.6/.7, Allison C-4, or Caterpillar TO-2 is recommended.  May also be used in hydraulic and power steering systems.
DuraDrive™ MV Synthetic ATF	Petro-Canada Lubricants' full synthetic, high viscosity, Multi-Vehicle ATF.  Advanced performance over conventional ATF fluids.  Improved oxidative resistance, wear protection, sheer stability.  Enhanced friction and anti-shudder durability.	Suitable for use in a wide range of North American, European and Asian vehicles.     Ford MERCON®-V licensed.     Exceeds JASO 1A requirements.
DuraDrive LV MV Synthetic ATF	Full synthetic low viscosity formulation that offers true multi-vehicle performance, outstanding wear protection, and exceptional fluid life     Provides the frictional properties, wear protection and viscometrics needed by most newer North American, Asian, and European automatic transmissions.     Benefits include excellent oxidation and shear stability, outstanding wear protection, and exceptional low temperature fluidity.	DuraDrive Low Viscosity MV Synthetic ATF is suitable for use in a wide range of North American, Asian, and European automatic transmissions     Fully approved against MERCON®LV (license MLV161104)     Fully approved against DEXRON®-VI (license J-60185)
DuraDrive CVT	Full synthetic high viscosity Continuously Variable Transmission Fluid that offers outstanding wear protection, and exceptional fluid life     Excellent anti-shudder durability and high stable metal-to-metal friction properties     Outstanding protection against wear     Excellent resistance to oxidative and thermal breakdown     Reliable low/high temperature fluid performance	DuraDrive CVT MV Synthetic is suitable for use in a wide range of North American, Asian, and European continuously variable transmissions with belt/pulley or chain/pulley arrangements
DuraDrive DCT	Full synthetic transmission fluid for wet dual or double clutch transmissions. Provides excellent gear wear and corrosion protection, extended anti-shudder durability and reliable low temperature fluidity. Benefits include excellent thermal, oxidative and shear stability, outstanding wear protection, strong corrosion protection and reliable low temperature fluidity.	DuraDrive DCT MV Synthetic is suitable for use in a wide range of European, Asian, and North American wet dual or double clutch transmissions.
DuraDrive HD Synthetic Blend ATF	Specially formulated for commercial and heavy-duty transmission systems.     Outstanding resistance to oxidative and thermal breakdown.     Offers extended drain intervals and multiple heavy-duty credentials.	Approved for Voith (H55.6336.xx VTI-DIWA Service Bulletin 013 & 118, formerly G1363) (120K km) and ZF TE-ML 14B extended drain applications. Also approved for Allison C4 (legacy), ZF TE-ML 03D, 04D, 16L and 17C.      Suitable for use where Allison TES-295, Caterpillar TO-2, MB 236.1/.5/.6/.7, MAN 339 Typ Z2 & V2, Volvo STD 1273,41 - transmission oil 97341 (AT101) or MERCON®V is recommended.      May also be used in automatic transmissions where a fluid meeting the former DEXRON®-IIIH,—IIIG, -IIE,—II, or MERCON® specifications is recommended. Not to be used where MERCON®LV or MERCON®P are required.      May also be used as a hydraulic or power steering fluid.
DuraDrive HD Long Drain ATF	Formulated for heavy-duty transmissions.  Excellent wear protection, oxidation control and friction durability as demonstrated in extensive rig testing and field trials.  Enhanced thermal and oxidative stability together with improved high and low temperature properties.	Approved for Voith (150.014524.xx VTI-DIWA Service Bulletin 013 & 118) maximum drain, 180K kms.     Approved for ZF TE-ML 14C, 20C, 04D, 16M, 16S and 25C, MAN 339 Typ V3, Z3, Z12, MB 236.9 and Volvo STD 1273,41 - transmission oil 97341.

DEXRON® is a registered trademark of General Motors LLC. MERCON® is a registered trademark of Ford Motor Company. ATF+4® and ATF+3® are registered trademarks of FCA US LLC (formerly known as Chrysler Group LLC).
\*An undyed version of this product is also available in Europe as PETRO-CANADA UNDYED ATF.

## **PASSENGER**CAR MOTOR OILS

#### **PERFORMANCE BENEFITS**

- Petro-Canada Lubricants offers a full line of high quality passenger car motor oils.
- Meets the current warranty requirements of North American, European and Asian vehicles where the latest API Service Category SN with SN PLUS or ILSAC GF-5 standard is required.
- Completely backwards compatible where earlier API S categories (or ILSAC engine oil standards, as applicable) are recommended. \*SAE OW-16 excluded.

#### PETRO-CANADA PASSENGER CAR MOTOR OILS


Product	SAE Viscosity Grade	Performance Features	Credentials
SUPREME™ Synthetic	0W-16 0W-20 0W-30 5W-20 5W-30 10W-30	Advanced formula for ultimate engine protection.     Outstanding resistance to thermal breakdown and oil thickening.     Reduced oil consumption; less top-up required.     Exceptional low temperature fluidity.     Assured protection against low speed pre-ignition (LSPI).	Licensed API SN with SN PLUS and Resource Conserving.  Exceed ILSAC GF-5 standard. *SAE OW-16 excluded.  SW-20 meets Ford WSS-M2C945-A/B1.  WW-20 meets Ford WSS-M2C946-A/B1.  WW-20 meets Ford WSS-M2C947-A/B1.  WW-20, OW-30, 5W-20, 5W-30, 10W-30 meet Chrysler MS-6395.  Applicable SAE Viscosity Grades meet Honda, Hyundai, Toyota, Kia and Mazda owner's manual recommended performance requirements.  WW-30 meets Ford WSS-M2C953-A1/B1
SUPREME	5W-20 5W-30 10W-30 10W-40 20W-50	Premium conventional motor oil that keeps engines protected.  Outstanding low temperature performance. Excellent resistance to thermal breakdown.  LSPI protection.	5W-20, 5W-30 and 10W-30 are API licensed API SN with SN PLUS and Resource Conserving, ILSAC GF-5.     10W-40 and 20W-50 are API licensed API SN with SN PLUS.     5W-20 meets Ford WSS-M2C945-A/B1.     5W-30 meets Ford WSS-M2C946-A/B1.     5W-20, 5W-30 and 10W-30 meet Chrysler MS-6395.
SUPREME High Mileage	0W-20 (Synthetic) 5W-20 5W-30 10W-30	Contains REGEN Technology designed to clean up sludge in vehicles with high mileage Rejuvenates your engine's power that is lost due to blow-by Reduces the formation of new deposits on engine parts, resulting in a cleaner running engine Meets the latest industry standards	Exceeds API SN Plus, and is resource conserving as well the latest ILSAC GF-5 specification.  • 0W-20, 5W-20, 5W-30, 10W-30 meets Chrysler MS-6395  • 0W-20 meets Ford WSS-M2C947-A/B1  • 5W-20 meets Ford WSS-M2C945-A/B1  • 5W-30 meets Ford WSS-M2C946-A/B1  • Meets oil specification requirements for General Motors, Honda, Hyundai, Kia, Mazda and Toyota gasoline powered vehicles
SUPREME Synthetic Hybrid	0W-16 0W-20	Exceptional protection for internal combustion (IC) engines in a hybrid powertrain including:  Outstanding protection against wear, rust and corrosion during frequent stop/start cycles prevalent with hybrid vehicles, extending bearing and engine life  Easier unaided cold weather starts and reduced wear during low temperature start-up and operation due to our best low temperature fluidity  Our best resistance to high temperature thermal breakdown resulting in cleaner running engines	Licensed API SN with SN PLUS and Resource Conserving.     0W-20 exceeds ILSAC GF-5 requirements and is GM dexost™ Gen 2 licensed     0W-20 meets Chrysler MS-6395     0W-20 meets Ford WSS-M2C947-A/B1     Meets oil specification requirements for Honda, Hyundai, Kia, Mazda, and Toyota

#### PETRO-CANADA PASSENGER CAR MOTOR OILS - OTHER PRODUCTS

	Application and Performance		
SUPREME Synthetic 5W-40	<ul> <li>Premium advanced motor oil designed to lubricate the engines of today's gasoline and ethanol (up to E85) fuelled passenger cars, vans, CUVs, SUVs and light-duty trucks.</li> <li>Exceptional resistance to high temperature thermal breakdown.</li> <li>API SN with SN PLUS licensed. Available in China only.</li> </ul>		
SUPREME Synthetic Blend XL 5W-40	<ul> <li>Provides enhanced protection for the latest emission control systems and turbochargers.</li> <li>Formulated to meet the latest API Service Category and Classification, licensed API SN with SN PLUS.</li> <li>Available in China only.</li> </ul>		
SUPREME Synthetic 0W-40	<ul> <li>Premium, high performance, full synthetic engine oil specially formulated to ease engine start-ups at temperatures as low as -40°C.</li> <li>Suitable for use in gasoline and light duty diesel engines without emission after-treatment systems where API SN is recommended.</li> <li>Available in China only.</li> </ul>		
SUPREME C3-X Synthetic 5W-40	<ul> <li>Fuel saving synthetic motor oil that is produced with high quality synthetic base oils and an advanced additive system.</li> <li>Exceeds the ACEA C3 requirements for gasoline and light-duty diesel engines.</li> <li>Meets the requirements of Mercedes-Benz 229.51, BMW LL-04, Porsche A40 and Ford M2C917-A.</li> <li>Available in Europe only.</li> </ul>		
SUPREME C3 Synthetic 5W-30	High performance synthetic passenger car engine oil with a carefully balanced selection of synthetic base oils and advanced additive chemistry that protects gasoline catalytic converters and diesel particulate filters.  Meets the performance requirements of ACEA C3, API SN and is specially designed to support extended oil drain intervals of modern engines.  Exceeds the ACEA C3 requirements for fuel economy performance.  Available in Europe and China only.  MB-Approval 229.31		
SUPREME C3-X Synthetic 5W-30	<ul> <li>Synthetic, top quality "Mid SAPS"* passenger car motor oil that delivers outstanding performance and protection when I ubricating today's modern engines.</li> <li>Delivers exceptional resistance to thermal breakdown, outstanding low temperature fluidity and excellent engine protection at extreme operating temperatures.</li> <li>Meets the performance requirements of ACEA C3, API SN, Porsche C30 and BMW LL-04 specifications.</li> <li>Approved under VW Standard 504 00 and VW Standard 507 00</li> <li>MB-Approval 229.51.</li> </ul>		

<sup>\*</sup>SAPS = Sulfated Ash, Phosphorus, Sulfur

## **AUTOMOTIVE**GEAR OILS & AXLE FLUIDS



- Designed for use in many manual transmissions, for passenger cars, trucks, and off-highway vehicles where mild Extreme Pressure (EP) type lubricants are recommended.
- TRAXON axle fluids meet API GL-5 and MT-1 requirements as well as SAE J2360 Global Standards.
- Suitable for most oil lubricated universal joints, wheel bearings, planetary gear sets, steering gears and industrial gear reducers requiring API GL-3 (inactive), GL-4 or GL-5 oils.
- Excellent thermal and oxidation stability resulting in superior gear cleanliness.
- TRAXON axle fluids are not for use in specific manual transmissions calling for the use of an API GL-4 rated oil only and a GL-5/MT-1 oil is not acceptable.

# DO YOU HAVE AN AUTOMATED MANUAL TRANSMISSION (AMT) OR NEED AN API GL-4? Non-EPMTF Does your rear axle specify heavier grades? Wider Temperature Range required? No

#### TRAXON 85W-140

TRAXON 85W-140 provides outstanding shear stability and contains anti-wear/IPP additives for tough, high-load, high-operating temperature conditions for extended equipment life.

Delivers excellent resistance to degradation and sludging.

Meets API GL-5, MT-1 and Meritor 0-76-A requirements.

Approved against SAE J2360 (MIL-PRF-2105E), ZF TE-ML lubricant class 05A, 12M, 16D, 21A [ZF003390], Mack GO-J and Scania STO 1:0 (axle) specifications.

#### TRAXON XL SYNTHETIC BLEND 80W-140

TRAXON XL Synthetic Blend 80W-140 provides excellent shear stability for retention of viscosity to help protect equipment against metal-to-metal contact and wear.

Delivers advanced resistance to degradation and sludging and better torque and energy efficiency vs. conventional GL-5 85W-140 oils.

Meets API GL-5 and MT-1 requirements.

Approved against SAE J2360 (Formerly MIL-PRF-2105E) and Mack GO-J specifications.

Approved against ZF TE-ML lubricant class 05A, 12M, 16D, 21A [ZF002287].

Meets Meritor 0-76-B standard drain specification and Scania STO 1:0 requirements for axles only.

#### TRAXON E SYNTHETIC 80W-140

TRAXON E Synthetic 80W-140 contains extreme pressure additives for operation under a variety of load conditions with excellent resistance to oxidation for long lubricant life.

High viscosity index and good low temperature properties for excellent protection in cold weather.

Recommended for use in manual transmissions requiring EP-type oils, differentials including limited slip (top-up only) and transfer cases for heavy equipment, trucks and tractors.

Meets API GL-5, API MT-1, Mack GO-J, SAE J2360 (MIL-PRF-2105E), International TMS 6816 / Navistar MPAPS 6-8616 Type I, Navistar MPAP 6821, and Meritor 0-76-8 & 0-80 standard drain specification (in Meritor TP-9539 documents).

Approved against and Dana - CVSD SHAES 429 Rev A (TCMT-0020) (Eaton Genuine Roadranger Lubricant).

#### TRAXON E SYNTHETIC 75W-90

TRAXON E Synthetic 75W-90 contains extreme pressure additives for operation under a variety of load conditions with excellent resistance to oxidation for long lubricant life.

New and improved formulation has demonstrated up to 1.5%\* fuel efficiency benefits over the previous formulation.

High viscosity index and good low temperature properties for excellent protection in cold weather.

Recommended for use in manual transmissions requiring EP-type oils, differentials excluding limited slip and transfer cases for heavy equipment, trucks and tractors.

Meets API GL-5, API MT-1, Mack GO-J Plus, SAE J2360 (MIL-PRF-2105E), International TMS 6816 / Navistar MPAPS B-6816 Type I, and Meritor 0-76-N requirements.

Approved against Dana - CVSD SHAES 256 Rev E and SHAES 429 Rev A (TCMT-0020) (Eaton Genuine Roadranger Lubricant).

<sup>\*</sup>Fuel Economy (FE) claims are based on improvements noted in both Industry and fleet testing, including SAE J1321, J1376 & J1526, versus previous formulation.


#### MANUAL TRANSMISSION FLUIDS

#### **PERFORMANCE BENEFITS**

• Specialized manual transmission TRAXON fluids such as (TRAXON Synthetic MTF 75W-80, TRAXON Synthetic CD-50 and TRAXON E Synthetic MTF) meet many specialized manual transmission requirements.

#### **OTHER PRODUCTS**


Product	Application and Performance
DEXRON® Gear Oil 75W-90 DEXRON® LS Gear Oil 75W-90	<ul> <li>Synthetic extreme pressure automotive axle lubricant formulated for GM applications.</li> <li>Provides excellent long lasting wear protection to extend equipment life and reduce downtime and maintenance costs.</li> <li>DEXRON® LS Gear Oil 75W-90 contains added friction modifiers to perform in limited-slip differentials.</li> </ul>
GEARLUBE 80W-90 & GEARLUBE 85W-140	<ul> <li>API GL-5 hypoid gear lubricants for general purpose good performance in axle/gear applications.</li> <li>Not for use in Manual transmission applications where non API GL-5 oil are required.</li> </ul>




<sup>\*</sup>Fuel Economy (FE) claims are based on improvements noted in both SAE J1321 and fleet testing, versus TRAXON E SYNTHETIC CD-50. DEXRON® is a registered trademark of General Motors LLC.



# COMMERCIAL TRANSPORTATION HYDRAULIC FLUIDS



- HYDREX AW are premium performance, long-life anti-wear hydraulic fluids.
- HYDREX MV fluids are designed for use in wide temperature ranges.
- HYDREX XV All Season is recommended for year-round use in equipment that must perform in both low and high temperature ranges. Potential energy efficiencies could be realized with product versus monograde products.
- ENVIRON™ AW monograde hydraulic fluids are designed for use in equipment used primarily in environmentally sensitive areas.
- ENVIRON MV fluids are designed for year-round use in equipment operating in wide temperature ranges, particularly in environmentally sensitive areas.
- Please refer to the Tech Data sheets for a complete listing of the OEM approvals for HYDREX and ENVIRON.



## TRACTOR/ HYDRAULIC FLUIDS

#### **PERFORMANCE BENEFITS**

- DURATRAN™ is a Tractor Hydraulic Fluid (THF)/Universal Tractor Transmission Oil (UTTO) designed for agriculture, mining, forestry and construction equipment with a common oil system for transmission, differential, hydraulic, power take-off, wet brake and power steering mechanisms.
- Meets field performance requirements of all North American and most global manufacturers.

#### **DURATRAN**

Application	Product	Performance Features	Recommended For The Following Credentials/Specifications
DURATRAN Synthetic is designed for agriculture, mining, forestry and construction equipment. Designed specifically for true all-season performance, eliminates seasonal change- outs and has excellent oxidation stability.	DURATRAN Synthetic	Exceptional true all-season performance for reliable hot and cold weather operation.  Performs at temperatures down to -41°C/-42°F.  Extends drain intervals; reduces the need for seasonal change-out.  Excellent frictional characteristics which can help prevent brake chatter and slip-skip problems, thereby helping to prolong these components' life.  Energy efficiencies can be realized versus monograde Tractor/Hydraulic Fluids (THF).  Excellent wear protection, even when water contamination is present.	<ul> <li>Surpasses John Deere OEM specification JDM J20C (summer) and JDM J20D (winter).</li> <li>Suitable for use in applications that call for CNH (Case I.H., J.I. Case New Holland Group): MS-1209/MAT 3505, MS-1210/ JIC145/MAT 3506, MS-1230/CNH MAT 3509, ESN-M2C134-D/MAT 3525 older specifications (obsolete) such as MS-1207, MS-1206, MS-1205, MS-1204/JIC-185, B-6, B-5, JIC-144, JIC-143, FNHA-2-C-201.00, FNHA-2-C-201.00A (134-D), FNHA-2-C-200.00, ESN-M2C134-A/B/C, ESN-M2C68-B/C, ESN-M2C63-A, ESN-M2C48-B; White Farm (Oliver) Q-1826, Hydraulic Transmission Fluid (HTF), older specifications (obsolete) such as Q-1802, Q-1766B, Q-1722, Q-1705, Massey-Ferguson M-1141, M-1135, M-1143; M-1145 (For UTTO application only. Do not use in STOU engine applications.), older specifications (obsolete) such as S-257641, 246634 GIMA MF CMS M1145, GIMA MF CMS M1141; Valtra G2-98, New Holland 410B, Volvo Std 1273,03 -97303 WB 101 (Approved), Volvo older specification (obsolete) ESN-M2C 134-D.</li> <li>Recommended for use in Kubota UDT and Kubota UDT2 (Approved), Steiger Hydraulic Transmission Fluid, SEMS 17001, Versatile ESN-M2C134-D, Versatile older specification (obsolete) Hydraulic/Gear Fluid Spec 24M and Spec 23M, Komatsu KES 07.866, Landini (Tractor II Hydraulic Fluid), Hesston-Fiat (Oliofiat Tutela Multi-F), Just Duratran XL Synthetic Blend is approved for Kioti and Mahindra farm tractors.</li> <li>Suitable for use in Sundstrand older specification (obsolete) Hydrostatic Transmission Fluid, Dresser Construction Equipment, Voith Heavy Industrial, Hitachi Heavy Industrial and ACEON/Miller Equipment.</li> <li>Suitable for use against API GL-4, Caterpillar TO-2 (obsolete), Clark Lift Truck TA12, TA18, HR 500, HR 600.</li> <li>Suitable for use against API GL-4, Caterpillar TO-2 (obsolete) and C-3 Fluids (obsolete) and Z-F Transmission Tluid, Dresser Construction Equipment Te-ML 03E, 05F, 21F (axles), Heist*, Kalmar*, Kessler*, Hyster* and Fantuzzi* industrial equipment requirements are called for.</li> </ul>
DURATRAN XL Synthetic Blend is designed for agriculture, mining, forestry and construction equipment. Designed particularly for winter and shoulder season work with excellent oxidation stability.	DURATRAN XL Synthetic Blend	Extends drain intervals; reduces the need for shorter seasonal change-out.     Performs at temperatures down to -40°C/-40°F.     Excellent frictional characteristics to help prevent brake chatter and slip-skip problems, which could help prolong these components' life.     Excellent wear protection, even when water contamination is present.	<ul> <li>Surpasses John Deere OEM specification JDM J20D.</li> <li>Suitable for use in colder applications that call for CNH (Case I.H., J.I. Case New Holland Group): MS-1209/MAT 3505, MS-1210/IJC-145/MAT 3506, MS-1230/CNH MAT 3509, ESN-M2C134-D/MAT 3525, older specifications (obsolete) such as MS-1207, MS-1206, MS-1205, MS-1204/JIC-185, B-6, B-5, JIC-144, JIC-143, FNHA-2-C-200.00, ESN-M2C134-A/B/C, ESN-M2C68-B/C, ESN-M2C53-A, ESN-M2C48-B; White Farm (Oliver) Q-1826, Hydraulic Transmission Fluid (HTF), older specifications (obsolete) such as O-1802, Q-1766B, Q-1722, Q-1705, Massey-Ferguson M-1141, M-1135, M-1143, older specifications (obsolete) such as M-1129-A, M1127-A/B, M-1110, AGCO/ Deutz-Allis/Allis: Power Fluid 821XL, 272843, older specifications (obsolete) 257541, 246634.</li> <li>Recommended for use in Kubota UDT<sub>2</sub>, Steiger Hydraulic/Transmission Fluid (SEMS 17001), Versatile ESN-M2C134-D, Versatile older specification (obsolete) Hydraulic/Gear Fluid Spec 24M and Spec 23M Landini (Tractor II Hydraulic Fluid winter only), Hesston-Fiat (Oliofiat Tutela Multi-F winter only), Kioti and Mahindra farm tractors.</li> <li>Suitable for use in Sundstrand older specification (obsolete) Hydravstatic Transmission Fluid, Dresser Construction Equipment, Voith Heavy Industrial (winter only), Hitachi Heavy Industrial (winter only).</li> <li>Suitable for use against API GL-4, Caterpillar TO-2 (obsolete) and C-3 Fluid (obsolete), Clark Lift Truck TA12, TA18, HR 500.</li> <li>Suitable for use where Allison C-4 Fluid (obsolete) and C-3 Fluid (obsolete), Heist*, Kalmar*, Kessler*, Hyster*, and Fantuzzi* industrial equipment (winter only) requirements are called for.</li> </ul>
DURATRAN is designed for agriculture, mining, forestry and construction equipment and is designed to exceed the performance characteristics of summer grade THF fluids with outstanding oxidation stability.	DURATRAN	For extreme summer climate operating conditions.  Extreme high temperature performance.  Extends drain intervals, even in the hottest summer months.  Best suited for agricultural summer applications for various OEM farm equipment.  Excellent wear protection, even when water contamination is present.  Excellent frictional characteristics which can prevent brake noise and brake chatter, which could help prolong these components' life.	<ul> <li>Surpasses John Deere OEM specification JDM J20C.</li> <li>Suitable for use in applications that call for CNH (Case I.H., J.I. Case New Holland Group); MS-1209/MAT 3505, MS-1210/ JIC-145/MAT 3506, MS-1230/(CNH MAT 3509, ESN-M2C134-D/MAT 3525, older specifications (obsolete) such as MS-1207, MS-1206, MS-1205, MS-1204)[JC-185, B-6, B-5, JIC-144, JIC-143 FNHA-2-C-201.00, ESN-M2C134-A/B/C, ESN-M2C86-B/C, ESN-M2C33-A, ESN-M2C34-B; White Farm (Oliver); O-1826, Hydraulic Transmission Fluid (HTF), older specification (obsolete) Q-1802, Q1766B, Q-1722, Q-1705, Massey-Ferguson M-1141, M-1135, M-1143; M-1145; for UTTO applications only. Do not use in STOU engine applications.), older specifications (obsolete) M-1129/A, M-1127-A/B, M-1110; AGCO/Deutz-Allis/Allis: Power Fluid 821XL, 272843, older specifications (obsolete) 257541, 246634; GIMA MF CMS M1145, GIMA MF CMS M1141; Valtra G2-08 and G2-98, New Holland 410B, Volvo Std 1273,03 -97303 WB 101 (Approved).</li> <li>Recommended for use in Kubota UDT, Steiger Hydraulic/Transmission Fluid, SEMS 17001; Versatile ESN-M2C134-D, Versatile older specification (obsolete) Hydraulic/Gear Fluid Spec 24M and Spec 23M,, Landini (Tractor II Hydraulic Fluid), Komatsu KES 07.866, Hesston-Fiat (Oliofiat Tutela Multi-F), and Mahindra farm tractors.</li> <li>Suitable for use in Sundstrand older specification (obsolete) Hydrostatic Transmission Fluid, Dresser Construction Equipment, Voith Heavy Industrial, Hitachi Heavy Industrial and ACEON/Miller Equipment.</li> <li>Suitable for use where Allison C-4 Fluid (obsolete) and C-3 Fluid (obsolete), Z Transmission TE-ML 03E, 05F, 06K, 21F (axles), Heist*, Kalmar*, Kessler*, Hyster*, and Fantuzzi* industrial equipment requirements are called for.</li> </ul>

\*Top treat may be required. Note: For UTTO applications only – do not use in engine application where Super Tractor Oil Universal (STOU) are recommended. Note: Many Tractor OEM's have since been consolidated to one Brand. Specifications have been noted to be the last known specification published for specific Tractor brand names. Check with your OEM supplier for the latest lubricant specification required for your equipment or your OEM Manual.

## TRANSMISSION/ DRIVE TRAIN OILS

#### **PERFORMANCE BENEFITS**

- PRODURO<sup>TM</sup> TO-4+ oils are designed to meet and exceed Caterpillar TO-4 TDTO (Transmission Drive Train Oil) lubricant specifications.
- Provides excellent protection, long oil life, smooth operation and lower operational costs.
- PRODURO FD-1 oils are designed to meet Caterpillar FD-1 Final Drive lubricant specifications.

#### **PRODURO**

Application	Product	Performance Features	Credentials/Identification
Suitable for use in a variety of construction, mining and heavy-duty transmission/ hydraulic/wet brake and final drive where higher quality synthetic wide operating temperature performance is desired.	PRODURO TO-4+ Synthetic All Season	May eliminate seasonal change-outs (see operating temp ranges for further details) and provides wider operation temperature ranges to TO-4* 10W and TO-4* 30.  Extends drain intervals. *see footnote.  Designed to maximize durability and equipment protection in cold and hot temperatures.  Maximizes life of frictional materials in Caterpillar powershift transmissions. Eliminates brake chatter and protects drive train gears against wear.  Outstanding anti-wear protection for hydraulic pumps and transmission systems.  Energy efficiencies could be realized versus monogrades.	Suitable for use where Caterpillar TO-4 lubricant specifications (TDTO) are required.  Suitable for use where Allison C-4 for transmission (obsolete) and ZF Transmission TE-ML 03C requirements are called for.  API Gear Lubricant Service GL-3 for manual transmissions and spiral bevel gears (inactive), API Category CD (obsolete).  Suitable for use in KOMATSU equipment which require the micro-clutch performance.  Suitable for use in Komatsu's KES 07.868.1, Komatsu-Dresser, Dana Power Shift, Tremac and Euclid equipment that call for a TO-4 Fluid.
Suitable for use in a variety of construction, mining and heavy-duly transmission/ hydraulic/wet brake and final drive where Arctic temperature conditions are experienced.	PRODURO TO-4* XL Synthetic Blend Lo Temp	Extends component life through better lubricant protection.  Extends drain intervals. *see footnote.  Provides wider operating temperature ranges than TO-4* 10W and suitable for Arctic conditions down to -45°C/-49°F.  Maximizes life of frictional materials in Caterpillar powershift transmissions. Eliminates brake chatter and protects drive train gears against wear.  Outstanding anti-wear protection for hydraulic pumps and transmission systems.	Suitable for use where Caterpillar TO-4 lubricant specifications (TDTO) and Allison C-4 for transmission (obsolete) are required. Suitable for use in KOMATSU equipment which require the micro-clutch performance. Suitable for use in Komatsu's KES 07.868.1, Komatsu-Dresser, Dana Power Shift, Tremac and Euclid equipment that call for a TO-4 fluid. API Gear Lubricant Service GL-3 for manual transmissions and spiral bevel gears (inactivie), API Catergory CD (obsolete).
Suitable for use in a variety of construction, mining and heavy-duty transmission/ hydraulic/web trake and final drive where higher performing monogrades are desired.	PRODURO TO-4+ 10W, 30, 50 and 60 grades	Provides effective lubrication resulting in better protection. Reliable performance over a wider range of temperatures than traditional TO-4 fluids.  Maximizes life of frictional materials in Caterpillar powershift transmissions. Eliminates brake chatter and protects drive train gears against wear.  Excellent anti-wear protection for hydraulic pumps and transmission systems.	Designed to meet Caterpillar TO-4 lubricant specification, Caterpillar TO-2 (obsolete), API gear Lubricant Service GL-3 (inactive), Allison C-4 for transmission (obsolete) API category CD (obsolete) and Eaton/Vickers (M-2950/I-280-S).  Suitable for use where ZF Transmission TE-ML-03C (10W and 30 grades) and TE-ML-07F (30 grade only) fluid requirements are called for.  Suitable for use in Komatsu's KES 07.868.1, Komatsu-Dresser, Dana Power Shift, Tremac, and Euclid equipment that call for a TO-4 fluid.  Suitable for use in KOMATSU equipment which require the micro-clutch performance.  Suitable for use in Eaton manual transmissions under standard drain category as quoted in Eaton TCM T0021EN-US (30, 50, and 60 grades).
Suitable for use in a variety of construction, mining and heavy-duty equipment final drives and axles where higher performing monogrades and longer gear and bearing life are desired.	PRODURO FD-1 60	Provides improved gear and bearing life in final drives and axles.  Extends drain intervals — allows a drain interval of up to 4,000 hours for off-highway trucks final drive and rear axles compared with a 2,000-hour drain interval typically recommended for TO-4 fluids*. Not for use in compartments containing friction material unless an FD-1 type product is specified.  Improves extreme-pressure (EP) performance compared to TO-4 fluids. NOT for use in engines, transmissions, hydraulics, or wet brakes.  NOT for use in older designed Caterpillar final drives (789 series haul trucks).	Designed to meet Caterpillar FD-1 lubricant specifications for Caterpillar final drives and axles.
Suitable for use in a variety of construction, mining and heavy-duty equipment final drives and axles where a higher quality synthetic oil and wide operating temperature performance is desired.	PRODURO FD-1 Synthetic	Protects gears and bearings against wear in severe duty applications. Provides improved gear and bearing life in final drives and axles. Improves extreme-pressure (EP) performance compared to TO-4 fluids. Enhanced low-temperature performance compared to conventional CAT final drive and axle fluids.  Extends drain intervals — allows a drain interval of up to 6,000 hours for off-highway trucks final drive and rear axles compared with a 2,000-hour drain interval typically recommended for TO-4 fluids*. Not for use in compartments containing friction material unless an FD-1-type product is specified.  Not for use in engines, transmissions, hydraulics, or wet brakes.  Not for use in older designed Caterpillar final drives (789 series haul trucks).	Meets the performance attributes of the Caterpillar FD-1 lubricant specification for Caterpillar final drives and axles with added benefits of low temperature performance.

<sup>\*</sup>Any drain interval extension beyond Caterpillar recommendations must be accompanied by an oil analysis program.

# **SMALL** ENGINE OIL

#### **PERFORMANCE BENEFITS**

- Petro-Canada Lubricants' small engine oil is designed to give excellent performance in air-cooled 2-stroke cycle
  engines operating under all conditions.
- Contains high performance additives, which give excellent anti-scuff and anti-wear performance to ensure reliability, internal cleanliness and long engine life.
- The additive system used produces minimal spark plug, ring, piston and valve deposits allowing for good starting and continued efficient engine operation.

#### **SMALL ENGINE OIL**

Application	Product	Performance Features	Credentials/Identification
	SUPREME Synthetic Blend 2-Stroke Small Engine Oil	For both oil-injected and pre-mixed gasoline/oil lubricated engines.  Controls deposit formation/ring-sticking.  Minimizes spark plug fouling and engine pre-ignition.  Provides excellent protection against rust and corrosion.  Mixes easily with gasoline and pumps down to -40°C/-40°F.  Very low smoke emissions and low ash levels.	Dyed blue-green for easy detection of gasoline/oil mixtures. Certified against JASO FC. Meets the requirements of ISO-L-EGC and API TC. SAE Fluidity/Miscibility (F/M) Grade 4. Recommended for use in motorcycles, mopeds, snowmobiles, chain saws, generators, lawn mowers, weed trimmers and other landscaping equipment. Suitable for use in air-cooled applications where API TC quality oils are recommended such as Husqvarna, STIHL, Poulan, Weedeater, Lawn-Boy, Tecumseh, Toro, Ryobi, Briggs & Stratton and Yamaha. For air-cooled and some liquid cooled snowmobiles where API TC quality oils are recommended, such as Bombardier, Arctic Cat, Polaris and Yamaha. Check your OEM manual for suitability.



# CHAIN, PAPER MACHINE AND SAW GUIDE OILS

#### **PERFORMANCE BENEFITS**

• Petro-Canada Lubricants provides a complete line of oils for your chain, paper machine and saw guide needs.

#### **CHAIN OILS**

Application	Product	Performance Features
Chains, guide bars, journal bearings, sprockets and chain saws	DURATAC™ Chain Oil	<ul> <li>Economical, tacky.</li> <li>Designed to reduce dripping and throw-off.</li> <li>Can be used as a general purpose lubricant where oil control or tackiness is required.</li> <li>Available in the following viscosity grades: 32 (dyed red), 68, 100, 150 (dyed red).</li> </ul>
Ideal for use in printing shops, saw mills and for conveyor chains	DURATAC Non-Drip Oil	<ul> <li>Adheres strongly to metal surfaces.</li> <li>Also for general machine lubrication where a tacky, non-drip oil is required.</li> <li>Available in the following viscosity grades: 32, 68, 100, 150, 220.</li> <li>Its light colour makes it desirable where a dyed oil is not preferred.</li> </ul>
For use only in chain saws and timber harversters	Petro-Canada Bar and Chain Oils	Available in 32 and 150 grades.     Contains LUBE-LOCK Technology designed for greater adherence/tackiness to bars and chains.

#### **PAPER MACHINE OILS**


Application	Product	Performance Features
Paper machine oil	SEPRO™ XL	Resists oil degradation better than conventional competitive fluids.  Ashless, free of harmful metals formulation recommended for environmentally-sensitive areas.  Extended life lubricant formulated for excellent water separation, rust and corrosion protection, and wear protection.  Available in the following viscosity grades (non-dyed): 150, 220.

#### **SAW GUIDE OILS**

Application	Product	Performance Features
Multi-blade, gang saws and edgers	PETROGLIDE™	Less wash-off and better lubricity.     Greater recovery with excellent extreme pressure properties.     Pitch control additives and rust inhibitor keeps blades cleaner.     Free of heavy metals.     Available in the following viscosity grades: 68, 100, 150.     Reduces consumption of water and oil.     Less guide changes and less saw changes results in higher production.
Mist lubricated bandsaws	PETROGLIDE MC 32	<ul> <li>Lubricates without excessive spray mist to reduce oil usage.</li> <li>Less wash-off resulting in reduced oil consumption.</li> <li>Reduces friction.</li> <li>Rust inhibitor and pitch control additive keeps blades cleaner.</li> <li>Available in viscosity grade: 32.</li> <li>Free of heavy metals.</li> </ul>
Saw guides	PETROGLIDE ELV	Helps to reduce saw guide deviation and improve on-spec board production.  Tested for multi-blade gang saws and edgers.  Anti-rust additive keeps blades cleaner helping to increase saw guide life and minimize wood losses.  Designed to emulsify with water for enhanced cooling efficiency.




## MULTI-APPLICATION GREASES




- PRECISION Synthetic and XL greases can last up to 3 times longer in performance testing (ASTM D3527) than leading competitor brands, while providing advanced protection and helping to lower maintenance costs.
- PRECISION Synthetic greases deliver high performance in wide operating conditions for enhanced protection and savings.
- PRECISION XL greases are versatile, premium performance, long-life, lithium/lithium-complex greases.
- PRECISION XL Moly greases are lithium greases formulated with 3% and 5% molybdenum disulphide.

- PEERLESS LLG is a high-performance, calcium sulphonate complex grease, for high temperature, wet and very long-life applications.
- PEERLESS OG is formulated for the lubrication of loaded bearings, universal joints and chassis operating in very severe wet, dusty and/or dry conditions.
- VULTREX MPG greases provide excellent lubrication for off-road equipment in bearings or bushings subject to high pressures or heavy shock loading.
- VULTREX G-123 & G-124 are red tacky greases designed for visibility and to lubricate heavy-duty truck components such as wheel bearings, kingpins, and chassis points.




Note: Temperature ranges listed are "operating temperatures."

25






### MINING GREASES





- VULTREX OGL is perfect for large, heavy-duty, open and enclosed gear drives, as well as bearings and exposed sliding surfaces – commonly found in open pit mining.
- VULTREX MPG, G-123 and G-124 greases provide excellent lubrication for off-road equipment, resulting in outstanding service life and longer equipment protection.
- VULTREX GEAR SHIELD<sup>†®</sup> NC provides lubrication of open gear sets, SAG and Ball Mills.
- PRECISION greases can last up to 3 times longer in performance tests (according to standard test method for Life Performance of Automotive Wheel Bearing Grease ASTM D3527) than leading competitor brands, while providing advanced protection and helping to lower maintenance costs.
- PRECISION XL EP1 and EP2 greases are versatile, premium performance, long-life, lithium-complex greases.
  - †® Gear Shield is a registered trademark of Petron® Corp.; Petro-Canada Lubricants is a registered user.



\* These greases meet the NLGI Automotive Service Classification GC-LB for wheel bearing and chassis lubrication.

Note: Temperature ranges listed are "operating temperatures."





## **SPECIALTY**GREASES

#### **ROCK DRILL FLUIDS + DRILLING GREASES**

Application	Product	Color	Performance Features	Operating Temperature
Air-operated rock drills	VULTREX Rock Drill EP000		Lithium semi-fluid grease specially formulated for mist-free operation when used to lubricate air-operated rock drills and similar mining equipment.     Meets the requirements of rock drill manufacturers, such as Ingersoll-Rand, Joy, Parts Headquarters and other manufacturers.	-20°C/4°F to 100°C/212°F
Diamond drill rods	VULTREX Drill Rod Heavy Grease		Barium-complex grease recommended for use on diamond drill rods where it reduces friction between the rod and rock strata.  Lubricates successfully to more than 2,000 foot drill depths without wash-off or wipe-off.	-12°C/10°F to 135°C/275°F

Application	Product	Performance Features
Air-operated rock drills	ARDEE™ Rock Drill Oils	Ideal for use in equipment running at high air flow rates and high piston temperatures.
		Designed for low and high temperature conditions.
		Meet or surpass major equipment manufacturers' specifications.
		ISO VG 32 is used for winter conditions.
		ISO VG 32 is recommended for use in plant air-line lubricators, especially where the air is water laden.
		ISO VG 46 is an all-season solution for the drilling industry designed to consolidate inventory and provide protection year round.
		ISO VG 68, 100 and 150 are used in underground mining operations to reduce oil consumption and misting.
		ISO VG 150 is recommended for Secan drills and in mining operations trying to reduce oil consumption and misting.
		ISO VG 220 is used in summer in large bore drills (greater than 10 cm/4 inch) in surface mines.

#### **DRILLING COMPOUNDS**

Application	Product	Color	Performance Features	Operating Temperature
Lubrication and prevention of galling on casing, tubing and line pipe threads	VULTREX API Modified Thread Compound		<ul> <li>Designed to protect threads from galling during make-up and break-out.</li> <li>Contains 64% solids (graphite, lead, zinc and copper) and conforms to API Bulletin 5A2 on "Thread Compounds for Casing, Tubing and Line Pipe."</li> </ul>	N/A

#### **SPECIALTY GREASES FOR HIGH TEMPERATURES**

Application	Product	Color	Performance Features	Operating Temperature
High temperature applications where the grease does not carbonize. Also where hydrocarbon resistance is necessary.	THERMEX™		An NLGI#2 grease formulated with a silica gel thickener and a synthetic base fluid that vaporizes slowly at high temperatures leaving little or no deposit.     Regular re-greasing required.	260°C/500°F+
Rail curves	PRECISION XL RAIL CURVE		Rail curve grease is a water-resistant, graphite grease suitable for all-season use in mechanical applicators of trackslide lubrication systems (Portec, Lincoln) as well as on-board lubrication systems, such as the Clicomatic system.	-45°C/-49°F to 120°C/248°F

- PRECISION greases can last up to 3 times longer in performance tests (according to standard test method for Life Performance of Automotive Wheel Bearing Grease ASTM D3527) than leading competitor brands, while providing advanced protection and helping to lower maintenance costs.
- PEERLESS is formulated for the lubrication of loaded bearings, universal joints and chassis operating in very severe wet, dusty and/or dry conditions.
- VULTREX MPG, G-123 and G-124 greases provide excellent lubrication for off-road equipment, resulting in outstanding service life and longer equipment protection.
- VULTREX ROCK DRILL EP000 is designed for mist-free lubrication of rock drills and in-line pneumatic systems.
- VULTREX DRILL ROD HEAVY is specially designed for use on diamond drill rods to reduce friction between the rod and rock strata.

#### **GENERAL MANUFACTURING**

Application	Product	Color	Performance Features	Operating Temperature
Dryer felt-roll bearings in paper mills	PRECISION SYNTHETIC HEAVY 460		Synthetic high temperature long-life EP lithium-complex grease is specially formulated for dryer felt-roll bearings in paper machines.	-30°C/-22°F to 170°C/338°F
Electric motor bearings	PRECISION XL EMB		Specifically designed for electric motors meeting CGE specification 6298 for class B or F insulation.	-25°C/-13°F to 160°C/320°F
	PRECISION SYNTHETIC EMB		Recommended for electric motor applications that are exposed to wider temperature range.	-40°C/-40°F to 170°C/338°F
	PEERLESS POLY EMB		Premium performance, long life multi-application grease formulated to reduce operating costs and provide long service protection over a wide range of operating temperatures.	-30°C to 163°C-22°F to 325°F
	PEERLESS LLG		Calcium Sulfonate Complex grease for high temperatures and long life applications.	-20°C/-4°F to 200°C/392°F
High-speed flexible couplings	PEERLESS XCG FLEX		An ideal choice for use in high-speed flexible couplings, where severe centrifugal forces are generated.	-20°C/-4°F to 163°C/325°F
Internal parts of valves used in natural gas plants	PEERLESS SVG 102		Specially formulated for the lubrication of the internal parts of valves employed in the production and distribution of sour gas in natural gas plants.	-35°C/-31°F to 163°C/325°F
Poorly sealed enclosed gearboxes	PRECISION XL EP000		Formulated for poorly sealed enclosed gearboxes, e.g. continuous miner.	-25°C/-13°F to 100°C/212°F
Steel mills	PRECISION XL HEAVY-DUTY		For heavy-duty service applications. Alternative for high load, slow moving applications if low temperature performance is not required.	-10°C/14°F to 160°C/320°F
On-board lubrication systems	PRECISION XL EP00		Semi-fluid lithium grease designed for on-board lubrication systems.     Handles auto-greasing points on a truck.	-35°C/-31°F to 100°C/212°F
Tough, heavy-duty shock loaded equipment in industrial and off-highway applications.	PEERLESS 3 MOLY 322		Calcium sulphonate complex grease with 3% molybdenum disulphide that is specifically formatted for truck fifth wheels, chassis and kingpins.	-15°C/5°F to 170°C/338°F


#### TRUCKS/AUTOMOTIVE

Application	Product	Color	Performance Features	Operating Temperature
Trailer end hub axle bearings	PRECISION SYNTHETIC EP00		Specially formulated for rear end assemblies on trailers.	-40°C/-40°F to 170°C/338°F
Heavy-duty truck components	VULTREX G-123 VULTREX G-124		Are red tacky greases designed to lubricate heavy-duty truck components, such as wheel bearings, bushings, kingpins and chassis points found on vehicles operated by the mining, forestry and transportation industries.	-25°C/-13°F to 160°C/320°F -20°C/-4°F to 160°C/320°F






## INDUSTRIAL GEAR OILS



#### **PERFORMANCE BENEFITS**

- SYNDURO™ SHB family of synthetic multifunctional fluids is formulated for lubricating air compressors, gears and bearings operating under mild EP loads over wide temperature ranges.
- TURBOFLO™ R&O oils are high quality lubricants designed for use in steam and hydro turbines, as well as circulating oil systems in a wide range of industrial machinery.
- ENDURATEX Synthetic EP gear oils are fully synthetic and specifically designed for enclosed gearboxes operating under very demanding conditions in wide temperature extremes.
- ENDURATEX EP gear oils are high quality, extreme pressure lubricants designed for use in enclosed industrial gear drives operating under normal, heavy or shock loading conditions.
- ENDURATEX OHV (Off-Highway Vehicle) 680 is a premium synthetic extreme pressure lubricant. It is designed to work in demanding temperature conditions and maintain exceptional lubricant film strength.



## INDUSTRIAL HYDRAULIC FLUIDS

#### ARE THE HYDRAULICS USED IN AN ENVIRONMENTALLY SENSITIVE OR FOOD GRADE AREA?



Neither Food Grade nor Environmentally sensitive with requirement for zinc-free

Is a fluid delivering reduced energy consumption and/or an all-season operating temperature range desired?



Do you operate your hydraulics in a wide range of temperatures??



## YES



HYDREX AW is recommended for heavy-duty hydraulic

and oxidation life, which could extend intervals between

change-outs and excellent protection against corrosion

applications requiring outstanding wear protection. HYDREX AW fluids have both excellent thermal stability

Available in grades 22, 32, 46, 68, 80 and 100.

**HYDREX** 

#### **HYDREX**

HYDREX MV is recommended for heavy-duty hydraulic applications operating at high pressures and in wide temperature range conditions.

They are ideally suited for piston, gear and vane pumps found on industrial machinery and mobile equipment.

These fluids offer minimal fluid friction at low start-up temperatures and excellent protection at high operating temperatures.

Available in grades 22, 32, 46 and 68.

Energy efficiencies could be realized.



#### **HYDREX** XV ALL SEASON

HYDREX XV All Season performs in industrial machinery that has to be started at temperatures as low as -34°C/-29°F and performs equally well at temperatures as high as 90°C/194°F.


HYDREX XV All Season performs exceedingly well in a wide range of industrial machinery and mobile equipment used in such industries as forestry, construction, mining, public utility and marine operations.

Energy efficiencies could be realized.

## 38

#### **PERFORMANCE BENEFITS**


- HYDREX AW are premium performance, long-life anti-wear hydraulic fluids.
- HYDREX MV fluids are designed for use in wide temperature ranges.
- HYDREX XV All Season is recommended for year-round use in equipment that must perform in both low and high temperature ranges. Potential energy efficiencies could be realized with this product versus monograde products.
- ENVIRON AW monograde hydraulic fluids are designed for use in equipment used primarily in environmentally sensitive areas.
- ENVIRON MV fluids are designed for year-round use in equipment operating in wide temperature ranges, particularly in environmentally sensitive areas.
- Please refer to the Tech Data sheets for a complete listing of the OEM approvals for HYDREX and ENVIRON.



#### **OTHER PRODUCTS**

Specialty Hydraulics	Application
	Designed for extremely wide temperature protection for high and severe low temperatures. For industrial machinery, the recommended operating temperature range is -35°C/-31°F to 68°C/154°F.  Oxidation stability helps extend drains and reduces sludge build-up and varnish deposits.  It is free of heavy metals, zinc-free and inherently biodegradable according to OECD 301B protocols and recommended for vane, gear and axial piston hydraulic pumps used in marine, forestry, mining and other hydraulic systems.  HYDREX Extreme is suitable for use in Liebherr Cranes.
	Premium, high performance fluid designed for extremely cold temperature operations.  Readily biodegradable according to OECD 301B and recommended for use in arctic climates, allowing hydraulic systems to start at temperatures as low as -50°C/-58°F under no load conditions.
	Special anti-wear detergent/ dispersant hydraulic fluid containing the same anti-oxidant chemistry as HYDREX AW.      For use in systems prone to contamination.

## **TURBINE FLUIDS &** WIND TURBINE GEAR OIL



Premium turbine fluid designed to provide exceptional anti-wear protection of geared heavy-duty turbines with common gear and bearing lubrication systems.

Delivers excellent lubrication to bearings operating in severe conditions.

Excellent oxidation stability provides extended drain capabilities even in extreme conditions

Single fluid for steam and gas turbines in both geared and non-geared applications

Available in viscosity grades: 32 and 46.

#### **Credentials**

- TURBOFLO EP fluids are suitable for use in steam and gas turbines requiring the following major manufacturer and industry specifications:
  - General Electric (GEK 101941A, GEK 32568K, GEK 46506E, GEK 28143A) (ISO 32 Only).
- Siemens TLV 9013 04 (EP).
- Siemens TLV 9013 05 (EP).
- Solar FS 9-224Y
- Alstom HTGD 90 117.
- DIN 51515 part 1 and 2.
- ASTM D4304 Type II and III (EP).
- JIS K 2213 type 2.
- Voith Variable Speed Drives.

Premium turbine fluid designed to lubricate and cool heavy-duty steam, hydraulic and gas turbines and deliver excellent lubrication to bearings operating in

Excellent oxidation and thermal stability provides extended drain capabilities even in extreme conditions.

Extremely rapid air and gas separation.

Exceptional resistance to fluid breakdown caused by air and high temperatures

Available in viscosity grades: 32, 46 and 68.

- TURBOFLO XL fluids are suitable for use in steam and gas turbines requiring the following manufacturer and industry specifications:
- General Electric GEK 32568K & GEK 46506E (ISO 32 Only).
- Siemens TLV 9013 04 (non EP) (ISO 32 and 46 only).
- Siemens TLV 9013 05 (non EP) (ISO 32 and 46 only).
- Solar ES 9-224Y (ISO 32 and 46 only).
- Alstom HTGD 90 117.
- DIN 51515 part 1 and 2.
- ASTM D4304 Type I and III.
- JIS K 2213 type 2.

Designed to lubricate and cool steam, gas and combined-cycle turbines and deliver excellent lubrication to bearings operating in severe conditions.

Industry leading resistance to varnish and sludge formation to help prevent the deposition of varnish on critical surfaces.

Exceptional resistance to fluid breakdown caused by air and high temperatures.

Available in viscosity grades: 32 and 46.

- TURBOFLO LV fluids are suitable for use in steam, gas and combined-cycle turbines requiring the following manufacturer and industry specifications:
  - ASTM D4304 Type I and III
  - DIN 51515 PART 1 2
  - DIN 51524 PART 1.
  - ISO 11158 HH. HL
  - ISO 808 TSA, TGA, TGB and TGSB.
  - British Standard BS 489.
  - General Flectric (GEK32568K) (ISO 32 Only)
- Siemens TLV 9013 04 (non EP).
- Siemens TLV 9013 05 (non EP). - ALSTOM HTGD 90 117.
- Solar ES 9-224Y

#### **PERFORMANCE BENEFITS**

- The TURBOFLO™ line of turbine and R&O fluids deliver excellent lubrication and cooling to steam, hydraulic and gas turbines and perform well as general purpose circulating oils in various industrial applications. They all exhibit excellent thermal and oxidative stability as well as excellent air and water separability.
- HARNEX™ 320 provides exceptional anti-wear/EP performance.
- TURBONYCOIL™ 600 provides excellent performance for land-based aeroderivative gas turbines which require a lubricant qualified against U.S. Military Specification MIL-PRF-23699G Standard (Non-Corrosion Inhibiting) Classification.

Do you require a land based aeroderivative turbine oil?

Do you require a wind turbine gear oil?

#### **TURBOFLO R&O, PREMIUM R&O 77**

Primarily recommended for steam and gas turbines as well as circulating oil systems for a wide range of industrial machinery.

Minimizes corrosion and oxidation.

Extended resistance to oil breakdown caused by air and high temperatures.

Available for R&O circulating oil applications in viscosity grades: 10, 22, 32, 46, 68, 100, 150, 220, 320, 460 and Premium R&O 77. Available for turbines in viscosity grades: 32, 46, 68, 100 and

Premium R&O 77.

The R&O 10 and 22 grades are also suitable for use as spindle oils.

#### Credentials

- TURBOFLO R&O Oils 32, 46, 68 and Premium R&O 77 are suitable for use in various turbines requiring the following manufacturer and industry specifications:
- General Electric (GEK 46506E).
- Siemens TLV 9013 04.
- Alstom HTGD 90 117
- Solar ES 9-224Y.
- ASTM D4304 Type I.
- JIS K 2213 Type 2.
- Premium R&O 77 meets National Defence Standard C-82-001-000/SF-001, Naval Steam Turbine and Main Gearing Lubrication Oil.

#### **TURBONYCOIL 600**

TURBONYCOIL 600 is specially designed to effectively lubricate land-based aeroderivative gas turbines operating under extreme conditions.

Is based on polyol esters with high thermal stability and fortified with anti-oxidant, anti-wear and anti-corrosion additives.

Offers lower volatility and higher flash point than many competitive fluids.

Excellent operation in extreme hot and cold environments.

Does not contain additives with Tri-Cresyl Phosphate (TCP) which contains recognized neurotoxin properties.

#### Credentials

- Approved by:
- CFM International.
- Turbomeca.
- Pratt & Whitney Canada.
- Rolls Royce/Allison.
- Hamilton/Sundstrand/APIC.
- General Electric.Motor Sich.
- Meets following specifications:
- Joint Service OX-27/OX-28.
- NATO Code O-156.
- DEF STAN 91-101 Iss.3, Amd. 1.
- MIL PRF-23699 G Class STD.
- SAE AS5780 Class SPC.

#### **HARNEX 320**

Designed using polyalphaolefin (PAO) chemistry that delivers good oil film thickness over a broad temperature range.

Withstands oxidative and thermal breakdown at elevated temperatures.

Effective water separation.

Excellent low temperature fluidity ensures smooth cold temperature operation.


Protects against micro-pitting & scuffing of gear teeth. Protects against rust and corrosion.

#### Credentials

- Meets following specifications:
- AGMA 9005-F16.
- DIN 51517-3 (CLP 320).
- ISO 12925-1 Type CKD
- Approved by GE as a service refill oil for the following GE wind turbines, with Winergy gearboxes (Platform 1.x, 2.x)
- Approved for use in Moventas wind turbine gearboxes
- HARNEX 320 meets the technical requirements of Shanghai Electric, and is approved for use in any gear box on a Shanghai Electric wind turbine. Please contact a Petro-Canada Lubricants Technical Services Advisor for additional information.

Note: TURBONYCOIL 600 is a registered trademark of NYCO SA

# **STATIONARY**GAS ENGINE OILS



<sup>\*</sup>Performance results may vary due to factors such as, but not limited to, engine optimization, load, fuel gas quality, proper maintenance, type of engine and application

#### **OTHER PRODUCTS**

#### PERFORMANCE BENEFITS

Other (Converted gas engines)

- SENTRON<sup>TM</sup> Stationary Gas Engine Oils are premium performance, long-life engine oils for stationary gas engines and compressors in a wide variety of applications.
- SENTRON LD 8000's extended drain intervals can mean lower maintenance costs, less used oil to dispose of and a more efficient and profitable operation.
- Outstanding anti-wear protection prevents scoring of cylinder liners and piston ring wear, while reducing carbon build-up.

SENTRON VTP 0W-30 SENTRON VTP 10W-40 SENTRON VTP 10W-40 PLUS

#### Application

#### ENTRON VTP


- 0.59% wt ash.
- Recommended for use in gas fueled engines in oil and gas extraction and agricultural irrigation that require high zinc for improved valve train wear.
- · Excellent anti-wear properties for engines with sliding cam followers.
- Minimizes combustion chamber and spark plug deposits.
- Not recommended for certain engines fitted with catalytic converters; especially if catalyst is sensitive to elevated Zinc and Phosphorous versus conventional SGEO Zn and P levels.

#### SENTRON VTP

- 0.58% wt ash.
- All the features of SENTRON VTP 0W-30 formulated for use in cold climates.
- Ideal for extreme cold starts/cold flow pumpability (<-35°C/<-31°F).
- Not recommended for certain engines fitted with catalytic converters; especially if catalyst is sensitive to elevated Zinc and Phosphorous versus conventional SGEO Zn and P levels.

#### SENTRON VTI 10W-40 PLUS

- 0.68% wt ash.
- Designed for stationary gas applications that need additional antiwear characteristics (ie. gasoline converted engines to natural gas) due to the valve train and/or for engines where extreme improved low temperature performance benefits are desired due to cyclic engine on-off cycles.
- Applications includes smaller remote gas well head engines and gas line booster engines that are low emission.
- Not suitable for some engines with catalytic converters due to higher Zn/P Sulfur.
- · Extended drains and excellent durability.



#### SENTRON

LD SYNTHETIC BLEND (0.53% WT ASH)

Pour Point: -42°C/-44°F

A multi-grade synthetic blend formulation offering advanced piston cleanliness and cold pumpability performance down to -20°C/-4°F.

Advanced piston cleanliness.

Petro-Canada Lubricants recommends for use in Caterpillar, Waukesha, and other turbocharged or naturally aspirated, stoichiometric or lean burn engines that require a low ash gas engine oil.

Suitable for use in engines with catalytic converters.

#### SENTRON

LD 3000 (0.47% WT ASH)

Extended oil life and excellent control of engine deposits, even when there is a need for added high temperature deposit control.

Excellent high temperature control of varnish deposits to minimize valve sticking issues.

Recommended for use in 4-stroke and some 2-stroke cycle engines.

Approvals/Verifications:

- Caterpillar G3300-G3600.
- Waukesha engine verifications in natural gas applications (TA 12-1880 AJ).
- Verbal agreement to list on the Waukesha Co-generation oil listing.
- MWM an engine limited approval has been granted as of May 2014.

#### SENTRON

LD 5000 (0.60% WT ASH)

SENTRON LD 5000 provides excellent performance for up to 200% longer drain intervals and exceptional overall engine protection for maximum reliability and savings.\*

Advanced piston cleanliness

Petro-Canada Lubricants recommends for use in Caterpillar, Waukesha, GE Jenbacher, MWM, MAN, MTU and Wartsila and other turbocharged or naturally aspirated, stoichiometric or lean burn engines that require low ash gas engine oil.

Suitable for use in engines with catalytic converters.

#### SENTRON

LD 8000 (0.52% WT ASH)

offered with SENTRON LD 5000.

Drain intervals of up to 300%\* longer over Leading Global Conventional Competitor.

Excellent engine cleanliness.

Outstanding acid neutralization capability without contributing to excess ash in the combustion zone of the engine.


Ideal for use in 4-stroke engines, in natural pipeline gas, pre-treated sewage/bio-gas and selective pre-treated process gas fuel sources.

Suitable for high nitrating and low nitrating

Provides excellent oxidative stability in combination with high nitration resistance

<sup>\*</sup>In Caterpillar G3500TALE engines running in gas compression, with >90% loads and pipeline quality fuel

## **COMPRESSOR** FI UIDS





<sup>\*</sup>We can not do compressors for breathing air.

#### **PERFORMANCE BENEFITS**

- COMPRO™ Air Compressor Fluids provide long and highly reliable service life.
- COMPRESSOR OILS RP 268 and RP 460 provide excellent high temperature stability, good lubricity and wear protection.
- REFLO™ refrigeration compressor oils ensure optimum performance in commercial refrigeration compressor systems.
- SPX 5000, 7000, 7100 and 7220 Compressor Oils provide excellent lubrication and cooling for reciprocating and rotary screw compressors.
- NGS SYNTHETIC BLEND Compressor Fluids are unique formulations specially designed for flooded screw compressors handling the lightest hydrocarbon gases.

- NG CompOil AW 150 and 220 provide a non-detergent compressor fluid formulation with excellent water-separation properties.
- NG Screw CompOil 100 and 150 provide excellent performance and protection from corrosion in harsh natural gas streams.
- NG CompOil PAO 150 provides excellent water separation characteristics and corrosion protection.
- Consult a Technical Services Advisor to confirm the correct lubricant application.







#### **NG COMPOIL AW**

Designed for use in both the frame and cylinders / packings of reciprocating compressors, these products are intended for sweet, mostly light natural gas service at discharge pressures < 2000 psig.

These fluids can also be used in the crankcase frame where an R&O type fluid is recommended by the OEM.

Non-detergent formulation with excellent water separation properties.

Available in ISO 150 and 220 viscosity grades.



#### **SPX 7220**

Recommended for compression of heavy hydrocarbon and water contaminated natural gas streams, as well as the compression of dry Natural gas with CO<sub>2</sub> and H<sub>2</sub>S.

Polyglycol synthetic lubricants provide a much lower gas solubility than standard mineral oils, which reduces viscosity dilution and greatly improves the separation of lubricant from the process gas. Available in ISO 220 grade.



#### **SPX 7000**

Recommended for compression of select hydrocarbon mixtures, sour natural gas and acid gas; use in gas re-injection service.

Polyglycol synthetic lubricants provide a much lower gas solubility than standard mineral oils, which reduces viscosity dilution and greatly improves the separation of lubricant from the process gas. Available in ISO 150 grade.



#### COMPRESSOR OIL RP 268

Recommended for use in compressing sour, wet or contaminated natural gas.

Provides excellent high-temperature stability.

Very good lubricity and wear protection.

Minimizes deposit formation.



#### COMPRESSOR OIL RP 460

Recommended for use in compressing sour, wet or contaminated natural gas.

Suited for use in higher-pressure applications.

Provides excellent high-temperature stability.

Very good lubricity and wear protection.

Minimizes deposit formation.



Compression of "Light Sweet" Hydrocarbon Gases, and Propane in refrigeration service

Compression of "Light Sweet" and "Light Sour" Hydrocarbon Gases



#### SPX 5000

Suitable for the compression of propane in refrigeration service.

Effective lubrication of cylinders and packings in Mycom reciprocating refrigeration compressor.

Recommended for compression of light sweet hydrocarbon gas mixtures.

Available in ISO 150 grade.



#### **SPX 7100 AND 7000**

Recommended for compression of select hydrocarbon mixtures, sour natural gas and acid gas; use in gas re-injection service.

Polyglycol synthetic lubricants provide a much lower gas solubility than standard mineral oils, which reduces viscosity dilution and greatly improves the separation of lubricant from the process gas.

Available in ISO 100 and ISO 150 grades.



#### NG COMPOIL PAO 150

Premium synthetic compressor fluid recommended for compression of the lightest hydrocarbon gases (methane and ethane) where the expected dilution is <10 wt%, and discharge temperatures are elevated (>99 °C / 210 °F), as well as compression of sour natural gas streams and natural gas with high CO<sub>2</sub> content.

Excellent water separation characteristics and corrosion protection.

Can be used in reciprocating compressors under select conditions.

Available in ISO 150 viscosity grade.



#### NG SCREW COMPOIL

Designed for use in flooded screw compressors in natural gas production and service. The additive system is compatible with sour (H<sub>2</sub>S) hydrocarbon gas systems.

Recommended for compression of the lightest hydrocarbon gases (methane and ethane) where the expected dilution is <10 wt%, and discharge temperatures are moderate (<99 °C / 210 °F).

Excellent performance and protection from corrosion in harsh natural gas streams.

Available in ISO 100 and ISO 150 viscosity grades.




#### NGS SYNTHETIC BLEND COMPRESSOR FLUIDS

Recommended for Compression of the lightest hydrocarbon gases (methane and ethane) where the expected dilution is <10% wt.

A blended combination of hydrotreated (HT) and polyalphaclefin (PAO) base fluids, fortified with corrosion inhibitors, lubricity improvers and antifoam additives.


Available in an ISO 100 grade and ISO 150 grade.

## HEAT TRANSFER



#### **PERFORMANCE BENEFITS**

- CALFLO™ HTF is a premium high temperature heat transfer fluid recommended for systems operating with bulk temperatures up to 326°C/619°F.
- CALFLO AF is a highly efficient heat transfer fluid recommended for systems requiring a greater resistance to oxidation operating with bulk temperatures up to 316°C/600°F.
- CALFLO LT is a synthetic blend heat transfer fluid made with PAO and severely hydrocracked mineral oil. Suitable over a wide temperature operating range from 5°C/40°F to 288°C/550°F.
   Excellent low temperature pumpability allows cold start-up in ambient temperatures as low as -40°C/-40°F.
- CALFLO Synthetic is a synthetic heat transfer fluid that balances low temperature fluidity with outstanding oxidative stability and volatility control at extreme low temperatures down to -48°C/-55°F.
- PURITY<sup>TM</sup> FG Heat Transfer Fluid is a food grade, HT-1 registered heat transfer fluid for the food processing industry with systems operating at bulk temperatures up to 326°C/619°F.
- PETRO-THERM™ is a heat transfer fluid developed for use in non-pressurized, liquid phase, closed heat transfer systems operating at bulk fluid temperatures up to 315°C/599°F.
- PETRO-THERM PPD delivers the same heat transfer capabilities as PETRO-THERM™ but it is specifically designed for cold start-ups at low ambient temperatures.






Specially formulated to deliver long life and excellent wear protection in food processing applications for fewer production disruptions and higher productivity.

Visit **lubricants.petro-canada.com** to find out more.




## FOOD GRADE LUBRICANTS



†MICROL™ and MICROL™ MAX are antimicrobial product preservatives.

#### **PERFORMANCE BENEFITS**

- PURITY FG lubricants are NSF registered for incidental food contact, acceptable for use in food processing facilities, and have Kosher Pareve and Halal certifications or permitted in Kosher food processing plants.
- PURITY FG lubricants are a perfect fit for Hazard Analysis and Critical Control Point (HACCP) and Good Manufacturing Practice (GMP) plans.
- Provides industrial strength lubricant protection in food processing operations throughout the plant, even in the most severe applications.
- · Specially formulated to deliver long life and excellent wear protection in food processing applications for fewer production disruptions and higher productivity.
- Majority of products are certified ISO 21469.
- For a complete list of food industry registrations and credentials contact your local Petro-Canada Lubricants Representative.



## **FLUID**

Formulated with SynFX, an advanced additive technology designed to deliver synthetic-like performance to provide longer lasting protection.

Outstanding oxidation resistance. 4000 hour service in rotary screw compressors, and service per OEM guidelines in vane compressors

Provides protection against

Available in ISO VG 32, 46.

NSF H1 Registered.

## **FLUID**

Outstanding resistance to wear and corrosion and protects against oil drips.

Excellent oxidation

NSF H1 Registered.

## FLUID

Emulsifying formula for use in high-speed continuous lubrication seaming units where contamination of the oil with water and sugar may occur.

Designed to lubricate the main turrets bearings, chains and gears for effective equipment performance NSF H1 Registered.

### **FLUID**

Suitable for liquid phase applications up to 326°C /619°F bulk temperature.

High thermal stability fluid formulated with specially selected additives to provide outstanding protection from oxidative breakdown

Suitable for food related operations such as the manufacturing of food product packaging materials NSF HT1 Registered.

## MINERAL OIL

Ultra pure food grade white mineral oil for food processing and agricultural industries

Available in the following grades: 10, 15, 35, 40, 68, 90.

Odourless, tasteless and colourless

NSF H1, 3H Registered.

#### SYNTHETIC BARRIER FLUID

Advanced food grade barrier fluids formulated to deliver exceptional performance, by resisting degradation and deposit formation, and are also suitable for service in non-food grade industrial applications.

Available in the following grades: 5 and 32. NSF H1 registered.


All components comply with FDA 21 CFR 178.3570 Lubricants with incidental

Certified Kosher Pareve by STAR-K

Certified Halal by IFANCA.

Easily integrated into HACCP (Hazard Analysis and Critical Control Point) plans and GMP (Good Manufacturing Practice) programs.


## FOOD GRADE LUBRICANTS



†MICROL™ and MICROL™ MAX are antimicrobial product preservatives.

#### **PERFORMANCE BENEFITS**

- PURITY FG Greases resist water washout, water jet spray and most sterilizing chemicals used in cleaning.
- · Products exhibit good low temperature pumpability.
- PURITY FG Greases have effective anti-wear and EP properties and protect against rust and corrosion.
- Specially formulated to deliver excellent performance and food grade purity (NSF H1) under the highly demanding conditions of food processing operations.
- PURITY FG2 Clear and PURITY FG1 are recommended for the greasing systems in canning and bottling operations found in the beverage industry.





Visit **lubricants.petro-canada.com** to find out more.



# MACHINE LUBRICANTS & FLUIDS

#### **MACHINE TOOL AND SLIDEWAY LUBRICANTS**

Application	Product	Performance Features	Credentials
Slideways of machine tools	ACCUFLO <sup>TM</sup> TK 68	Enables smooth motion, reduces friction.     Improves workpiece finish and accuracy through reduced stick-slip chatter.     Outstanding tackiness reduces wash-off by coolants and promotes excellent adhesion to metal surface.     Recommended for horizontal slides and moderately loaded machine tools.     Better adhesion can reduce product usage resulting in lower costs.     Is light in colour.	Passes Bijur's filtration test #2107. GM LS2. Fives (formerly MAG IAS/Cincinnati) P-47.
Vertical slides or heavy-duty machine tools such as planers and boring mills	ACCUFLO TK 220	Enables smooth motion, reduces friction.     Improves workpiece finish and accuracy through reduced stick-slip chatter.     Outstanding tackiness reduces wash-off by coolants and promotes excellent adhesion to metal surface.     Recommended for vertical slides and heavy-duty machine tools.	GM LS2. Fives (formerly MAG IAS/Cincinnati) P-50.
Commercial printing presses and other industrial applications	ACCUFLO SS 68	Provides outstanding lubrication.  Excellent shear stability.  Excellent adhesive properties.  Protects against rust and corrosion.	Fives (formerly MAG IAS/Cincinnati) P-47     Meets specification standard CLP DIN 51517-3:2004-01 ISO VG 68 MAN Roland (Illustration Machines, Geoman and Colorman models).      Meets requirements of Goss Graphic Systems Service Bulletin SBM 5078 "Lubricating Oil Guidelines."
Slideways of machine tools	PC Waylube 68	Reduces stick-slip chatter. Reduces wear caused by metal-to-metal contact. Less tacky than ACCUFLO TK 68. Is a light coloured product.	GM LS2. Fives (formerly MAG IAS/Cincinnati) P-47.

#### **CONCRETE FORM OIL**

Application	Product	Grades	Performance Features
Release agent on forms involved in concrete pouring operations	CON-REL-EZE™ Concrete Form Oil	60	CON-REL-EZE 60 is a light viscosity oil designed for spraying forms; may also be used as a rust preventative for machinery and as a penetrating oil on nuts and bolts.

#### **COMPRESSOR CLEANER**

Application	Product	Performance Features
Compressor cleaner	PC Compressor Cleaner	<ul> <li>Dissolves varnish and solubilizing sludge from compressors during operation.</li> <li>May be used as a short-term compressor lubricant (up to 400 hours).</li> <li>Fully compatible with mineral oils and most synthetics.</li> <li>Refer to technical bulletin TB-1217: Guidelines for Converting to COMPRO Compressor Fluids.</li> </ul>

#### **MISCELLANEOUS**

Application	Product	Performance Features/Credentials
Vacuum pump fluids	Super Vac	<ul> <li>Helps maximize pump vacuum efficiency with extremely low vapour pressures.</li> <li>Resistant to high temperature fluid break down. Performance like some synthetic products.</li> <li>Ashless formulation.</li> <li>Available in the following vacuum pump grades: 15, 19, 20.</li> <li>NSF H2 Registered.</li> </ul>
Continuous rotary cookers and sterilizers	Rotary Cooker Fluid	<ul> <li>Provides outstanding lubrication under high temperature and high humidity conditions.</li> <li>NSF H2 Registered.</li> </ul>
Slitter and scorer equipment	Purity FG Corrcut-E Fluid 15	<ul> <li>Helps provide longer life for trim blades.</li> <li>Effectively removes starch from the blade surface allowing for better cutting performance.</li> <li>Improved felt absorption to help reduce excess oil clean-up.</li> <li>NSF H1 Registered.</li> </ul>
High temperature roll cleaner	Purity FG Synthetic Roll Clean Fluid	<ul> <li>Offers a high flash point to provide exceptional protection against micro fires on hot rollers.</li> <li>Effectively removes starch to help prevent paper from sticking to the rollers.</li> <li>NSF H1 Registered.</li> </ul>



Visit **lubricants.petro-canada.com** to find out more.



# ELECTRICAL INSULATING LIQUIDS

#### **PERFORMANCE BENEFITS**

- LUMINOL™ ultra-refined insulating oils are designed to withstand the harsh conditions endured by transformers better than conventional naphthenic oils.
- Superior heat transfer compared to conventional transformer oils.
- Virtually sulphur-free, with no corrosive sulphur which can be harmful to transformer and load tap changer components.
- Ultra-pure, inherently biodegradable, free of carcinogenic polynuclear aromatics (PNAs) and virtually non-toxic.
- Exceptional oxidative stability to extend oil quality and life, and reduce oil maintenance.
- Low viscosity at low temperatures make LUMINOL TR/TRi preferred liquids for arctic conditions.

#### **LUMINOL**

Application	Product	Performance Features	Credentials
Designed for Type I	LUMINOL TR	Negative gassing tendency.     Less dense than traditional mineral oils.     Ultra-pure, inherently biodegradable in natural environments.     Free of carcinogenic polynuclear aromatics (PNAs).     Virtually non-toxic and colourless.     Fully compatible with existing mineral oils.     Exceptional oxidation stability.     PCB free.     Exceptional cold weather properties.	Meets or exceeds performance requirements of ASTM D3487 and CSA C50 Class A&B standards.      DOBLE TOPS.      Meets the performance requirements of IEC 60296 general specifications for trace inhibited transformer oils.      Meets CSA C50 upgraded oxidation stability Special Requirements for Type III liquids.      Rated non-corrosive as tested by ASTM D1275 B and IEC 62535.
Designed for Type II	LUMINOL TRI	Negative gassing tendency. Less dense than traditional mineral oils. Ultra-pure, inherently biodegradable in natural environments. Free of carcinogenic polynuclear aromatics (PNAs). Virtually non-toxic and colourless. Fully compatible with existing mineral oils. Exceptional oxidation stability. PCB free. Exceptional cold weather properties.	Meets or exceeds performance requirements of ASTM D3487 and CSA C50 Class A&B standards.      DOBLE TOPS.      Meets the performance requirements of IEC 60296 general specifications for inhibited transformer oils.      Meets CSA C50 upgraded oxidation stability Special Requirements for Type IV liquids.      Rated non-corrosive as tested by ASTM D1275 B and IEC 62535.
Designed for Type II (Smaller Distribution Transformers)	LUMINOL Di	Fully compatible with existing mineral oils. Free of carcinogenic polynuclear aromatics (PNAs). Virtually non-toxic. Very good cold temperature properties. Less dense than traditional mineral oils. Good oxidation stability.	Meets the performance requirements of SA C50 Class B Type II.     Meets the performance requirements of ASTM D3487 Type II.     Rated non-corrosive as tested by ASTM D11275 B and IEC 62535.
Designed for Type II Applications (Ideal for minimizing fluid smell produced during oil changing process with very hot transformer equipment, or with an equipment environment where there is limited ventilation)	LUMINOL LS	Fully compatible with existing mineral oils.  Less dense than traditional mineral oils.  Ultra-pure, free of carcinogenic polynuclear aromatics (PNAs), and virtually non-toxic.  Colourless and low-scent.  Low gassing tendency.  Exceptional oxidation stability.  PCB free.  Exceptional cold weather properties.	Meets or exceeds the performance requirements of CSA C50 (Class A and B).      Meets or exceeds the performance requirements of ASTM D3487 standards.      Rated non-corrosive as tested by ASTM D1275 B and IEC 62535.

# **LUBE 360**OUR COMPREHENSIVE SERVICE PROGRAM

LUBE 360 is Petro-Canada Lubricants' comprehensive service program that offers our industry knowledge, technical expertise and industry leading products to fuel your business growth.

Get our Petro-Canada Lubricants technical experts working for you.



#### **LUBE 360 PRODUCT SELECTOR**

This tool helps you find the best lubricants for heavy-duty vehicles and mobile equipment.

It provides end-to-end product recommendations including the ideal lubricant, capacity requirements, oil drain intervals and technical information.

Find the right mix of lubricants that deliver maximum performance and longevity.

#### **LUBE 360 SAVINGS SOLUTION**

Our technical experts work with you to create a product roadmap to achieve:

- Improved equipment performance.
- · Operational efficiencies.
- Sustainable cost savings.

By regularly measuring KPIs relevant to your business, our LUBE 360 Savings Solution can track your results so you see the tangible savings we guarantee.

#### **LUBE 360 OIL DIAGNOSTICS**

Our oil diagnostics service combines our lubrication solutions with oil analysis recommendations to help maximize your equipment reliability and save cost:

- Register oil samples using your mobile device or computer.
- · Receive an email alert when the report is complete.
- Log on to the LUBE 360 Oil Diagnostics website to get your diagnosis to help maximize oil and equipment life.

## For more about LUBE 360 services: lubricants.petro-canada.com









# LUBRICANTS PRODUCT PART NUMBERS

For your reference and future use, we are listing our current product part numbers. Each unique number is designed to include the product name, the grade and the package size.

Please note that product availability differs by region. Please contact a Petro-Canada Lubricants Representative to ensure availability in your region.

#### DURON UHP 5W-30 205L DRUM DUHP53DRM **HEAVY-DUTY DIESEL ENGINE OILS** PAGE 6 DUBON LIHP 5W-30 1040LIBC DUHP53IBC DUBON 10W ENGINE OIL 4X4L CASE DURIC16 **Part Numbers** DURON UHP 5W-30 BULK DUHP53BLK DURON 10W ENGINE OIL 20L PAIL DUR1P20 **DURON HP 15W-40** DURON 10W ENGINE OIL 2051 DRUM DUR1DRM DURON UHP 5W-40 DUHP54 DURON 10W ENGINE OIL 1040L IBC DURON HP 15W-40 12X1L CASE DHP15C12 DURON UHP 5W-40 12X1L CASE DUHP54C12 DURON 10W ENGINE OIL BULK DUR1BLK DUBON HP 15W-40 4X4L CASE DHP15C16 DURON UHP 5W-40 4X4L CASE DUHP54C16 DURON HP 15W-40 20L PAIL DHP15P20 DURON UHP 5W-40 20L PAIL DUHP54P20 **DURON 30 ENGINE OIL** DUR3 DURON HP 15W-40 2X10L CASE DHP15C02 DURON UHP 5W-40 205L DRUM DUHP54DRM DURON 30 ENGINE OIL 12X1L CASE DUR3C12 DURON HP 15W-40 2051 DRUM DHP15DRM DUHP54IBC DURON 30 ENGINE OIL 4X4L CASE DUR3C16 DURON UHP 5W-40 1040L IBC DUBON HP 15W-40 1040L IBC DHP15IBC DURON UHP 5W-40 BULK DUHP54BLK DURON 30 ENGINE OIL 20L PAIL DUR3P20 DUBON HP 15W-40 BUILK DHP15BLK DURON 30 ENGINE OIL 205L DRUM **DUR3DRM DURON UHP 10W-40** DUHP14 DURON 30 ENGINE OIL BULK DUR3BLK **DURON SHP 10W-30** DSHP13 DURON UHP 10W-40 12X1L CASE DUHP14C12 DURON SHP 10W-30 12X1L CASE DSHP13C12 **DURON 40 ENGINE OIL** DURON UHP 10W-40 4X4L CASE DUHP14C16 DUR4 DURON SHP 10W-30 4X4L CASE DSHP13C16 DUHP14P20 DURON 40 ENGINE OIL 12X1L CASE DUR4C12 DURON SHP 10W-30 20L PAIL DSHP13P20 DUHP14DRM DUBON 40 ENGINE OIL 4X4L CASE DUR4C16 DURON UHP 10W-40 2051 DRUM DURON SHP 10W-30 205L DRUM DSHP13DRM DURON UHP 10W-40 1040L IBC DUHP14IBC DURON 40 ENGINE OIL 20L PAIL DUR4P20 DURON SHP 10W-30 1040L IBC DSHP13IBC DURON UHP 10W-40 BULK DUHP14BLK DURON 40 ENGINE OIL 205L DRUM DUR4DRM DURON SHP 10W-30 BULK DSHP13BLK DURON 40 ENGINE OIL 1040L IBC DUR4IBC **DURON UHP E6 10W-40** E6DUH14 DURON 40 ENGINE OIL BUILK DUR4BLK DURON UHP E6 10W-40 4X4L CASE E6DU14C16 DURON SHP 15W-40 12X1L CASE DSHP15C12 **DURON 50 ENGINE OIL** DURON UHP F6 10W-40 20L PAIL F6DU14P20 DURON SHP 15W-40 4X4L CASE DSHP15C16 DURON UHP E6 10W-40 205L DRUM F6DU14DRM DURON 50 ENGINE OIL 201 PAIL DUR5P20 DURON SHP 15W-40 20L PAIL DSHP15P20 DURON UHP E6 10W-40 1040L IBC E6DU14IBC DURON 50 ENGINE OIL 205L DRUM DUR5DRM DUBON SHP 15W-40 2051 DRUM DSHP15DRM DURON UHP E6 10W-40 BULK E6DU14BLK COMPRESSED NATURAL GAS/LIQUEFIED DURON SHP 15W-40 1040L IBC DSHP15IBC E6DUH53 NATURAL GAS (CNG/LNG) **DURON UHP E6 5W-30** DURON SHP 15W-40 BULK DSHP15BLK E6DUH53C20 DURON UHP E6 5W-30 4X5L CASE **DURON GEO LD 10W-30** DGE013 **DURON UHP 0W-30** DUHP03 E6DUH53J20 DURON UHP E6 5W-30 20L EURO PAIL DURON GEO LD 10W-30 20L PAIL DGEO13P20 DURON UHP 0W-30 12X1 CASE DUHP03C12 DURON UHP E6 5W-30 205 L DRUM E6DUH53DRM DURON GEO LD 10W-30 205L DRUM DGEO13DRM DURON UHP 0W-30 4X4L CASE DUHP03C16 DURON UHP E6 5W-30 1040L IBC E6DUH53IBC DUBON GEO LD 10W-30 1040L IBC DGEO13IBC DURON UHP 0W-30 20L PAIL DUHP03P20 DURON UHP E6 5W-30 BULK E6DUH53BLK DURON GEO LD 10W-30 BULK DGEO13BLK DUHP03DRM DURON UHP 0W-30 205L DRUM DURON ADVANCED 10W-30 DFA13 **DURON GEO LD 15W-40** DGEO15 DURON UHP 0W-30 1040L IBC DUHP03IBC DURON ADVANCED 10W-30 12X1L CASE DFA13C12 DURON GEO LD 15W-40 20L PAIL DGEO15P20 DURON UHP 0W-30 BULK DUHP03BLK DURON ADVANCED 10W-30 4X4L CASE DFA13C16 DURON GEO LD 15W-40 205L DRUM DGEO15DRM **DURON UHP 0W-40** DUHP04 DURON ADVANCED 10W-30 20L PAIL DURON GEO LD 15W-40 1040L IBC DGFO15IBC DURON UHP 0W-40 4X4L CASE DUHP04C16 DURON ADVANCED 10W-30 205L DRUM DFA13DRM DURON GEO LD 15W-40 BULK DGEO15BLK DURON UHP 0W-40 201 PAII DUHP04P20 DURON ADVANCED 10W-30 1040L IBC DFA13IBC LOCOMOTIVE ENGINE OIL DUHP04DRM DURON ADVANCED 10W-30 BULK DEA13BLK **RALUBE 940CF** DURON UHP 0W-40 1040L IBC DUHP04IBC **DURON ADVANCED 5W-30** DFA53 BALLIBE 940CE 205L DRUM BL 94CEDBM DURON UHP 0W-40 BULK DUHP04BLK DURON ADVANCED 5W-30 12X1L CASE DFA53C12 RALUBE 940CF BULK DURON UHP 5W-30 DUHP53 DURON ADVANCED 5W-30 4X4L CASE DFA53C16 **RALUBE 40 CFS RL40CFS** DURON UHP 5W-30 12X1L CASE DUHP53C12 DFA53P20 DURON ADVANCED 5W-30 20L PAIL

DURON ADVANCED 5W-30 205L DRUM

DURON ADVANCED 5W-30 1040L IBC

DURON ADVANCED 5W-30 BULK

RALUBE 40 CFS 205L DRUM

BALUBE 40 CES 1040LIBC

BALUBE 40 CES BULK

DFA53DRM

DFA53IBC

DFA53BLK

RL40CFSDRM

BL40CESIBC

RL40CFSBLK

DURON UHP 5W-30 4X4L CASE

DUHP53C16

DUHP53P20

Name	PAGE 9
Name	Part Numbers
DEXRON VI ATF	DEX6
DEXRON VI ATF 12X1L CASE	DEX6C12
DEXRON VI ATF 4X4L CASE	DEX6C16
DEXRON VI ATF 205L DRUM	DEX6DRM
DEXRON VI ATE DULLA	DEX6IBC
DEXRON VI ATF BULK	DEX6BLK
ATF+4	CHRYATF4
ATF+4 FLUID 205L DRUM ATF+4 FLUID 1040L IBC	CHRYATF4DRM CHRYATF4IBC
ATF+4 FLUID BULK	CHRYATF4BLK
DURADRIVE MV SYNTHETIC ATF	DDMVATF
DURADRIVE MV SYNTHETIC ATF 12X1L CASE	DDMVATFC12
DURADRIVE MV SYNTHETIC ATF 20L PAIL	DDMVATFP20
DURADRIVE MV SYNTHETIC ATF 205L DRUM	DDMVATFDRM
DURADRIVE MV SYNTHETIC ATF 1040L IBC	DDMVATFIBC
DURADRIVE MV SYNTHETIC ATF BULK	DDMVATFBLK
DURADRIVE LOW VISCOSITY MV SYNTHETIC ATF	DDLVATF
DURADRIVE LOW VISCOSITY MV SYNTHETIC ATF 12X1L CASE	DDLVATFC12
DURADRIVE LOW VISCOSITY MV SYNTHETIC ATF 20L PAIL	DDLVATFP20
DURADRIVE LOW VISCOSITY MV SYNTHETIC 205L DRUM	DDLVATFDRM
DURADRIVE LOW VISCOSITY MV SYNTHETIC ATF 1040L IBC	DDLVATFIBC
DURADRIVE LOW VISCOSITY MV SYNTHETIC ATF BULK	DDLVATFBLK
DURADRIVE DCT MV SYNTH TRANS FLUID	DDMVDCT
DURADRIVE DCT MV SYNTHETIC TRANSMISSION FLUID 12X1L CASE	DDMVDCTC12
DURADRIVE DCT MV SYNTHETIC TRANSMISSION FLUID 20L PAIL	DDMVDCTP20
DURADRIVE DCT MV SYNTHETIC TRANSMISSION FLUID 205L DRUM	DDMVDCTDRM
DURADRIVE DCT MV SYNTHETIC TRANSMISSION FLUID 1040L IBC	DDMVDCTIBC
DURADRIVE DCT MV SYNTHETIC TRANSMISSION FLUID BULK	DDMVDCTBLK
DURADRIVE CVT MV SYNTHETIC FLUID	DDMVCVT
DURADRIVE CYT MV SYNTHETIC FLUID 12X1L CASE	DDMVCVTC12
DURADRIVE CYT MV SYNTHETIC FLUID 20LPAIL	DDMVCVTP20
FLUID 205LDRM	DDMVCVTIRC
FLUID 205LDRM DURADRIVE CVT MV SYNTHETIC FLUID IBC	DDMVCVTIBC
FLUID 205LDRM DURADRIVE CVT MV SYNTHETIC FLUID IBC DURADRIVE CVT MV SYNTHETIC FLUID BULK	DDMVCVTIBC DDMVCVTBLK
FLUID 205LDRM  DURADRIVE CVT MV SYNTHETIC FLUID IBC  DURADRIVE CVT MV SYNTHETIC FLUID BULK  ATF D3M	DDMVCVTIBC DDMVCVTBLK ATFD3M
FLUID 205LDRM DURADRIVE CVT MV SYNTHETIC FLUID IBC DURADRIVE CVT MV SYNTHETIC FLUID BULK ATF D3M ATF D3M 12X1L CASE	DDMVCVTIBC DDMVCVTBLK
FLUID 205LDRM DURADRIVE CVT MV SYNTHETIC FLUID IBC DURADRIVE CVT MV SYNTHETIC FLUID BULK ATF D3M ATF D3M 12X1L CASE ATF D3M 20L PAIL	DDMVCVTIBC DDMVCVTBLK  ATFD3M ATFD3MC12
FLUID 205LDRM  DURADRIVE CVT MV SYNTHETIC FLUID IBC  DURADRIVE CVT MV SYNTHETIC FLUID BULK  ATF D3M  ATF D3M 12X1L CASE  ATF D3M 20L PAIL  ATF D3M 205L DRUM	DDMVCVTIBC DDMVCVTBLK  ATFD3M ATFD3MC12 ATFD3MP20
FLUID 205LDRM  DURADRIVE CVT MV SYNTHETIC FLUID IBC  DURADRIVE CVT MV SYNTHETIC FLUID BULK  ATF D3M  ATF D3M 12X1L CASE  ATF D3M 20L PAIL  ATF D3M 205L DRUM  ATF D3M 1040L IBC	DDMVCVTIBC DDMVCVTBLK ATFD3M ATFD3MC12 ATFD3MP20 ATFD3MDRM
FLUID 205LDRM  DURADRIVE CVT MV SYNTHETIC FLUID IBC  DURADRIVE CVT MV SYNTHETIC FLUID BULK  ATF D3M  ATF D3M 12X1L CASE  ATF D3M 20L PAIL  ATF D3M 205L DRUM  ATF D3M 1040L IBC  ATF D3M BULK  DURADRIVE HEAVY-DUTY SYNTHETIC	DDMVCVTIBC DDMVCVTBLK ATFD3M ATFD3MC12 ATFD3MP20 ATFD3MDRM ATFD3MIBC
FLUID 205LDRM  DURADRIVE CVT MV SYNTHETIC FLUID IBC  DURADRIVE CVT MV SYNTHETIC FLUID BULK  ATF D3M  ATF D3M 12X1L CASE  ATF D3M 205L DRUM  ATF D3M 205L DRUM  ATF D3M 1040L IBC  ATF D3M BULK  DURADRIVE HEAVY-DUTY SYNTHETIC  BLEND ATF  DURADRIVE HEAVY-DUTY SYNTHETIC BLEND	DDMVCVTIBC DDMVCVTBLK  ATFD3M ATFD3MC12 ATFD3MP20 ATFD3MDRM ATFD3MIBC ATFD3MBLK
FLUID 205LDRM  DURADRIVE CVT MV SYNTHETIC FLUID IBC  DURADRIVE CVT MV SYNTHETIC FLUID BULK  ATF D3M  ATF D3M 12X1L CASE  ATF D3M 20L PAIL  ATF D3M 20L PAIL  ATF D3M 1040L IBC  ATF D3M BULK  DURADRIVE HEAVY-DUTY SYNTHETIC  BLEND ATF  DURADRIVE HEAVY-DUTY SYNTHETIC BLEND  ATF 20L PAIL  DURADRIVE HEAVY-DUTY SYNTHETIC BLEND  ATF 20L PAIL  DURADRIVE HEAVY-DUTY SYNTHETIC BLEND	DDMVCVTIBC DDMVCVTBLK  ATFD3M ATFD3MC12 ATFD3MP20 ATFD3MDRM ATFD3MIBC ATFD3MBLK  DDSBATF
FLUID 205LDRM  DURADRIVE CVT MV SYNTHETIC FLUID IBC  DURADRIVE CVT MV SYNTHETIC FLUID BULK  ATF D3M  ATF D3M 12X1L CASE  ATF D3M 205L DRUM  ATF D3M 1040L IBC  ATF D3M BULK  DURADRIVE HEAVY-DUTY SYNTHETIC BLEND  ATF 205L DRUM  ATF 205L DRUM  DURADRIVE HEAVY-DUTY SYNTHETIC BLEND	DDMVCVTIBC DDMVCVTBLK  ATFD3M ATFD3MC12 ATFD3MP20 ATFD3MDRM ATFD3MIBC ATFD3MBLK  DDSBATF  DDSBATFP20
DURADRIVE HEAVY-DUTY SYNTHETIC BLEND ATF 20L DRUM  DURADRIVE HEAVY-DUTY SYNTHETIC BLEND ATF 10 BLEND ATF 10 BLEND ATF 10 BLEND ATF 10 BLEND ATF 20 BLEND ATF 30 B	DDMVCVTIBC DDMVCVTBLK  ATFD3M ATFD3MC12 ATFD3MDP0 ATFD3MDRM ATFD3MIBC ATFD3MIBLK  DDSBATF DDSBATFP20 DDSBATFDRM
FLUID 205LDRM  DURADRIVE CVT MV SYNTHETIC FLUID IBC  DURADRIVE CVT MV SYNTHETIC FLUID BULK  ATF D3M  ATF D3M 12X1L CASE  ATF D3M 205L DRUM  ATF D3M 1040L IBC  ATF D3M 1040L IBC  ATF D3M BULK  DURADRIVE HEAVY-DUTY SYNTHETIC BLEND ATF  DURADRIVE HEAVY-DUTY SYNTHETIC BLEND ATF 201 DRIAD  DURADRIVE HEAVY-DUTY SYNTHETIC BLEND ATF 205 DRUM  DURADRIVE HEAVY-DUTY SYNTHETIC BLEND ATF 205 DRUM  DURADRIVE HEAVY-DUTY SYNTHETIC BLEND ATF 18C DRUM  DURADRIVE HEAVY-DUTY SYNTHETIC BLEND	DDMVCVTIBC DDMVCVTBLK  ATFD3M ATFD3MC12 ATFD3MP20 ATFD3MPRM ATFD3MIBC ATFD3MIBC ATFD3MBLK  DDSBATF  DDSBATFP20 DDSBATFDRM  DDSBATFDRM

PASSENGER CAR MOTOR OILS	PAGE 10
Name	Part Numbers
SUPREME SYNTHETIC OW-16	MOSYN16
SUPREME SYNTHETIC 0W-16 6USG PETROPAK	MOSYN16B6U
SUPREME SYNTHETIC 0W-16 12X1L CASE	MOSYN16C12
SUPREME SYNTHETIC OW-16 205 L DRUM	MOSYN16DRM
SUPREME SYNTHETIC 0W-16 1040 L IBC SUPREME SYNTHETIC 0W-16 BULK	MOSYN16IBC MOSYN16BLK
SUPREME SYNTHETIC OW-20 SUPREME SYNTHETIC OW 6USG PETROPAK	MOSYN02 MOSYN02B6U
SUPREME SYNTHETIC 0W-20 12X1L CASE	MOSYN02C12
SUPREME SYNTHETIC 0W-20 205L DRUM	MOSYN02DRM
SUPREME SYNTHETIC 0W-20 1040L IBC	MOSYN02IBC
SUPREME SYNTHETIC 0W-20 BULK	MOSYN02BLK
SUPREME SYNTHETIC OW-30	MOSYN03
SUPREME SYNTHETIC 0W-30 6USG PETROPAK SUPREME SYNTHETIC 0W-30 12X1L CASE	MOSYN03B6U MOSYN03C12
SUPREME SYNTHETIC 0W-30 205L DRUM	MOSYN03DRM
SUPREME SYNTHETIC OW-30 BULK	MOSYN03BLK
SUPREME SYNTHETIC 0W-40	MOSYN04
SUPREME SYNTHETIC 0W-40 BULK SUPREME SYNTHETIC 0W-40 12X1L CASE	MOSYN04BLK MOSYN04C12
SUPREME SYNTHETIC 0W-40 4X4L CASE	MOSYN04C12
SUPREME SYNTHETIC 0W-40 205 L DRUM	MOSYN04DRM
SUPREME SYNTHETIC 5W-20	MOSYN52
SUPREME SYNTHETIC 5W-20 6USG PETROPAK SUPREME SYNTHETIC 5W-20 12X1L CASE	MOSYN52B6U
SUPREME SYNTHETIC 5W-20 12X1E CASE SUPREME SYNTHETIC 5W-20 4X4L CASE	MOSYN52C12 MOSYN52C16
SUPREME SYNTHETIC 5W-20 205L DRUM	MOSYN52DRM
SUPREME SYNTHETIC 5W-20 BULK	MOSYN52BLK
SUPREME SYNTHETIC 5W-30	MOSYN53
SUPREME SYNTHETIC 5W-30 12X1L CASE SUPREME SYNTHETIC 5W-30 4X4L CASE	MOSYN53C12 MOSYN53C16
SUPREME SYNTHETIC 5W-30 6USG PETROPAK	MOSYN53B6U
SUPREME SYNTHETIC 5W-30 DRUM	MOSYN53DRM
SUPREME SYNTHETIC 5W-30 BULK	MOSYN53BLK
SUPREME SYNTHETIC 10W-30 SUPREME SYNTHETIC 10W-30 6USG PETROPAK	MOSYN13 MOSYN04B6U
SUPREME SYNTHETIC 10W-30 12X1L CASE	MOSYN13C12
SUPREME SYNTHETIC 10W-30 BULK	MOSYN13BLK
SUPREME 5W-20	MOSP52
SUPREME 5W-20 6USG PETROPAK SUPREME 5W-20 12X1L CASE	MOSP52B6U MOSP52C12
SUPREME 5W-20 205L DRUM	MOSP52DRM
SUPREME 5W-20 1040L IBC	MOSP52IBC
SUPREME 5W-20 BULK	MOSP52BLK
SUPREME 5W-30 SUPREME 5W-30 6USG PETROPAK	MOSP53 MOSP53B6U
SUPREME 5W-30 12X1L CASE	MOSP53C12
SUPREME 5W-30 4X4L CASE	MOSP53C16
SUPREME 5W-30 205L DRUM SUPREME 5W-30 1040L IBC	MOSP53DRM MOSP53IBC
SUPREME 5W-30 BULK	MOSP53BLK
SUPREME SYNTHETIC 5W-40	MOSN54
SUPREME SYNTHETIC 5W-40 BULK	MOSYN54BLK
SUPREME SYNTHETIC 5W-40 12X1LCASE	MOSYN54C12
SUPREME SYNTHETIC 5W-40 4X4L CASE SUPREME SYNTHETIC 5W-40 205L DRUM	MOSYN54C16 MOSYN54DRM
SUPREME SYN HIGH MILEAGE OW-20	монмо2
SUPREME SYN HIGH MILEAGE 0W-20 6USG PPAK	MOHM02B6U
SUPREME SYN HIGH MILEAGE OW-20 BULK	MOHM02BLK
SUPREME SYN HIGH MILEAGE 0W-20 12X1LCASE SUPREME SYN HIGH MILEAGE 0W-20 4X4L CASE	MOHM02C12 MOHM02C16
SUPREME SYN HIGH MILEAGE 0W-20 205L DRUM	MOHM02DRM
SUPREME SYNTHHYBRID 0W-20 1040L IBC	MOHY02IBC

SUPREME HIGH MILEAGE 10W-30	монм13
SUPREME HIGH MILEAGE 10W30 6USG	MOHM13B6U
PETROPAK SUPREME HIGH MILEAGE 10W-30 BULK	MOHM13BLK
SUPREME HIGH MILEAGE 10W-30 12X1L CASE	MOHM13C12
SUPREME HIGH MILEAGE 10W-30 4X4L CASE	MOHM13C16
SUPREME HIGH MILEAGE 10W-30 205 L DRUM	MOHM13DRM
SUPREME HIGH MILEAGE 10W-30 1040 L IBC	MOHM13IBC
SUPREME HIGH MILEAGE 5W-20	MOHM52
SUPREME HIGH MILEAGE 5W-20 6USG	MOHM52B6U
PETROPAK	
SUPREME HIGH MILEAGE 5W-20 BULK	MOHM52BLK
SUPREME HIGH MILEAGE 5W-20 12X1L CASE SUPREME HIGH MILEAGE 5W-20 4X4L CASE	MOHM52C12 MOHM52C16
SUPREME HIGH MILEAGE 5W-20 205 L DRUM	MOHM52DRN
SUPREME HIGH MILEAGE 5W-20 203 E DAOM	MOHM52IBC
SUPREME HIGH MILEAGE 5W-30 SUPREME HIGH MILEAGE 5W-30 6USG	монм53
PETROPAK	MOHM53B6U
SUPREME HIGH MILEAGE 5W-30 BULK	MOHM53BLK
SUPREME HIGH MILEAGE 5W-30 12X1L CASE	MOHM53C12
SUPREME HIGH MILEAGE 5W-30 4X4L CASE	MOHM53C16
SUPREME HIGH MILEAGE 5W-30 205 L DRUM	MOHM53DRM
SUPREME SYNTH HYBRID OW-16	мону16
SUPREME SYNTH HYBRID 0W-16 6USG	MOHY16B6U
PETROPAK SUPREME SYNTH HYBRID 0W-16 BULK	MOHY16BLK
SUPREME SYNTH HYBRID 0W-16 12X1L CAS	MOHY16C12
SUPREME SYNTH HYBRID 0W-16 4X4L CASE	MOHY16C16
SUPREME SYNTH HYBRID 0W-16 205L DRUM	MOHY16DRM
SUPREME SYNTH HYBRID 0W-16 1040L IBC	MOHY16IBC
SUPREME SYNTH HYBRID OW-20	монуо2
SUPREME SYNTH HYBRID 0W-20 6USG PPAK	MOHY02B6U
SUPREME SYNTH HYBRID 0W-20 BULK	MOHY02BLK
SUPREME SYNTH HYBRID 0W-20 12X1L CAS	MOHY02C12
SUPREME SYNTH HYBRID 0W-20 4X4L CASE	MOHY02C12
SUPREME SYNTH HYBRID 0W-20 4A4L CASE	MOHY02C16
SUPREME SYNTHHYBRID 0W-20 203L DROW	MOHY02IBC
SUPREME 10W-30	MOSP13
SUPREME 10W-30 12X1L CASE	MOSP13C12
SUPREME 10W-30 4X4L CASE	MOSP13C16
SUPREME 10W-30 205L DRUM	MOSP13DRM
SUPREME 10W-30 1040L IBC	MOSP13IBC
SUPREME 10W-30 BULK	MOSP13BLK
SUPREME 10W-40	MOSP14
SUPREME 10W-40 12X1L CASE	MOSP14C12
SUPREME 10W-40 4X4L CASE	MOSP14C16
SUPREME 10W-40 205L DRUM	MOSP14DRM
SUPREME 10W-40 BULK	MOSP14BLK
SUPREME 20W-50	MOSP25
SUPREME 20W-50 12X1L CASE	MOSP25C12
SUPREME 20W-50 4X4L CASE	MOSP25C16
SUPREME 20W-50 205L DRUM	MOSP25DRM
SUPREME C3 SYNTHETIC 5W-30	MOSNC53
SUPREME C3 SYNTHETIC 5W-30 12X1L CASE	MOSNC53C12
	MOSNC53C20
SUPREME C3 SYNTHETIC 5W-30 4X5L CASE SUPREME C3 SYNTHETIC 5W-30 205 L DRUM	MOSNC53DRI
SUPREME C3 SYNTHETIC 5W-30 4X5L CASE	
SUPREME C3 SYNTHETIC 5W-30 4X5L CASE SUPREME C3 SYNTHETIC 5W-30 205 L DRUM SUPREME C3 SYNTHETIC 5W-30 1000L BOX	MOSNC53BO
SUPREME C3 SYNTHETIC 5W-30 4X5L CASE SUPREME C3 SYNTHETIC 5W-30 205 L DRUM SUPREME C3 SYNTHETIC 5W-30 1000L BOX SUPREME C3 SYNTHETIC 5W-30 BULK	MOSNC53BO
SUPREME C3 SYNTHETIC 5W-30 4X5L CASE SUPREME C3 SYNTHETIC 5W-30 205 L DRUM	MOSNC53BU MOSNC53BU MOSNX53
SUPREME C3 SYNTHETIC 5W-30 4X5L CASE SUPREME C3 SYNTHETIC 5W-30 205 L DRUM SUPREME C3 SYNTHETIC 5W-30 1000L BOX SUPREME C3 SYNTHETIC 5W-30 BULK SUPREME C3-X SYNTHETIC 5W30	MOSNC53BOX MOSNC53BLk MOSNX53 MOSNX53B6L
SUPREME C3 SYNTHETIC 5W-30 4X5L CASE SUPREME C3 SYNTHETIC 5W-30 205 L DRUM SUPREME C3 SYNTHETIC 5W-30 1000L BOX SUPREME C3 SYNTHETIC 5W-30 BULK SUPREME C3-X SYNTHETIC 5W30 SUPREME C3-X SYNTHETIC 6USG PETROPAK	MOSNC53BO) MOSNC53BLF  MOSNX53 MOSNX53B6L MOSNX53C12
SUPREME C3 SYNTHETIC 5W-30 4X5L CASE SUPREME C3 SYNTHETIC 5W-30 205 L DRUM SUPREME C3 SYNTHETIC 5W-30 1000L BOX SUPREME C3 SYNTHETIC 5W-30 BULK SUPREME C3-X SYNTHETIC 5W30 SUPREME C3-X SYNTHETIC 6USG PETROPAK SUPREME C3-X SYNTHETIC 5W-30 12X1L CASE	MOSNC53DRM MOSNC53BLF MOSNX53 MOSNX53B6L MOSNX53C12 MOSNX53C16 MOSNX53DRM
SUPREME C3 SYNTHETIC 5W-30 4X5L CASE SUPREME C3 SYNTHETIC 5W-30 205 L DRUM SUPREME C3 SYNTHETIC 5W-30 1000L BOX SUPREME C3 SYNTHETIC 5W-30 BULK SUPREME C3-X SYNTHETIC 5W-30 BULK SUPREME C3-X SYNTHETIC 6USG PETROPAK SUPREME C3-X SYNTHETIC 5W-30 12X1L CASE SUPREME C3-X SYNTHETIC 5W-30 4X4L CASE	MOSNC53BLF  MOSNX53BLF  MOSNX53B6L  MOSNX53C12  MOSNX53C12

SUPREME C3-X SYNTHETIC 5W40	MOSNX54	TRAXON XL SYNTHETIC BLEND 75W-90 20L
SUPREME C3-X SYNTHETIC 5W-40 12x1L CASE	MOSNX54C12	TRAXON XL SYNTHETIC BLEND 75W-90 60I
SUPREME C3-X SYNTHETIC 5W-40 4x4L CASE	MOSNX54C16	TRAXON XL SYNTHETIC BLEND 75W-90 2
SUPREME C3-X SYNTHETIC 5W-40 DRUM	MOSNX54DRM	TRAXON XL SYNTHETIC BLEND 75W-90
SUPREME C3-X SYNTHETIC 5W-40 1040L IBC	MOSNX54IBC	1040L IBC
SUPREME C3-X SYNTHETIC 5W-40 BULK	MOSNX54BLK	TRAXON XL SYNTHETIC BLEND 75W-90 B
		TRAXON XL SYNTHETIC BLEND 80
AUTOMOTIVE GEAR OILS	PAGE 12	TRAXON XL SYNTHETIC BLEND 80W-140
Name	Part Numbers	TRAXON XL SYNTHETIC BLEND 80W-140 1040L IBC
DEXRON LS GEAR OIL 75W-90	DEXLS75	TRAXON XL SYNTHETIC BLEND 80W-140
DEXRON LS GEAR OIL 75W-90 12X1L CASE	DEXLS75C12	TRAXON SYNTHETIC CD-50
DEXRON LS GEAR OIL 75W-90 205L DRUM	DEXLS75DRM	TRAXON SYNTHETIC CD-50 20 L PAIL
DEXRON LS GEAR OIL 75W-90 1040L IBC	DEXLS75IBC	TRAXON SYNTHETIC CD-50 60 L KEG
DEXRON LS GEAR OIL 75W-90 BULK	DEXLS75BLK	TRAXON SYNTHETIC CD-50 205 L DRUM
DEXRON GEAR OIL 75W-90		TRAXON SYNTHETIC CD-50 BULK
DEXRON GEAR OIL 75W-90 205L DRUM	DEX75DRM	
DEXRON GEAR OIL 75W-90 1040L IBC	DEX75IBC	TRAXON SYNTHETIC MTF 75W-80 20 L PA
TRAXON 85W-140	TR8514	TRAXON SYNTHETIC MTF 75W-80 20 L PF
TRAXON 85W-140 201 PAII	TR8514P20	TRAXON SYNTHETIC MTF 75W-80 60 L KE
TRAXON 85W-140 20L PAIL TRAXON 85W-140 60L KEG	TR8514K60	TRAXON STRINE TIC WITF 75W-00 205 L L
TRAXON 85W-140 80L REG	TR8514DRM	
TBAXON 85W-140 1040L IBC	TR8514IBC	COMMERCIAL TRANSPORTATION HYDRAULIC FLUIDS
TRAXON 85W-140 BULK	TR8514BLK	
		Name
TRAXON 80W-90	TR89	HYDREX AW 22
TRAXON 80W-90 12X1L CASE	TR89C12	HYDREX AW 22 HYDRAULIC OIL 20L PAIL
TRAXON 80W-90 4X4L CASE	TR89C16	HYDREX AW 22 HYDRAULIC OIL 205L DR
TRAXON 80W-90 20L PAIL TRAXON 80W-90 60L KEG	TR89P20 TR89K60	HYDREX AW 22 HYDRAULIC OIL BULK
		HYDREX AW 32
TRAXON 80W-90 205L DRUM TRAXON 80W-90 1040L IBC	TR89DRM TR89IBC	HYDREX AW 32 HYDRAULIC OIL 201 PAIL
TRAXON 80W-90 BULK	TR89BLK	HYDREX AW 32 HYDRAULIC OIL 205L DR
		HYDREX AW 32 HYDRAULIC OIL IBC
TRAXON E SYNTHETIC MTF	TREMTF	HYDREX AW 32 HYDRAULIC OIL BULK
TRAXON E SYNTHETIC MTF 20L PAIL	TREMTFP20	IIVAREV AW 40
TRAXON E SYNTHETIC MTF 60L KEG	TREMTFK60	HYDREX AW 46 HYDREX AW 46 HYDRAULIC OIL 20L PAIL
TRAXON E SYNTHETIC MTF 205L DRUM	TREMTFDRM	HYDREX AW 46 HYDRAULIC OIL 205L DR
TRAXON E SYNTHETIC 75W-90	TRE759	HYDREX AW 46 HYDRAULIC OIL 1040L IB
TRAXON E SYNTHETIC 75W-90 4X4L CASE	TRE759C16	HYDREX AW 46 HYDRAULIC OIL BULK
TRAXON E SYNTHETIC 75W-90 20L PAIL	TRE759P20	
TRAXON E SYNTHETIC 75W-90 60L KEG	TRE759K60	HYDREX AW 68
TRAXON E SYNTHETIC 75W-90 205L DRUM	TRE759DRM	HYDREX AW 68 HYDRAULIC OIL 20L PAIL
TRAXON E SYNTHETIC 80W-140	TRE814	HYDREX AW 68 HYDRAULIC OIL 205L DR HYDREX AW 68 HYDRAULIC OIL 1040L IB
TRAXON E SYNTHETIC 80W-140 20L PAIL	TRE814P20	HYDREX AW 68 HYDRAULIC OIL 1040E IB
TRAXON E SYNTHETIC 80W-140 60L KEG	TRE814K60	
TRAXON E SYNTHETIC 80W-140 205L DRUM	TRE814DRM	HYDREX AW 80
TRAXON E SYNTHETIC 80W-140 1040L IBC	TRE814IBC	HYDREX AW 80 HYDRAULIC OIL BULK
TRAXON E SYNTHETIC 80W-140 BULK	TRE814BLK	HYDREX AW 100
TRAXON SYNTHETIC 75W-85	TRSY7585	HYDREX AW 100 HYDRAULIC OIL 20L PAI
TRAXON SYNTHETIC 75W-85 205L DRUM	TRSY758DRM	HYDREX AW 100 HYDRAULIC OIL 205L DI
TRAXON SYNTHETIC 75W-85 20L PAIL	TRSY758P20	HYDREX AW 100 HYDRAULIC OIL BULK
TRAXON SYNTHETIC 75W-85 1040L IBC	TRSY758IBC	HYDREX MV 22

TRAXON SYNTHETIC 75W-90

TRAXON SYNTHETIC 75W-90 20L PAIL

TRAXON SYNTHETIC 75W-90 205L DRUM

TRAXON XL SYNTHETIC BLEND 75W-90

TRAXON XL SYNTHETIC BLEND 75W-90 12X1L

TRAXON XL SYNTHETIC BLEND 75W-90 4X4L

TRAXON SYNTHETIC 75W-90 1040L IBC

TRAXON SYNTHETIC 75W-90 BULK

CASE

RAXON XL SYNTHETIC BLEND 75W-90 20L PAIL	TRXL759P20
RAXON XL SYNTHETIC BLEND 75W-90 60L KEG	TRXL759K60
RAXON XL SYNTHETIC BLEND 75W-90 205L DRUM	TRXL759DRM
RAXON XL SYNTHETIC BLEND 75W-90 040L IBC	TRXL759IBC
RAXON XL SYNTHETIC BLEND 75W-90 BULK	TRXL759BLK
RAXON XL SYNTHETIC BLEND 80W-140	TRXL814
RAXON XL SYNTHETIC BLEND 80W-140 DRUM	TRXL814DRM
RAXON XL SYNTHETIC BLEND 80W-140 040L IBC	TRXL814IBC
RAXON XL SYNTHETIC BLEND 80W-140 BULK	TRXL814BLK
RAXON SYNTHETIC CD-50	TRSY50
RAXON SYNTHETIC CD-50 20 L PAIL	TRSY50P20
RAXON SYNTHETIC CD-50 60 L KEG	TRSY50K60
RAXON SYNTHETIC CD-50 205 L DRUM	TRSY50DRM
RAXON SYNTHETIC CD-50 BULK	TRSY50BLK
RAXON SYNTHETIC MTF 75W-80	TRSM758
RAXON SYNTHETIC MTF 75W-80 20 L PAIL	TRSM758P20
RAXON SYNTHETIC MTF 75W-80 60 L KEG	TRSM758K60
RAXON SYNTHETIC MTF 75W-80 205 L DRUM	TRSM758DRM
COMMERCIAL TRANSPORTATION SYDRAULIC FLUIDS	PAGE 16
lame	Part Numbers
IYDREX AW 22	HDXAW22
YDREX AW 22 HYDRAULIC OIL 20L PAIL	HDXAW22P20
YDREX AW 22 HYDRAULIC OIL 205L DRUM	HDXAW22DRM
IYDREX AW 22 HYDRAULIC OIL BULK	HDXAW22BLK

SYNTHETIC BLEND 80W-140	TRXL814IBC	HYDREX XV ALL SEASON HYDRAULIC OIL 4X4L CASE	HDXASC16
SYNTHETIC BLEND 80W-140 BULK	TRXL814BLK	HYDREX XV ALL SEASON HYDRAULIC OIL	HDXASP20
SYNTHETIC CD-50	TRSY50	20L PAIL	
/NTHETIC CD-50 20 L PAIL	TRSY50P20	HYDREX XV ALL SEASON HYDRAULIC OIL 205L DRUM	HDXASDRM
/NTHETIC CD-50 60 L KEG	TRSY50K60	HYDREX XV ALL SEASON HYDRAULIC OIL IBC	HDXASIBC
/NTHETIC CD-50 205 L DRUM	TRSY50DRM	HYDREX XV ALL SEASON HYDRAULIC OIL BULK	HDXASBLK
/NTHETIC CD-50 BULK	TRSY50BLK		
SYNTHETIC MTF 75W-80	TRSM758	HYDREX EXTREME	HDXEXT
NTHETIC MTF 75W-80 20 L PAIL	TRSM758P20	HYDREX EXTREME 20L PAIL	HDXEXTP20
NTHETIC MTF 75W-80 60 L KEG	TRSM758K60	HYDREX EXTREME 205L DRUM	HDXEXTDRM
NTHETIC MTF 75W-80 205 L DRUM	TRSM758DRM	HYDREX EXTREME 1040L IBC	HDXEXTIBC
		HYDREX MV ARCTIC 15 HYDRAULIC OIL	HDXAR15
CIAL TRANSPORTATION		HYDREX MV ARCTIC 15 HYDRAULIC OIL 20L	HDXAR15P20
IC FLUIDS	PAGE 16	HYDREX MV ARCTIC 15 HYDRAULIC OIL 205L DRUM	HDXAR15DRM
	Part Numbers	HYDREX MV ARCTIC 15 HYDRAULIC OIL BULK	HDXAR15BLK
AW 22	HDXAW22	ENVIRON AW 32	ENVAW32
V 22 HYDRAULIC OIL 20L PAIL	HDXAW22P20	ENVIRON AW 32 20L PAIL	ENVAW32P20
V 22 HYDRAULIC OIL 205L DRUM	HDXAW22DRM	ENVIRON AW 32 205L DRUM	ENVAW32DRM
V 22 HYDRAULIC OIL BULK	HDXAW22BLK	ENVIRON AW 32 BULK	ENVAW32BLK
AW 32	HDXAW32	ENVIRON AW 46	ENVAW46
V 32 HYDRAULIC OIL 20L PAIL	HDXAW32P20	ENVIRON AW 46 20L PAIL	ENVAW46P20
V 32 HYDRAULIC OIL 205L DRUM	HDXAW32DRM	ENVIRON AW 46 205L DRUM	ENVAW46DRM
V 32 HYDRAULIC OIL IBC	HDXAW32IBC	ENVIRON AW 46 BULK	ENVAW46BLK
V 32 HYDRAULIC OIL BULK	HDXAW32BLK	ENVIRON AW 68	ENVAW68
AW 46	HDXAW46	ENVIRON AW 68 ENVIRON AW 68 205L DRUM	ENVAW68DRM
V 46 HYDRAULIC OIL 20L PAIL	HDXAW46P20	ENVIRON AW 68 BULK	ENVAW68BLK
V 46 HYDRAULIC OIL 205L DRUM	HDXAW46DRM		
V 46 HYDRAULIC OIL 1040L IBC	HDXAW46IBC	ENVIRON MV 32	ENVMV32
V 46 HYDRAULIC OIL BULK	HDXAW46BLK	ENVIRON MV 32 20L PAIL	ENVMV32P20
AW 68	HDXAW68	ENVIRON MV 32 205L DRUM	ENVMV32DRM
V 68 HYDRAULIC OIL 20L PAIL	HDXAW68P20	ENVIRON MV 32 BULK	ENVMV32BLK
V 68 HYDRAULIC OIL 205L DRUM	HDXAW68DRM	ENVIRON MV 46	ENVMV46
V 68 HYDRAULIC OIL 1040L IBC	HDXAW68IBC	ENVIRON MV 46 20L PAIL	ENVMV46P20
V 68 HYDRAULIC OIL BULK	HDXAW68BLK	ENVIRON MV 46 205L DRUM	ENVMV46DRM
		ENVIRON MV 46 1040L IBC	ENVMV46IBC
08 WA	HDXAW80		
V 80 HYDRAULIC OIL BULK	HDXAW80BLK	TRANSMISSION/HYDRAULIC FLUIDS	PAGE 18
AW 100	HDXAW10		
V 100 HYDRAULIC OIL 20L PAIL	HDXAW10P20	Name	Part Number

HDXAW10DRM

HDXAW10BLK HDXMV22

HDXMV22P20

HDXMV22DRM

HDXMV22IBC

HDXMV22BLK

HDXMV32

HDXMV32P20

HDXMV32DRM

HDXMV32IBC

HDXMV32BLK

HYDREX MV 22 HYDRAULIC OIL 20L PAIL

 ${\rm HYDREX\,MV\,22\,HYDRAULIC\,OIL\,205L\,DRUM}$ 

HYDREX MV 22 HYDRAULIC OIL 1040L IBC

HYDREX MV 22 HYDRAULIC OIL BULK

HYDREX MV 32 HYDRAULIC OIL 20L PAIL

HYDREX MV 32 HYDRAULIC OIL 205L DRUM

HYDREX MV 32 HYDRAULIC OIL 1040L IBC

HYDREX MV 32 HYDRAULIC OIL BULK

**HYDREX MV 32** 

TRSY759

TRSY759P20

TRSY759DRM

TRSY759IBC

TRSY759BLK

TRXL759

TRXL759C12

TRXL759C16

**HYDREX MV 46** 

**HYDREX MV 68** 

HYDREX MV 46 HYDRAULIC OIL 20L PAIL

HYDREX MV 46 HYDRAULIC OIL BULK

HYDREX MV 68 HYDRAULIC OIL 20L PAIL

HYDREX MV 68 HYDRAULIC OIL BULK

HYDREX XV ALL SEASON

HYDREX MV 68 HYDRAULIC OIL 205L DRUM

HYDREX MV 46 HYDRAULIC OIL 205L DRUM

HDXMV46

HDXMV46P20

HDXMV46DRM

HDXMV46BLK

HDXMV68

HDXMV68P20

HDXMV68DRM

HDXMV68BLK

HDXAS

ENVIRON MV 46	ENVMV46
ENVIRON MV 46 20L PAIL	ENVMV46P20
ENVIRON MV 46 205L DRUM	ENVMV46DRM
ENVIRON MV 46 1040L IBC	ENVMV46IBC
TRANSMISSION/HYDRAULIC FLUIDS	PAGE 18
Name	Part Numbers
DURATRAN	DTRAN
DURATRAN 4X4L CASE	DTRANC16
DURATRAN 20L PAIL	DTRANP20
DURATRAN 2X10L CASE	DTRANC02
DURATRAN 205L DRUM	DTRANDRM
DURATRAN 1040L IBC	DTRANIBC
DURATRAN BULK	DTRANBLK
DURATRAN XL	DTRANXL
DURATRAN XL 4X4L CASE	DTRANXLC16
DURATRAN XL 20L PAIL	DTRANXLP20
DURATRAN XL 205L DRUM	DTRANXLDRM
DURATRAN XL BULK	DTRANXLBLK
DURATRAN SYNTHETIC	DTRANSY
DURATRAN SYNTHETIC 20L PAIL	DTRANSYP20
DURATRAN SYNTHETIC 205L DRUM	DTRANSYDRM

TRANSMISSION/DRIVE TRAIN FLUIDS	PAGE 19	DURATAC CHAIN OIL 100	DTAC100	PRECISION SYNTHETIC HEAVY 460	PSH
		DURATAC CHAIN OIL 100 20L PAIL	DTAC100P20	PRECISION SYNTHETIC HEAVY 460 30X400G	POLICOS
Name	Part Numbers	DURATAC CHAIN OIL 100 205L DRUM	DTAC100DRM	TUBES CASE	PSHC30
				PRECISION SYNTHETIC HEAVY 460 17KG PAIL	PSHP17
PRODURO FD-1 60	FDAO60	DURATAC CHAIN OIL 100 BULK	DTAC100BLK	PRECISION SYNTHETIC HEAVY 460 54KG KEG	PSHKGL
PRODURO FD-1 60 205L DRUM	FDAO60DRM	DURATAC CHAIN OIL 150 RED	DTAC150		
PRODURO FD-1 60 1040L IBC	FDAO60IBC	DURATAC CHAIN OIL 150 4L CASE	DTAC150C16	PRECISION SYNTHETIC HEAVY 460 175KG DRUM	PSHDRL
PRODURO FD-1 60 BULK	FDAO60BLK	DURATAC CHAIN OIL 150 20L PAIL	DTAC150P20	PRECISION SYNTHETIC HEAVY 1500	PSH1500
				PRECISION SYNTHETIC HEAVY 1500 175KG	
PRODURO FD-1 SYNTHETIC	FD1SYN	DURATAC CHAIN OIL 150 205L DRUM	DTAC150DRM	LINED DRUM	PSH1500DRL
PRODURO FD-1 SYNTHETIC 205L DRUM	FD1SYNDRM	DURATAC CHAIN OIL 150 BULK	DTAC150BLK		
PRODURO FD-1 SYNTHETIC 1040L IBC	FD1SYNIBC	DURATAC NON DRIP 32	NDRP32	PRECISION SYNTHETIC MOLY	PSM
PRODUBO ED-1 SYNTHETIC BULK	FD1SYNBLK	DURATAC NON DRIP 32 205L DRUM	NDRP32DRM	PRECISION SYNTHETIC MOLY 30X400G	PSMC30
		DONATAC NON DRIF 32 203L DROW	NDNF32DNW	TUBES CASE	1 01/1000
PRODURO TO-4* 10W	PD410W	DURATAC NON DRIP 68	NDRP68	PRECISION SYNTHETIC MOLY 54KG LINED KEG	PSMKGL
TRANSMISSION OIL		DURATAC NON DRIP 68 205L DRUM	NDRP68DRM	PRECISION SYNTHETIC MOLY 175KG DRUM	PSMDRL
PRODURO TO-4* 10W TRANSMISSION OIL	PD410WP20			PRECISION SYNTHETIC MOLY BULK	PSMBLK
PRODURO TO-4* 10W TRANSMISSION OIL 205L	PD410WDRM	DURATAC NON DRIP 100	NDRP100	THE SOLOTON THE HOLD BOLK	TOMBER
PRODURO TO-4* 10W TRANS OIL 1040L IBC	PD410WIBC	DURATAC NON DRIP 100 205L DRUM	NDRP100DRM	PRECISION XL EP2	PXL2
PRODURO TO-4° 10W TRANSMISSION OIL BULK	PD410WBLK	DURATAC NON DRIP 150	NDRP150	PRECISION XL EP2 30X400G TUBES CASE	PXL2C30
THOUSAND TO 4 TOW THE MOMINDOIGH GIE BOEK	1 D410WBER			PRECISION XL EP2 17KG PAIL	PXL2P17
PRODURO TO-4* 30 TRANSMISSION OIL	PD430	DURATAC NON DRIP 150 205L DRUM	NDRP150DRM	PRECISION XL EP2 54KG LINED KEG	PXL2KGL
PRODURO TO-4* 30 TRANS OIL 20L PAIL	PD430P20	DURATAC NON DRIP 220	NDRP220		
PRODURO TO-4* 30 TRANSMISSION OIL 205L	PD430DRM	DURATAC NON DRIP 220 20L PAIL	NDRP220P20	PRECISION XL EP2 175KG LINED DRUM	PXL2DRL
PRODURO TO-4* 30 TRANSMSN OIL 1040L IBC	PD430IBC	DUBATAC NON DRIP 220 2051 DRUM		PRECISION XL EP2 GREASE BIN	PXL2CBG
		DURATAC NON DRIP 220 205L DRUM	NDRP220DRM	PRECISION XL EP2 BULK	PXL2BLK
PRODURO TO-4* 30 TRANSMISSION OIL BULK	PD430BLK	PC BAR & CHAIN 32	PBNC32	PRECISION XL EP1	PXL1
PRODURO TO-4" 50 TRANSMISSION OIL	PD450	PC BAR & CHAIN 32 4x1 US GAL CASE	PBNC32C4U		
PRODURO TO-4* 50 TRANSMISSION OIL 20L	PD450P20			PRECISION XL EP1 30X400G TUBES CASE	PXL1C30
PRODURO TO-4* 50 TRANSMISSION OIL 205L		PC BAR & CHAIN 150	PBNC150	PRECISION XL EP1 17KG PAIL	PXL1P17
	PD450DRM	PC BAR & CHAIN 150 4x1 US GAL CASE	PBNC150C4U	PRECISION XL EP1 54KG LINED KEG	PXL1KGL
PRODURO TO-4* 50 TRANSMISSION OIL 1040L	PD450IBC			PRECISION XL EP1 175KG LINED DRUM	PXL1DRL
PRODURO TO-4* 50 TRANSMISSION OIL BULK	PD450BLK	PARER MACHINE ON O	2125.00		
PRODURO TO-4. 60 TRANSMISSION OIL	PD460	PAPER MACHINE OILS	PAGE 22	PRECISION XL 3 MOLY EP1	PXL3M1
		Marria	Part Numbers	PRECISION XL 3 MOLY EP1 30X400G	PXL3M1C30
PRODURO TO-4* 60 TRANSMISSION OIL 205L	PD460DRM	Name	Part Numbers	TUBES CASE	
PRODURO TO-4* 60 TRANSMISSION OIL1040L	PD460IBC	<b>SEPRO XL PAPER MACHINE OIL 150</b>	PAPA150	PRECISION XL 3 MOLY EP1 17KG PAIL	PXL3M1P17
IBC		SEPRO XL PAPER MACHINE OIL 150 205L DRUM	PAPA150DRM	PRECISION XL 3 MOLY EP1 54KG LINED KEG	PXL3M1KGL
PRODURO TO-4" SYNTHETIC		SEPRO XL PAPER MACHINE OIL 150 1040L IBC	PAPA150IBC	PRECISION XL 3 MOLY EP1 175KG LINED DRUM	PXL3M1DRL
ALL SEASON	PD4AS			PRECISION XL 3 MOLY EP1 GREASE BIN	PXL3M1CBG
PRODURO TO-4* SYNTHETICALL SEASON		SEPRO XL PAPER MACHINE OIL 150 OIL BULK	PAPA150BLK		
4X4L CASE	PD4ASC16	SEPRO XL PAPER MACHINE OIL 220	PAPA220	PRECISION XL 3 MOLY EP1 BULK	PXL3M1BLK
PRODURO TO-4+ SYNTHETICALL SEASON		SEPRO XL PAPER MACHINE OIL 220 205L DRUM	PAPA220DRM	PRECISION XL 3 MOLY EP2	PXL3M2
PRODURO TO-4* SYNTHETICALL SEASON 20L PAIL	PD4ASP20	SEPRO XL PAPER MACHINE OIL 220 205L DRUM	PAPA220DRM PAPA220IBC	PRECISION XL 3 MOLY EP2 PRECISION XL 3 MOLY EP2 30X400G	
20L PAIL		SEPRO XL PAPER MACHINE OIL 220 1040L IBC	PAPA220IBC		PXL3M2 PXL3M2C30
	PD4ASP20 PD4ASDRM			PRECISION XL 3 MOLY EP2 30X400G TUBES CASE	PXL3M2C30
20L PAIL PRODURO TO-4* SYNTHETIC ALL SEASON 20SL DRUM	PD4ASDRM	SEPRO XL PAPER MACHINE OIL 220 1040L IBC	PAPA220IBC	PRECISION XL 3 MOLY EP2 30X400G TUBES CASE PRECISION XL 3 MOLY EP2 17KG PAIL	PXL3M2C30 PXL3M2P17
20L PAIL PRODURO TO-4* SYNTHETIC ALL SEASON		SEPRO XL PAPER MACHINE OIL 220 1040L IBC	PAPA220IBC	PRECISION XL 3 MOLY EP2 30X400G TUBES CASE PRECISION XL 3 MOLY EP2 17KG PAIL PRECISION XL 3 MOLY EP2 54KG LINED KEG	PXL3M2C30 PXL3M2P17 PXL3M2KGL
20L PAIL PRODURO TO-4° SYNTHETIC ALL SEASON 205L DRUM PRODURO TO-4° SYNTHETICALL SEASON 1040L IBC	PD4ASDRM PD4ASIBC	SEPRO XL PAPER MACHINE OIL 220 1040L IBC SEPRO XL PAPER MACHINE OIL 220 BULK	PAPA220IBC PAPA220BLK	PRECISION XL 3 MOLY EP2 30X400G TUBES CASE PRECISION XL 3 MOLY EP2 17KG PAIL PRECISION XL 3 MOLY EP2 54KG LINED KEG PRECISION XL 3 MOLY EP2 175KG LINED DRUM	PXL3M2C30 PXL3M2P17 PXL3M2KGL PXL3M2DRL
20L PAIL PRODURO TO-4° SYNTHETIC ALL SEASON 205L DRUM PRODURO TO-4° SYNTHETICALL SEASON	PD4ASDRM	SEPRO XL PAPER MACHINE OIL 220 1040L IBC SEPRO XL PAPER MACHINE OIL 220 BULK	PAPA220IBC PAPA220BLK	PRECISION XL 3 MOLY EP2 30X400G TUBES CASE PRECISION XL 3 MOLY EP2 17KG PAIL PRECISION XL 3 MOLY EP2 54KG LINED KEG	PXL3M2C30 PXL3M2P17 PXL3M2KGL
20L PAIL PRODURO TO-4* SYNTHETIC ALL SEASON 205L DRUM PRODURO TO-4* SYNTHETICALL SEASON 1040L IBC PRODURO TO-4* SYNTHETIC ALL SEASON BULK	PD4ASDRM PD4ASIBC	SEPRO XL PAPER MACHINE OIL 220 1040L IBC SEPRO XL PAPER MACHINE OIL 220 BULK  SAW GUIDE OILS  Name	PAPA220IBC PAPA220BLK  PAGE 22  Part Numbers	PRECISION XL 3 MOLY EP2 30X400G TUBES CASE PRECISION XL 3 MOLY EP2 17KG PAIL PRECISION XL 3 MOLY EP2 54KG LINED KEG PRECISION XL 3 MOLY EP2 175KG LINED DRUM PRECISION XL 3 MOLY EP2 GREASE BIN	PXL3M2C30  PXL3M2P17  PXL3M2KGL  PXL3M2DRL  PXL3M2CBG
20L PAIL PRODURO TO-4* SYNTHETIC ALL SEASON 205L DRUM PRODURO TO-4* SYNTHETICALL SEASON 1040L IBC PRODURO TO-4* SYNTHETIC ALL SEASON BULK PRODURO TO-4* XL SYNTHETIC	PD4ASDRM PD4ASIBC	SEPRO XL PAPER MACHINE OIL 220 1040L IBC SEPRO XL PAPER MACHINE OIL 220 BULK  SAW GUIDE OILS  Name PETROGLIDE 100	PAPA220IBC PAPA220BLK  PAGE 22  Part Numbers GLID100	PRECISION XL 3 MOLY EP2 30X400G TUBES CASE PRECISION XL 3 MOLY EP2 17KG PAIL PRECISION XL 3 MOLY EP2 54KG LINED KEG PRECISION XL 3 MOLY EP2 175KG LINED DRUM PRECISION XL 3 MOLY EP2 GREASE BIN  PRECISION XL 3 MOLY ARCTIC	PXL3M2C30 PXL3M2P17 PXL3M2KGL PXL3M2DRL
20L PAIL PRODURO TO-4* SYNTHETIC ALL SEASON 205L DRUM PRODURO TO-4* SYNTHETICALL SEASON 1040L IBC PRODURO TO-4* SYNTHETIC ALL SEASON BULK PRODURO TO-4* XL SYNTHETIC BLEND LOTEMP	PD4ASDRM PD4ASIBC PD4ASBLK PD4XLLT	SEPRO XL PAPER MACHINE OIL 220 1040L IBC SEPRO XL PAPER MACHINE OIL 220 BULK  SAW GUIDE OILS  Name	PAPA220IBC PAPA220BLK  PAGE 22  Part Numbers	PRECISION XL 3 MOLY EP2 30X400G TUBES CASE PRECISION XL 3 MOLY EP2 17KG PAIL PRECISION XL 3 MOLY EP2 54KG LINED KEG PRECISION XL 3 MOLY EP2 175KG LINED DRUM PRECISION XL 3 MOLY EP2 GREASE BIN PRECISION XL 3 MOLY ARCTIC PRECISION XL 3 MOLY ARCTIC	PXL3M2C30  PXL3M2P17  PXL3M2KGL  PXL3M2DRL  PXL3M2CBG
20L PAIL PRODURO TO-4* SYNTHETIC ALL SEASON 205L DRUM PRODURO TO-4* SYNTHETICALL SEASON 1040L IBC PRODURO TO-4* SYNTHETIC ALL SEASON BULK PRODURO TO-4* XL SYNTHETIC BLEND LOTEMP PRODURO TO-4* XL SYNTHETICBL LOTEMP 20L	PD4ASDRM PD4ASIBC PD4ASBLK	SEPRO XL PAPER MACHINE OIL 220 1040L IBC SEPRO XL PAPER MACHINE OIL 220 BULK  SAW GUIDE OILS  Name PETROGLIDE 100	PAPA220IBC PAPA220BLK  PAGE 22  Part Numbers GLID100	PRECISION XL 3 MOLY EP2 30X400G TUBES CASE PRECISION XL 3 MOLY EP2 17KG PAIL PRECISION XL 3 MOLY EP2 54KG LINED KEG PRECISION XL 3 MOLY EP2 175KG LINED DRUM PRECISION XL 3 MOLY EP2 GREASE BIN  PRECISION XL 3 MOLY ARCTIC PRECISION XL 3 MOLY ARCTIC TUBES CASE	PXL3M2C30  PXL3M2P17  PXL3M2KGL  PXL3M2DRL  PXL3M2CBG  PXL3A  PXL3AC30
20L PAIL PRODURO TO-4* SYNTHETIC ALL SEASON 205L DRUM PRODURO TO-4* SYNTHETICALL SEASON 1040L IBC PRODURO TO-4* SYNTHETIC ALL SEASON BULK PRODURO TO-4* XL SYNTHETIC BLEND LOTEMP PRODURO TO-4* XL SYNTHETICBL LOTEMP 20L PRODURO TO-4* XL SYNTHETICBL LOTEMP	PD4ASDRM PD4ASIBC PD4ASBLK PD4XLLT	SEPRO XL PAPER MACHINE OIL 220 1040L IBC SEPRO XL PAPER MACHINE OIL 220 BULK  SAW GUIDE OILS  Name  PETROGLIDE 100 PETROGLIDE 100 205L DRUM	PAPA220IBC PAPA220BLK  PAGE 22  Part Numbers GLID100 GLID100DRM	PRECISION XL 3 MOLY EP2 30X400G TUBES CASE PRECISION XL 3 MOLY EP2 17KG PAIL PRECISION XL 3 MOLY EP2 54KG LINED KEG PRECISION XL 3 MOLY EP2 175KG LINED DRUM PRECISION XL 3 MOLY EP2 GREASE BIN  PRECISION XL 3 MOLY ARCTIC PRECISION XL 3 MOLY ARCTIC PRECISION XL 3 MOLY ARCTIC 54KG KEG	PXL3M2C30  PXL3M2P17  PXL3M2KGL  PXL3M2DRL  PXL3M2CBG  PXL3A  PXL3AC30  PXL3AKGL
20L PAIL PRODURO TO-4* SYNTHETIC ALL SEASON 205L DRUM PRODURO TO-4* SYNTHETICALL SEASON 1040L IBC PRODURO TO-4* SYNTHETIC ALL SEASON BULK PRODURO TO-4* XL SYNTHETIC BLEND LOTEMP PRODURO TO-4* XL SYNTHETICBL LOTEMP 205L DRUM	PD4ASDRM PD4ASIBC PD4ASBLK PD4XLLT PD4XLLTP20 PD4XLLTDRM	SEPRO XL PAPER MACHINE OIL 220 1040L IBC SEPRO XL PAPER MACHINE OIL 220 BULK  SAW GUIDE OILS  Name  PETROGLIDE 100  PETROGLIDE 100 205L DRUM  PETROGLIDE 100 1040L IBC  PETROGLIDE 100 BULK	PAPA220IBC PAPA220BLK  PAGE 22  Part Numbers GLID100 GLID100DRM GLID100IBC GLID100BLK	PRECISION XL 3 MOLY EP2 30X400G TUBES CASE PRECISION XL 3 MOLY EP2 17KG PAIL PRECISION XL 3 MOLY EP2 54KG LINED KEG PRECISION XL 3 MOLY EP2 175KG LINED DRUM PRECISION XL 3 MOLY EP2 GREASE BIN  PRECISION XL 3 MOLY ARCTIC PRECISION XL 3 MOLY ARCTIC TUBES CASE	PXL3M2C30 PXL3M2P17 PXL3M2KGL PXL3M2DRL PXL3M2CBG PXL3A PXL3AC30
20L PAIL PRODURO TO-4* SYNTHETIC ALL SEASON 205L DRUM PRODURO TO-4* SYNTHETICALL SEASON 1040L IBC PRODURO TO-4* SYNTHETIC ALL SEASON BULK PRODURO TO-4* XL SYNTHETIC BLEND LOTEMP PRODURO TO-4* XL SYNTHETICBL LOTEMP 205L DRUM PRODURO TO-4* XL SYNTHETICBL LOTEMP 205L DRUM PRODURO TO-4* XL SYNTHETICBL LOTEMP	PD4ASDRM PD4ASIBC PD4ASBLK PD4XLLT PD4XLLTP20	SEPRO XL PAPER MACHINE OIL 220 1040L IBC SEPRO XL PAPER MACHINE OIL 220 BULK  SAW GUIDE OILS  Name  PETROGLIDE 100 PETROGLIDE 100 205L DRUM PETROGLIDE 100 1040L IBC PETROGLIDE 100 BULK  PETROGLIDE 150	PAPA220IBC PAPA220BLK  PAGE 22  Part Numbers GLID100 GLID100DRM GLID100IBC GLID100BLK GLID150	PRECISION XL 3 MOLY EP2 30X400G TUBES CASE PRECISION XL 3 MOLY EP2 17KG PAIL PRECISION XL 3 MOLY EP2 54KG LINED KEG PRECISION XL 3 MOLY EP2 175KG LINED DRUM PRECISION XL 3 MOLY EP2 GREASE BIN  PRECISION XL 3 MOLY ARCTIC PRECISION XL 3 MOLY ARCTIC PRECISION XL 3 MOLY ARCTIC 54KG KEG	PXL3M2C30  PXL3M2P17  PXL3M2KGL  PXL3M2DRL  PXL3M2CBG  PXL3A  PXL3AC30  PXL3AKGL
20L PAIL PRODURO TO-4* SYNTHETIC ALL SEASON 205L DRUM PRODURO TO-4* SYNTHETICALL SEASON 1040L IBC PRODURO TO-4* SYNTHETIC ALL SEASON BULK PRODURO TO-4* XL SYNTHETIC BLEND LOTEMP PRODURO TO-4* XL SYNTHETICBL LOTEMP 20L PRODURO TO-4* XL SYNTHETICBL LOTEMP 205L DRUM PRODURO TO-4* XL SYNTHETICBL LOTEMP 105L DRUM PRODURO TO-4* XL SYNTHETICBL LOTEMP 105L DRUM PRODURO TO-4* XL SYNBL LOTEMP 1040L IBC PRODURO TO-4* XL SYNBL LOTEMP 1040L IBC	PD4ASDRM PD4ASIBC PD4ASBLK PD4XLLT PD4XLLTP20 PD4XLLTDRM	SEPRO XL PAPER MACHINE OIL 220 1040L IBC SEPRO XL PAPER MACHINE OIL 220 BULK  SAW GUIDE OILS  Name  PETROGLIDE 100  PETROGLIDE 100 205L DRUM  PETROGLIDE 100 1040L IBC  PETROGLIDE 100 BULK	PAPA220IBC PAPA220BLK  PAGE 22  Part Numbers GLID100 GLID100DRM GLID100IBC GLID100BLK	PRECISION XL 3 MOLY EP2 30X400G TUBES CASE PRECISION XL 3 MOLY EP2 17KG PAIL PRECISION XL 3 MOLY EP2 54KG LINED KEG PRECISION XL 3 MOLY EP2 175KG LINED DRUM PRECISION XL 3 MOLY EP2 GREASE BIN  PRECISION XL 3 MOLY ARCTIC PRECISION XL 3 MOLY ARCTIC 30X400G TUBES CASE PRECISION XL 3 MOLY ARCTIC 54KG KEG PRECISION XL 3 MOLY ARCTIC 175KG DRUM	PXL3M2C30 PXL3M2P17 PXL3M2P17 PXL3M2KGL PXL3M2CBG PXL3A PXL3AC30 PXL3AC30 PXL3AKGL PXL3ACRL
20L PAIL PRODURO TO-4* SYNTHETIC ALL SEASON 205L DRUM PRODURO TO-4* SYNTHETICALL SEASON 1040L IBC PRODURO TO-4* SYNTHETIC ALL SEASON BULK PRODURO TO-4* XL SYNTHETIC BLEND LOTEMP PRODURO TO-4* XL SYNTHETICBL LOTEMP 205L DRUM PRODURO TO-4* XL SYNTHETICBL LOTEMP 205L DRUM PRODURO TO-4* XL SYNTHETICBL LOTEMP	PD4ASDRM PD4ASIBC PD4ASBLK PD4XLLT PD4XLLTP20 PD4XLLTDRM PD4XLLTIBC	SEPRO XL PAPER MACHINE OIL 220 1040L IBC SEPRO XL PAPER MACHINE OIL 220 BULK  SAW GUIDE OILS  Name  PETROGLIDE 100 PETROGLIDE 100 205L DRUM PETROGLIDE 100 1040L IBC PETROGLIDE 100 BULK  PETROGLIDE 150	PAPA220IBC PAPA220BLK  PAGE 22  Part Numbers GLID100 GLID100DRM GLID100IBC GLID100BLK GLID150	PRECISION XL 3 MOLY EP2 30X400G TUBES CASE PRECISION XL 3 MOLY EP2 17KG PAIL PRECISION XL 3 MOLY EP2 17KG LINED KEG PRECISION XL 3 MOLY EP2 175KG LINED DRUM PRECISION XL 3 MOLY EP2 GREASE BIN  PRECISION XL 3 MOLY ARCTIC PRECISION XL 3 MOLY ARCTIC 30X400G TUBES CASE PRECISION XL 3 MOLY ARCTIC 54KG KEG PRECISION XL 3 MOLY ARCTIC 175KG DRUM PRECISION XL 3 MOLY ARCTIC GREASE BIN PRECISION XL 3 MOLY ARCTIC GREASE BIN PRECISION XL 3 MOLY ARCTIC BULK	PXL3M2C30 PXL3M2P17 PXL3M2P17 PXL3M2CBL PXL3M2CBG PXL3AC30 PXL3AC30 PXL3AGL PXL3ACBG PXL3ACBL
20L PAIL PRODURO TO-4* SYNTHETIC ALL SEASON 205L DRUM PRODURO TO-4* SYNTHETICALL SEASON 1040L IBC PRODURO TO-4* SYNTHETIC ALL SEASON BULK PRODURO TO-4* XL SYNTHETIC BLEND LOTEMP PRODURO TO-4* XL SYNTHETICBL LOTEMP 20L PRODURO TO-4* XL SYNTHETICBL LOTEMP 205L DRUM PRODURO TO-4* XL SYNTHETICBL LOTEMP 105L DRUM PRODURO TO-4* XL SYNTHETICBL LOTEMP 105L DRUM PRODURO TO-4* XL SYNBL LOTEMP 1040L IBC PRODURO TO-4* XL SYNBL LOTEMP 1040L IBC	PD4ASDRM PD4ASIBC PD4ASBLK PD4XLLT PD4XLLTP20 PD4XLLTDRM PD4XLLTIBC	SEPRO XL PAPER MACHINE OIL 220 1040L IBC SEPRO XL PAPER MACHINE OIL 220 BULK  SAW GUIDE OILS  Name  PETROGLIDE 100  PETROGLIDE 100 205L DRUM  PETROGLIDE 100 1040L IBC  PETROGLIDE 100 BULK  PETROGLIDE 150  PETROGLIDE 150 205L DRUM  PETROGLIDE 150 205L DRUM	PAPA220IBC PAPA220BLK  PAGE 22  Part Numbers GLID100 GLID100BC GLID100BLK GLID150 GLID150DRM GLID150DRM GLID150DRM	PRECISION XL 3 MOLY EP2 30X400G TUBES CASE PRECISION XL 3 MOLY EP2 17KG PAIL PRECISION XL 3 MOLY EP2 17KG LINED KEG PRECISION XL 3 MOLY EP2 175KG LINED DRUM PRECISION XL 3 MOLY EP2 GREASE BIN  PRECISION XL 3 MOLY ARCTIC PRECISION XL 3 MOLY ARCTIC 30X400G TUBES CASE PRECISION XL 3 MOLY ARCTIC 54KG KEG PRECISION XL 3 MOLY ARCTIC 175KG DRUM PRECISION XL 3 MOLY ARCTIC GREASE BIN PRECISION XL 3 MOLY ARCTIC BULK  PRECISION XL 3 MOLY ARCTIC BULK	PXL3M2C30 PXL3M2P17 PXL3M2P17 PXL3M2CBL PXL3M2CBG PXL3A PXL3AC30 PXL3AKGL PXL3ACBG PXL3ACBG PXL3ACBG PXL3ACBG PXL3ACBG PXL3ACBG PXL3ABLK PXL5M0
20L PAIL PRODURO TO-4* SYNTHETIC ALL SEASON 205L DRUM PRODURO TO-4* SYNTHETICALL SEASON 1040L IBC PRODURO TO-4* SYNTHETIC ALL SEASON BULK PRODURO TO-4* XL SYNTHETIC BLEND LOTEMP PRODURO TO-4* XL SYNTHETICBL LOTEMP 20L PRODURO TO-4* XL SYNTHETICBL LOTEMP 205L DRUM PRODURO TO-4* XL SYNTHETICBL LOTEMP 105L DRUM PRODURO TO-4* XL SYNTHETICBL LOTEMP 105L DRUM PRODURO TO-4* XL SYNTHETICBL END LOTEMP BULK	PD4ASDRM PD4ASIBC PD4ASBLK PD4XLLT PD4XLLTP20 PD4XLLTDRM PD4XLLTIBC	SEPRO XL PAPER MACHINE OIL 220 1040L IBC SEPRO XL PAPER MACHINE OIL 220 BULK  SAW GUIDE OILS  Name  PETROGLIDE 100  PETROGLIDE 100 205L DRUM  PETROGLIDE 100 1040L IBC  PETROGLIDE 100 BULK  PETROGLIDE 150  PETROGLIDE 150 205L DRUM  PETROGLIDE 150 BULK  PETROGLIDE 150 BULK  PETROGLIDE 150 BULK	PAPA220IBC PAPA220BLK  PAGE 22  Part Numbers GLID100 GLID100DRM GLID100IBC GLID100BLK GLID150 GLID150DRM GLID150DRM GLID150DRM GLID150DRM GLID150BLK GLID150BLK GLIDMC32	PRECISION XL 3 MOLY EP2 30X400G TUBES CASE PRECISION XL 3 MOLY EP2 17KG PAIL PRECISION XL 3 MOLY EP2 17KG LINED KEG PRECISION XL 3 MOLY EP2 175KG LINED DRUM PRECISION XL 3 MOLY EP2 GREASE BIN  PRECISION XL 3 MOLY ARCTIC PRECISION XL 3 MOLY ARCTIC 30X400G TUBES CASE PRECISION XL 3 MOLY ARCTIC 54KG KEG PRECISION XL 3 MOLY ARCTIC 175KG DRUM PRECISION XL 3 MOLY ARCTIC GREASE BIN PRECISION XL 3 MOLY ARCTIC BULK  PRECISION XL 3 MOLY ARCTIC BULK  PRECISION XL 5 MOLY EP0 PRECISION XL 5 MOLY EP0	PXL3M2C30 PXL3M2P17 PXL3M2P17 PXL3M2CBG PXL3M2CBG PXL3AC30 PXL3AC30 PXL3AKGL PXL3ACBG PXL3ACBG PXL3ACBG PXL3ACBG PXL3ACBG PXL3ACBG PXL3ACBG
20L PAIL PRODURO TO-4* SYNTHETIC ALL SEASON 205L DRUM PRODURO TO-4* SYNTHETICALL SEASON 1040L IBC PRODURO TO-4* SYNTHETIC ALL SEASON BULK PRODURO TO-4* XL SYNTHETIC BLEND LOTEMP PRODURO TO-4* XL SYNTHETICBL LOTEMP 20L PRODURO TO-4* XL SYNTHETICBL LOTEMP 205L DRUM PRODURO TO-4* XL SYNTHETICBL LOTEMP 105L DRUM PRODURO TO-4* XL SYNTHETICBL LOTEMP 105L DRUM PRODURO TO-4* XL SYNBL LOTEMP 1040L IBC PRODURO TO-4* XL SYNBL LOTEMP 1040L IBC	PD4ASDRM  PD4ASIBC  PD4ASBLK  PD4XLLT  PD4XLLTP20  PD4XLLTDRM  PD4XLLTIBC  PD4XLLTIBLK	SEPRO XL PAPER MACHINE OIL 220 1040L IBC SEPRO XL PAPER MACHINE OIL 220 BULK  SAW GUIDE OILS  Name  PETROGLIDE 100  PETROGLIDE 100 205L DRUM  PETROGLIDE 100 1040L IBC  PETROGLIDE 100 BULK  PETROGLIDE 150  PETROGLIDE 150 205L DRUM  PETROGLIDE 150 205L DRUM	PAPA220IBC PAPA220BLK  PAGE 22  Part Numbers GLID100 GLID100BC GLID100BLK GLID150 GLID150DRM GLID150DRM GLID150DRM	PRECISION XL 3 MOLY EP2 30X400G TUBES CASE PRECISION XL 3 MOLY EP2 17KG PAIL PRECISION XL 3 MOLY EP2 17KG LINED KEG PRECISION XL 3 MOLY EP2 175KG LINED DRUM PRECISION XL 3 MOLY EP2 GREASE BIN  PRECISION XL 3 MOLY ARCTIC PRECISION XL 3 MOLY ARCTIC 30X400G TUBES CASE PRECISION XL 3 MOLY ARCTIC 54KG KEG PRECISION XL 3 MOLY ARCTIC 175KG DRUM PRECISION XL 3 MOLY ARCTIC GREASE BIN PRECISION XL 3 MOLY ARCTIC BULK  PRECISION XL 3 MOLY ARCTIC BULK	PXL3M2C30 PXL3M2P17 PXL3M2P17 PXL3M2CBL PXL3M2CBG PXL3A PXL3AC30 PXL3AKGL PXL3ACBG PXL3ACBG PXL3ACBG PXL3ACBG PXL3ACBG PXL3ACBG PXL3ABLK PXL5M0
20L PAIL PRODURO TO-4* SYNTHETIC ALL SEASON 205L DRUM PRODURO TO-4* SYNTHETICALL SEASON 1040L IBC PRODURO TO-4* SYNTHETIC ALL SEASON BULK PRODURO TO-4* XL SYNTHETIC BLEND LOTEMP PRODURO TO-4* XL SYNTHETICBL LOTEMP 20L PRODURO TO-4* XL SYNTHETICBL LOTEMP 205L DRUM PRODURO TO-4* XL SYNTHETICBL LOTEMP 105L DRUM PRODURO TO-4* XL SYNTHETICBL LOTEMP 105L DRUM PRODURO TO-4* XL SYNTHETICBL END LOTEMP BULK	PD4ASDRM  PD4ASIBC  PD4ASBLK  PD4XLLT  PD4XLLTP20  PD4XLLTDRM  PD4XLLTIBC  PD4XLLTIBLK	SEPRO XL PAPER MACHINE OIL 220 1040L IBC SEPRO XL PAPER MACHINE OIL 220 BULK  SAW GUIDE OILS  Name  PETROGLIDE 100  PETROGLIDE 100 205L DRUM  PETROGLIDE 100 1040L IBC  PETROGLIDE 100 BULK  PETROGLIDE 150  PETROGLIDE 150 205L DRUM  PETROGLIDE 150 BULK  PETROGLIDE 150 BULK  PETROGLIDE 150 BULK	PAPA220IBC PAPA220BLK  PAGE 22  Part Numbers GLID100 GLID100DRM GLID100IBC GLID100BLK GLID150 GLID150DRM GLID150DRM GLID150DRM GLID150DRM GLID150BLK GLID150BLK GLIDMC32	PRECISION XL 3 MOLY EP2 30X400G TUBES CASE PRECISION XL 3 MOLY EP2 17KG PAIL PRECISION XL 3 MOLY EP2 17KG LINED KEG PRECISION XL 3 MOLY EP2 175KG LINED DRUM PRECISION XL 3 MOLY EP2 GREASE BIN  PRECISION XL 3 MOLY ARCTIC PRECISION XL 3 MOLY ARCTIC 30X400G TUBES CASE PRECISION XL 3 MOLY ARCTIC 54KG KEG PRECISION XL 3 MOLY ARCTIC 175KG DRUM PRECISION XL 3 MOLY ARCTIC GREASE BIN PRECISION XL 3 MOLY ARCTIC BULK  PRECISION XL 3 MOLY ARCTIC BULK  PRECISION XL 5 MOLY EP0 PRECISION XL 5 MOLY EP0	PXL3M2C30 PXL3M2P17 PXL3M2P17 PXL3M2CBG PXL3M2CBG PXL3AC30 PXL3AC30 PXL3AKGL PXL3ACBG PXL3ACBG PXL3ACBG PXL3ACBG PXL3ACBG PXL3ACBG PXL3ACBG
20L PAIL PRODURO TO-4* SYNTHETIC ALL SEASON 205L DRUM PRODURO TO-4* SYNTHETICALL SEASON 1040L IBC PRODURO TO-4* SYNTHETIC ALL SEASON BULK PRODURO TO-4* XL SYNTHETIC BLEND LOTEMP PRODURO TO-4* XL SYNTHETICBL LOTEMP 20L PRODURO TO-4* XL SYNTHETICBL LOTEMP 205L DRUM PRODURO TO-4* XL SYNTHETICBL LOTEMP 205L DRUM PRODURO TO-4* XL SYNBL LOTEMP 1040L IBC PRODURO TO-4* XL SYNTHETICBLEND LOTEMP BULK  SMALL ENGINE OIL Name	PD4ASDRM PD4ASIBC PD4ASBLK PD4XLLT PD4XLLTP20 PD4XLLTDRM PD4XLLTIBC PD4XLLTBLK	SEPRO XL PAPER MACHINE OIL 220 1040L IBC SEPRO XL PAPER MACHINE OIL 220 BULK  SAW GUIDE OILS  Name  PETROGLIDE 100  PETROGLIDE 100 205L DRUM  PETROGLIDE 100 1040L IBC  PETROGLIDE 100 BULK  PETROGLIDE 150  PETROGLIDE 150 205L DRUM  PETROGLIDE 150 BULK  PETROGLIDE MC 32  PETROGLIDE MC 32  PETROGLIDE MC 32  PETROGLIDE ELV	PAPA220IBC PAPA220BLK  PAGE 22  Part Numbers GLID100 GLID100DRM GLID100IBC GLID100BLK GLID150 GLID150DRM GLID150DRM GLID150DRM GLID150DRM GLID150DRM GLIDMC32 GLIDMC32 GLIDMC32DRM GLIDELV	PRECISION XL 3 MOLY EP2 30X400G TUBES CASE PRECISION XL 3 MOLY EP2 17KG PAIL PRECISION XL 3 MOLY EP2 17KG LINED KEG PRECISION XL 3 MOLY EP2 175KG LINED DRUM PRECISION XL 3 MOLY EP2 REASE BIN  PRECISION XL 3 MOLY ARCTIC PRECISION XL 3 MOLY ARCTIC 50X400G TUBES CASE PRECISION XL 3 MOLY ARCTIC 54KG KEG PRECISION XL 3 MOLY ARCTIC 175KG DRUM PRECISION XL 3 MOLY ARCTIC GREASE BIN PRECISION XL 3 MOLY ARCTIC BULK  PRECISION XL 5 MOLY EP0 17KG PAIL PRECISION XL 5 MOLY EP0 PRECISION XL 5 MOLY EP0 PRECISION XL 5 MOLY EP0 17KG PAIL	PXL3M2C30  PXL3M2P17  PXL3M2P17  PXL3M2CBG  PXL3A  PXL3AC30  PXL3AKGL  PXL3ACBG  PXL3ADRL  PXL3ACBG  PXL3ADRL  PXL3ACBG  PXL3ADRL  PXL5M0P17  PXL5M0DRL
20L PAIL PRODURO TO-4* SYNTHETIC ALL SEASON 205L DRUM PRODURO TO-4* SYNTHETICALL SEASON 1040L IBC PRODURO TO-4* SYNTHETIC ALL SEASON BULK PRODURO TO-4* XL SYNTHETIC BLEND LOTEMP PRODURO TO-4* XL SYNTHETICBL LOTEMP 20L PRODURO TO-4* XL SYNTHETICBL LOTEMP 205L DRUM PRODURO TO-4* XL SYNTHETICBL LOTEMP 205L DRUM PRODURO TO-4* XL SYNTHETICBL LOTEMP 105L DRUM PRODURO TO-4* XL SYNTHETICBLEND LOTEMP BULK  SMALL ENGINE OIL Name SUPREME SYNTHETIC BLEND	PD4ASDRM PD4ASIBC PD4ASBLK PD4XLLT PD4XLLTP20 PD4XLLTDRM PD4XLLTIBC PD4XLLTBLK	SEPRO XL PAPER MACHINE OIL 220 1040L IBC SEPRO XL PAPER MACHINE OIL 220 BULK  SAW GUIDE OILS  Name  PETROGLIDE 100  PETROGLIDE 100 1040L IBC  PETROGLIDE 100 1040L IBC  PETROGLIDE 100 BULK  PETROGLIDE 150  PETROGLIDE 150 205L DRUM  PETROGLIDE 150 BULK  PETROGLIDE MC 32  PETROGLIDE MC 32  PETROGLIDE MC 32	PAPA220IBC PAPA220BLK  PAGE 22  Part Numbers GLID100 GLID100DRM GLID100IBC GLID100BLK GLID150 GLID150DRM GLID150DRM GLID150DRM GLID150DRM GLID150DRM	PRECISION XL 3 MOLY EP2 30X400G TUBES CASE PRECISION XL 3 MOLY EP2 17KG PAIL PRECISION XL 3 MOLY EP2 17KG LINED KEG PRECISION XL 3 MOLY EP2 175KG LINED DRUM PRECISION XL 3 MOLY EP2 REASE BIN  PRECISION XL 3 MOLY ARCTIC PRECISION XL 3 MOLY ARCTIC 50X400G TUBES CASE PRECISION XL 3 MOLY ARCTIC 54KG KEG PRECISION XL 3 MOLY ARCTIC 175KG DRUM PRECISION XL 3 MOLY ARCTIC GREASE BIN PRECISION XL 3 MOLY ARCTIC BULK  PRECISION XL 5 MOLY EP0 PRECISION XL 5 MOLY EP0 PRECISION XL 5 MOLY EP0 17KG PAIL PRECISION XL 5 MOLY EP0 GREASE BIN PRECISION XL 5 MOLY EP0 BULK	PXL3M2C30  PXL3M2P17  PXL3M2P17  PXL3M2CBG  PXL3AC30  PXL3AC30  PXL3AC30  PXL3ACBG  PXL3ACBG  PXL3ADRL  PXL3ACBG  PXL3ADRL  PXL3ACBG  PXL3ADRL  PXL5MOP17  PXL5MODRL  PXL5MOCBG  PXL5MODRL  PXL5MOCBG  PXL5MOBLK
20L PAIL PRODURO TO-4* SYNTHETIC ALL SEASON 205L DRUM PRODURO TO-4* SYNTHETICALL SEASON 1040L IBC PRODURO TO-4* SYNTHETIC ALL SEASON BULK PRODURO TO-4* XL SYNTHETIC BLEND LOTEMP PRODURO TO-4* XL SYNTHETICBL LOTEMP 20L PRODURO TO-4* XL SYNTHETICBL LOTEMP 205L DRUM PRODURO TO-4* XL SYNTHETICBL LOTEMP 205L DRUM PRODURO TO-4* XL SYNTHETICBL LOTEMP 1040L IBC PRODURO TO-4* XL SYNTHETICBLEND LOTEMP BULK  SMALL ENGINE OIL Name SUPREME SYNTHETIC BLEND 2-STROKE ENGINE OIL	PD4ASDRM PD4ASIBC PD4ASBLK PD4XLLT PD4XLLTP20 PD4XLLTDRM PD4XLLTIBC PD4XLLTIBC PD4XLLTBLK  PAGE 20 Part Numbers TWOSTR	SEPRO XL PAPER MACHINE OIL 220 1040L IBC SEPRO XL PAPER MACHINE OIL 220 BULK  SAW GUIDE OILS  Name  PETROGLIDE 100  PETROGLIDE 100 205L DRUM  PETROGLIDE 100 1040L IBC  PETROGLIDE 100 BULK  PETROGLIDE 150  PETROGLIDE 150 205L DRUM  PETROGLIDE 150 BULK  PETROGLIDE MC 32  PETROGLIDE MC 32  PETROGLIDE MC 32 205L DRUM  PETROGLIDE BULY  PETROGLIDE ELV  PETROGLIDE ELV IBC	PAPA220IBC PAPA220BLK  PAGE 22  Part Numbers GLID100 GLID100DRM GLID100IBC GLID100BLK GLID150DRM GLID150DRM GLID150DRM GLID150DRM GLIDMC32 GLIDMC32DRM GLIDMC32DRM GLIDBLV GLIDELVIBC	PRECISION XL 3 MOLY EP2 30X400G TUBES CASE PRECISION XL 3 MOLY EP2 17KG PAIL PRECISION XL 3 MOLY EP2 17KG LINED KEG PRECISION XL 3 MOLY EP2 175KG LINED DRUM PRECISION XL 3 MOLY EP2 GREASE BIN  PRECISION XL 3 MOLY ARCTIC PRECISION XL 3 MOLY ARCTIC 50X400G TUBES CASE PRECISION XL 3 MOLY ARCTIC 54KG KEG PRECISION XL 3 MOLY ARCTIC 175KG DRUM PRECISION XL 3 MOLY ARCTIC GREASE BIN PRECISION XL 3 MOLY ARCTIC BULK  PRECISION XL 3 MOLY ARCTIC BULK  PRECISION XL 5 MOLY EP0 PRECISION XL 5 MOLY EP0 PRECISION XL 5 MOLY EP0 GREASE BIN PRECISION XL 5 MOLY EP0 GREASE BIN PRECISION XL 5 MOLY EP0 BULK	PXL3M2C30  PXL3M2P17  PXL3M2P17  PXL3M2CBG  PXL3M2CBG  PXL3A  PXL3AC30  PXL3AKGL  PXL3ADRL  PXL5M0DRL  PXL5M0CBG
20L PAIL PRODURO TO-4* SYNTHETIC ALL SEASON 205L DRUM PRODURO TO-4* SYNTHETICALL SEASON 1040L IBC PRODURO TO-4* SYNTHETIC ALL SEASON BULK PRODURO TO-4* XL SYNTHETIC BLEND LOTEMP PRODURO TO-4* XL SYNTHETICBL LOTEMP 20L PRODURO TO-4* XL SYNTHETICBL LOTEMP 205L DRUM PRODURO TO-4* XL SYNTHETICBL LOTEMP LOTEMP BULK  SMALL ENGINE OIL Name SUPREME SYNTHETIC BLEND 2-STROKE ENGINE OIL 3-STROKE ENGINE OIL	PD4ASDRM  PD4ASIBC  PD4ASBLK  PD4XLLT  PD4XLLTP20  PD4XLLTDRM  PD4XLLTIBC  PD4XLLTBLK  PAGE 20  Part Numbers  TWOSTR  TWOSTRC12	SEPRO XL PAPER MACHINE OIL 220 1040L IBC SEPRO XL PAPER MACHINE OIL 220 BULK  SAW GUIDE OILS  Name  PETROGLIDE 100  PETROGLIDE 100 205L DRUM  PETROGLIDE 100 1040L IBC  PETROGLIDE 100 BULK  PETROGLIDE 150  PETROGLIDE 150 205L DRUM  PETROGLIDE 150 BULK  PETROGLIDE MC 32  PETROGLIDE MC 32  PETROGLIDE MC 32  PETROGLIDE ELV	PAPA220IBC PAPA220BLK  PAGE 22  Part Numbers GLID100 GLID100DRM GLID100IBC GLID100BLK GLID150 GLID150DRM GLID150DRM GLID150DRM GLID150DRM GLID150DRM GLIDMC32 GLIDMC32 GLIDMC32DRM GLIDELV	PRECISION XL 3 MOLY EP2 30X400G TUBES CASE PRECISION XL 3 MOLY EP2 17KG PAIL PRECISION XL 3 MOLY EP2 17KG LINED KEG PRECISION XL 3 MOLY EP2 175KG LINED DRUM PRECISION XL 3 MOLY EP2 175KG LINED DRUM PRECISION XL 3 MOLY ARCTIC PRECISION XL 3 MOLY ARCTIC PRECISION XL 3 MOLY ARCTIC 54KG KEG PRECISION XL 3 MOLY ARCTIC 54KG KEG PRECISION XL 3 MOLY ARCTIC 175KG DRUM PRECISION XL 3 MOLY ARCTIC GREASE BIN PRECISION XL 3 MOLY ARCTIC BULK  PRECISION XL 5 MOLY EP0 PRECISION XL 5 MOLY EP0 PRECISION XL 5 MOLY EP0 17KG PAIL PRECISION XL 5 MOLY EP0 GREASE BIN PRECISION XL 5 MOLY EP0 BULK  PRECISION XL 5 MOLY EP1 PRECISION XL 5 MOLY EP1 30X400G	PXL3M2C30  PXL3M2P17  PXL3M2P17  PXL3M2CBG  PXL3AC30  PXL3AC30  PXL3AC30  PXL3ACBG  PXL3ACBG  PXL3ADRL  PXL3ACBG  PXL3ADRL  PXL3ACBG  PXL3ADRL  PXL5MOP17  PXL5MODRL  PXL5MOCBG  PXL5MODRL  PXL5MOCBG  PXL5MOBLK
20L PAIL PRODURO TO-4* SYNTHETIC ALL SEASON 205L DRUM PRODURO TO-4* SYNTHETICALL SEASON 1040L IBC PRODURO TO-4* SYNTHETIC ALL SEASON BULK PRODURO TO-4* XL SYNTHETIC BLEND LOTEMP PRODURO TO-4* XL SYNTHETICBL LOTEMP 20L PRODURO TO-4* XL SYNTHETICBL LOTEMP 205L DRUM PRODURO TO-4* XL SYNTHETICBL LOTEMP 205L DRUM PRODURO TO-4* XL SYNTHETICBL LOTEMP 1040L IBC PRODURO TO-4* XL SYNTHETICBLEND LOTEMP BULK  SMALL ENGINE OIL Name SUPREME SYNTHETIC BLEND 2-STROKE ENGINE OIL	PD4ASDRM PD4ASIBC PD4ASBLK PD4XLLT PD4XLLTP20 PD4XLLTDRM PD4XLLTIBC PD4XLLTIBC PD4XLLTBLK  PAGE 20 Part Numbers TWOSTR	SEPRO XL PAPER MACHINE OIL 220 1040L IBC SEPRO XL PAPER MACHINE OIL 220 BULK  SAW GUIDE OILS  Name  PETROGLIDE 100 PETROGLIDE 100 205L DRUM PETROGLIDE 100 1040L IBC PETROGLIDE 150 BULK  PETROGLIDE 150 PETROGLIDE 150 205L DRUM PETROGLIDE 150 BULK  PETROGLIDE MC 32 PETROGLIDE MC 32 PETROGLIDE MC 32 PETROGLIDE ELV PETROGLIDE ELV IBC  MULTI-APPLICATION GREASES	PAPA220IBC PAPA220BLK  PAGE 22  Part Numbers GLID100 GLID100DRM GLID100IBC GLID1500BLK GLID150 GLID150DRM GLID150DRM GLID150DRM GLID150BLK GLIDMC32 GLIDMC32 GLIDMC32 GLIDMC32DRM GLIDELV GLIDELVIBC	PRECISION XL 3 MOLY EP2 30X400G TUBES CASE PRECISION XL 3 MOLY EP2 17KG PAIL PRECISION XL 3 MOLY EP2 54KG LINED KEG PRECISION XL 3 MOLY EP2 175KG LINED DRUM PRECISION XL 3 MOLY EP2 175KG LINED DRUM PRECISION XL 3 MOLY ARCTIC PRECISION XL 3 MOLY ARCTIC PRECISION XL 3 MOLY ARCTIC 54KG KEG PRECISION XL 3 MOLY ARCTIC 54KG KEG PRECISION XL 3 MOLY ARCTIC 175KG DRUM PRECISION XL 3 MOLY ARCTIC GREASE BIN PRECISION XL 3 MOLY ARCTIC GREASE BIN PRECISION XL 3 MOLY EP0 PRECISION XL 5 MOLY EP0 PRECISION XL 5 MOLY EP0 175KG LINED DRUM PRECISION XL 5 MOLY EP0 GREASE BIN PRECISION XL 5 MOLY EP0 BULK  PRECISION XL 5 MOLY EP0 BULK  PRECISION XL 5 MOLY EP1 BULK	PXL3M2C30  PXL3M2P17  PXL3M2P17  PXL3M2CBG  PXL3A  PXL3AC30  PXL3AKGL  PXL3ACBG  PXL3ACBG  PXL3ACBG  PXL3ACBG  PXL3ACBG  PXL3ACBG  PXL3ACBG  PXL3ABLK  PXL5M0P17  PXL5M0DRL  PXL5M0DRL  PXL5M0BLK  PXL5M1  PXL5M1C30
20L PAIL PRODURO TO-4* SYNTHETIC ALL SEASON 205L DRUM PRODURO TO-4* SYNTHETICALL SEASON 1040L IBC PRODURO TO-4* SYNTHETIC ALL SEASON BULK PRODURO TO-4* XL SYNTHETIC BLEND LOTEMP PRODURO TO-4* XL SYNTHETICBL LOTEMP 20L PRODURO TO-4* XL SYNTHETICBL LOTEMP 205L DRUM PRODURO TO-4* XL SYNTHETICBL LOTEMP LOTEMP BULK  SMALL ENGINE OIL Name SUPREME SYNTHETIC BLEND 2-STROKE ENGINE OIL 3-STROKE ENGINE OIL	PD4ASDRM  PD4ASIBC  PD4ASBLK  PD4XLLT  PD4XLLTP20  PD4XLLTDRM  PD4XLLTIBC  PD4XLLTBLK  PAGE 20  Part Numbers  TWOSTR  TWOSTRC12	SEPRO XL PAPER MACHINE OIL 220 1040L IBC SEPRO XL PAPER MACHINE OIL 220 BULK  SAW GUIDE OILS  Name  PETROGLIDE 100  PETROGLIDE 100 205L DRUM  PETROGLIDE 100 1040L IBC  PETROGLIDE 100 BULK  PETROGLIDE 150  PETROGLIDE 150 205L DRUM  PETROGLIDE 150 BULK  PETROGLIDE MC 32  PETROGLIDE MC 32  PETROGLIDE MC 32 205L DRUM  PETROGLIDE BULY  PETROGLIDE ELV  PETROGLIDE ELV IBC	PAPA220IBC PAPA220BLK  PAGE 22  Part Numbers GLID100 GLID100DRM GLID100IBC GLID100BLK GLID150DRM GLID150DRM GLID150DRM GLID150DRM GLIDMC32 GLIDMC32DRM GLIDMC32DRM GLIDBLV GLIDELVIBC	PRECISION XL 3 MOLY EP2 30X400G TUBES CASE PRECISION XL 3 MOLY EP2 17KG PAIL PRECISION XL 3 MOLY EP2 17KG LINED KEG PRECISION XL 3 MOLY EP2 175KG LINED DRUM PRECISION XL 3 MOLY EP2 175KG LINED DRUM PRECISION XL 3 MOLY ARCTIC PRECISION XL 3 MOLY ARCTIC PRECISION XL 3 MOLY ARCTIC 54KG KEG PRECISION XL 3 MOLY ARCTIC 54KG KEG PRECISION XL 3 MOLY ARCTIC 175KG DRUM PRECISION XL 3 MOLY ARCTIC GREASE BIN PRECISION XL 3 MOLY ARCTIC BULK  PRECISION XL 5 MOLY EP0 PRECISION XL 5 MOLY EP0 PRECISION XL 5 MOLY EP0 17KG PAIL PRECISION XL 5 MOLY EP0 GREASE BIN PRECISION XL 5 MOLY EP0 BULK  PRECISION XL 5 MOLY EP1 PRECISION XL 5 MOLY EP1 30X400G	PXL3M2C30 PXL3M2P17 PXL3M2P17 PXL3M2P17 PXL3M2CBG PXL3AC30 PXL3AC30 PXL3ACGL PXL3ADRL PXL3ADRL PXL3ADRL PXL3ADRL PXL3ADRL PXL3ADRL PXL5M0P17 PXL5M0DRL PXL5M0CBG PXL5M0BLK PXL5M0BLK
20L PAIL PRODURO TO-4* SYNTHETIC ALL SEASON 205L DRUM PRODURO TO-4* SYNTHETICALL SEASON 1040L IBC PRODURO TO-4* SYNTHETIC ALL SEASON BULK PRODURO TO-4* XL SYNTHETIC BLEND LOTEMP PRODURO TO-4* XL SYNTHETICBL LOTEMP 20L PRODURO TO-4* XL SYNTHETICBL LOTEMP 205L DRUM PRODURO TO-4* XL SYNTHETICBL LOTEMP 105L DRUM PRODURO TO-4* XL SYNTHETICBL LOTEMP 105L DRUM PRODURO TO-4* XL SYNTHETICBLEND LOTEMP BULK  SMALL ENGINE OIL Name SUPREME SYNTHETIC BLEND 2-STROKE ENGINE OIL 2-STROKE ENGINE OIL 2-STROKE ENGINE OIL 12X1L CASE 2-STROKE ENGINE OIL 24X500ML CASE	PD4ASDRM  PD4ASIBC  PD4ASBLK  PD4XLLT  PD4XLLTP20  PD4XLLTDRM  PD4XLLTIBC  PD4XLLTBLK  PAGE 20  Part Numbers  TWOSTR  TWOSTRC12  TWOSTRC24	SEPRO XL PAPER MACHINE OIL 220 1040L IBC SEPRO XL PAPER MACHINE OIL 220 BULK  SAW GUIDE OILS  Name  PETROGLIDE 100 PETROGLIDE 100 205L DRUM PETROGLIDE 100 1040L IBC PETROGLIDE 150 BULK  PETROGLIDE 150 PETROGLIDE 150 205L DRUM PETROGLIDE 150 BULK  PETROGLIDE MC 32 PETROGLIDE MC 32 PETROGLIDE MC 32 PETROGLIDE ELV PETROGLIDE ELV IBC  MULTI-APPLICATION GREASES	PAPA220IBC PAPA220BLK  PAGE 22  Part Numbers GLID100 GLID100DRM GLID100IBC GLID1500BLK GLID150 GLID150DRM GLID150DRM GLID150DRM GLID150BLK GLIDMC32 GLIDMC32 GLIDMC32 GLIDMC32DRM GLIDELV GLIDELVIBC	PRECISION XL 3 MOLY EP2 30X400G TUBES CASE PRECISION XL 3 MOLY EP2 17KG PAIL PRECISION XL 3 MOLY EP2 54KG LINED KEG PRECISION XL 3 MOLY EP2 175KG LINED DRUM PRECISION XL 3 MOLY EP2 175KG LINED DRUM PRECISION XL 3 MOLY ARCTIC PRECISION XL 3 MOLY ARCTIC PRECISION XL 3 MOLY ARCTIC 54KG KEG PRECISION XL 3 MOLY ARCTIC 54KG KEG PRECISION XL 3 MOLY ARCTIC 175KG DRUM PRECISION XL 3 MOLY ARCTIC GREASE BIN PRECISION XL 3 MOLY ARCTIC GREASE BIN PRECISION XL 3 MOLY EP0 PRECISION XL 5 MOLY EP0 PRECISION XL 5 MOLY EP0 175KG LINED DRUM PRECISION XL 5 MOLY EP0 GREASE BIN PRECISION XL 5 MOLY EP0 BULK  PRECISION XL 5 MOLY EP0 BULK  PRECISION XL 5 MOLY EP1 BULK	PXL3M2C30  PXL3M2P17  PXL3M2P17  PXL3M2CBG  PXL3A  PXL3AC30  PXL3AKGL  PXL3ACBG  PXL3ACBG  PXL3ACBG  PXL3ACBG  PXL3ACBG  PXL3ACBG  PXL3ACBG  PXL3ABLK  PXL5M0P17  PXL5M0DRL  PXL5M0DRL  PXL5M0BLK  PXL5M1  PXL5M1C30
20L PAIL PRODURO TO-4* SYNTHETIC ALL SEASON 205L DRUM PRODURO TO-4* SYNTHETICALL SEASON 1040L IBC PRODURO TO-4* SYNTHETIC ALL SEASON BULK PRODURO TO-4* XL SYNTHETIC BLEND LOTEMP PRODURO TO-4* XL SYNTHETICBL LOTEMP 20L PRODURO TO-4* XL SYNTHETICBL LOTEMP 205L DRUM PRODURO TO-4* XL SYNTHETICBL LOTEMP 205L DRUM PRODURO TO-4* XL SYNBL LOTEMP 1040L IBC PRODURO TO-4* XL SYNTHETICBLEND LOTEMP BULK  SMALL ENGINE OIL  Name  SUPREME SYNTHETIC BLEND 2-STROKE ENGINE OIL 2-STROKE ENGINE OIL 2-STROKE ENGINE OIL 2-STROKE ENGINE OIL 24X500ML CASE 2-STROKE ENGINE OIL DRUM	PD4ASDRM  PD4ASIBC  PD4ASBLK  PD4XLLT  PD4XLLTP20  PD4XLLTDRM  PD4XLLTIBC  PD4XLLTBLK  PAGE 20  Part Numbers  TWOSTR  TWOSTRC12  TWOSTRC16  TWOSTRC16  TWOSTRCM	SEPRO XL PAPER MACHINE OIL 220 1040L IBC SEPRO XL PAPER MACHINE OIL 220 BULK  SAW GUIDE OILS  Name  PETROGLIDE 100 PETROGLIDE 100 205L DRUM PETROGLIDE 100 1040L IBC PETROGLIDE 150 BULK  PETROGLIDE 150 PETROGLIDE 150 205L DRUM PETROGLIDE 150 BULK  PETROGLIDE MC 32 PETROGLIDE MC 32 PETROGLIDE MC 32 PETROGLIDE ELV PETROGLIDE ELV IBC  MULTI-APPLICATION GREASES  Name PRECISION SYNTHETIC	PAPA220IBC PAPA220BLK  PAGE 22  Part Numbers GLID100 GLID100DRM GLID100IBC GLID1500BLK GLID150 GLID150DRM GLID150DRM GLID150DRM GLID150BLK GLIDMC32 GLIDMC32 GLIDMC32 GLIDMC32DRM GLIDELV GLIDELVIBC  PAGE 24  Part Numbers PS	PRECISION XL 3 MOLY EP2 30X400G TUBES CASE PRECISION XL 3 MOLY EP2 17KG PAIL PRECISION XL 3 MOLY EP2 54KG LINED KEG PRECISION XL 3 MOLY EP2 175KG LINED DRUM PRECISION XL 3 MOLY EP2 175KG LINED DRUM PRECISION XL 3 MOLY ARCTIC PRECISION XL 3 MOLY ARCTIC PRECISION XL 3 MOLY ARCTIC 54KG KEG PRECISION XL 3 MOLY ARCTIC 54KG KEG PRECISION XL 3 MOLY ARCTIC 175KG DRUM PRECISION XL 3 MOLY ARCTIC GREASE BIN PRECISION XL 3 MOLY ARCTIC BULK  PRECISION XL 5 MOLY EP0 PRECISION XL 5 MOLY EP0 PRECISION XL 5 MOLY EP0 175KG LINED DRUM PRECISION XL 5 MOLY EP0 BULK  PRECISION XL 5 MOLY EP0 BULK  PRECISION XL 5 MOLY EP1 PRECISION XL 5 MOLY EP1 30X400G TUBES CASE PRECISION XL 5 MOLY EP1 54KG LINED KEG	PXL3M2C30  PXL3M2P17  PXL3M2KGL  PXL3M2DRL  PXL3M2CBG  PXL3A  PXL3AC30  PXL3AKGL  PXL3ACBG  PXL3ACBG  PXL3ACBG  PXL3ACBG  PXL3ACBG  PXL3ACBG  PXL3ABLK  PXL5M0P17  PXL5M0DRL  PXL5M0DRL  PXL5M0CBG  PXL5M0BLK  PXL5M1  PXL5M1C30  PXL5M1KGL
20L PAIL PRODURO TO-4* SYNTHETIC ALL SEASON 205L DRUM PRODURO TO-4* SYNTHETICALL SEASON 1040L IBC PRODURO TO-4* SYNTHETIC ALL SEASON BULK PRODURO TO-4* XL SYNTHETIC BLEND LOTEMP PRODURO TO-4* XL SYNTHETICBL LOTEMP 20L PRODURO TO-4* XL SYNTHETICBL LOTEMP 205L DRUM PRODURO TO-4* XL SYNTHETICBL LOTEMP 105L DRUM PRODURO TO-4* XL SYNTHETICBL LOTEMP 105L DRUM PRODURO TO-4* XL SYNTHETICBLEND LOTEMP BULK  SMALL ENGINE OIL Name  SUPREME SYNTHETIC BLEND 2-STROKE ENGINE OIL 2-STROKE ENGINE OIL 2-STROKE ENGINE OIL 12X1L CASE 2-STROKE ENGINE OIL 4X4L CASE	PD4ASDRM  PD4ASIBC  PD4ASBLK  PD4XLLT  PD4XLLTP20  PD4XLLTDRM  PD4XLLTIBC  PD4XLLTBLK  PAGE 20  Part Numbers  TWOSTR  TWOSTRC12  TWOSTRC24  TWOSTRC16	SEPRO XL PAPER MACHINE OIL 220 1040L IBC SEPRO XL PAPER MACHINE OIL 220 BULK  SAW GUIDE OILS  Name  PETROGLIDE 100 PETROGLIDE 100 205L DRUM PETROGLIDE 100 1040L IBC PETROGLIDE 100 BULK  PETROGLIDE 150 BULK  PETROGLIDE 150 205L DRUM PETROGLIDE 150 BULK  PETROGLIDE MC 32 PETROGLIDE MC 32 PETROGLIDE ELV PETROGLIDE ELV PETROGLIDE ELV IBC  MULTI-APPLICATION GREASES  Name  PRECISION SYNTHETIC PRECISION SYNTHETIC	PAPA220IBC PAPA220BLK  PAGE 22  Part Numbers GLID100 GLID100DRM GLID100IBC GLID150DRM GLID150DRM GLID150DRM GLID150DRM GLID150DRM GLID150DRM GLID150BLK GLIDMC32 GLIDMC32 GLIDMC32 PAGE 24  Part Numbers PS PSC30	PRECISION XL 3 MOLY EP2 30X400G TUBES CASE PRECISION XL 3 MOLY EP2 17KG PAIL PRECISION XL 3 MOLY EP2 17KG LINED KEG PRECISION XL 3 MOLY EP2 175KG LINED DRUM PRECISION XL 3 MOLY EP2 175KG LINED DRUM PRECISION XL 3 MOLY ARCTIC PRECISION XL 3 MOLY ARCTIC 54KG KEG PRECISION XL 3 MOLY ARCTIC 54KG KEG PRECISION XL 3 MOLY ARCTIC 175KG DRUM PRECISION XL 3 MOLY ARCTIC GREASE BIN PRECISION XL 3 MOLY ARCTIC BULK  PRECISION XL 5 MOLY EP0 PRECISION XL 5 MOLY EP0 PRECISION XL 5 MOLY EP0 17KG PAIL PRECISION XL 5 MOLY EP0 BULK  PRECISION XL 5 MOLY EP0 BULK  PRECISION XL 5 MOLY EP1 30X400G TUBES CASE PRECISION XL 5 MOLY EP1 175KG LINED DRUM PRECISION XL 5 MOLY EP1 175KG LINED KEG PRECISION XL 5 MOLY EP1 175KG LINED DRUM	PXL3M2C30  PXL3M2P17  PXL3M2P17  PXL3M2CBG  PXL3A  PXL3AC30  PXL3AC30  PXL3ACGL  PXL3ACBG  PXL3ACBG  PXL3ADRL  PXL3ACBG  PXL3ADRL  PXL3ACBG  PXL3ABLK  PXL5M0P17  PXL5M0DRL  PXL5M0CBG  PXL5M0BLK  PXL5M1C30  PXL5M1KGL  PXL5M1C30  PXL5M1RGL  PXL5M1DRL  PXL5M1CBG
20L PAIL PRODURO TO-4* SYNTHETIC ALL SEASON 205L DRUM PRODURO TO-4* SYNTHETICALL SEASON 1040L IBC PRODURO TO-4* SYNTHETICALL SEASON BULK PRODURO TO-4* XL SYNTHETIC BLEND LOTEMP PRODURO TO-4* XL SYNTHETICBL LOTEMP 20L PRODURO TO-4* XL SYNTHETICBL LOTEMP 20L PRODURO TO-4* XL SYNTHETICBL LOTEMP 1040L IBC PRODURO TO-4* XL SYNTHETICBL LOTEMP 1040L IBC PRODURO TO-4* XL SYNTHETICBLEND LOTEMP BULK  SMALL ENGINE OIL Name SUPREME SYNTHETIC BLEND 2-STROKE ENGINE OIL 12X1L CASE 2-STROKE ENGINE OIL 12X1L CASE 2-STROKE ENGINE OIL 14X4L CASE 2-STROKE ENGINE OIL DRUM	PD4ASDRM  PD4ASIBC  PD4ASBLK  PD4XLLT  PD4XLLTP20  PD4XLLTDRM  PD4XLLTIBC  PD4XLLTBLK  PAGE 20  Part Numbers  TWOSTR  TWOSTRC12  TWOSTRC12  TWOSTRC16  TWOSTRC16  TWOSTRDRM  TWOSTRBLK	SEPRO XL PAPER MACHINE OIL 220 1040L IBC SEPRO XL PAPER MACHINE OIL 220 BULK  SAW GUIDE OILS  Name  PETROGLIDE 100 PETROGLIDE 100 205L DRUM PETROGLIDE 100 1040L IBC PETROGLIDE 100 1040L IBC PETROGLIDE 150 DBULK  PETROGLIDE 150 205L DRUM PETROGLIDE 150 205L DRUM PETROGLIDE 150 BULK  PETROGLIDE MC 32 PETROGLIDE MC 32 PETROGLIDE ELV PETROGLIDE ELV PETROGLIDE ELV IBC  MULTI-APPLICATION GREASES  Name  PRECISION SYNTHETIC PRECISION SYNTHETIC 30X400G TUBES CASE PRECISION SYNTHETIC 17KG PAIL	PAPA220IBC PAPA220BLK  PAGE 22  Part Numbers GLID100 GLID100DRM GLID100IBC GLID100BLK GLID150DRM GLID150DRM GLID150DRM GLID150DRM GLIDEUS GLIDMC32DRM GLIDELV GLIDELVIBC  PAGE 24  Part Numbers PS PSC30 PSP17	PRECISION XL 3 MOLY EP2 30X400G TUBES CASE PRECISION XL 3 MOLY EP2 17KG PAIL PRECISION XL 3 MOLY EP2 17KG LINED KEG PRECISION XL 3 MOLY EP2 175KG LINED DRUM PRECISION XL 3 MOLY EP2 175KG LINED DRUM PRECISION XL 3 MOLY ARCTIC PRECISION XL 3 MOLY ARCTIC 30X400G TUBES CASE PRECISION XL 3 MOLY ARCTIC 54KG KEG PRECISION XL 3 MOLY ARCTIC 175KG DRUM PRECISION XL 3 MOLY ARCTIC BULK PRECISION XL 3 MOLY ARCTIC BULK PRECISION XL 5 MOLY EP0 17KG PAIL PRECISION XL 5 MOLY EP0 BULK PRECISION XL 5 MOLY EP1 30X400G TUBES CASE PRECISION XL 5 MOLY EP1 54KG LINED KEG PRECISION XL 5 MOLY EP1 175KG LINED KEG PRECISION XL 5 MOLY EP1 175KG LINED KEG PRECISION XL 5 MOLY EP1 175KG LINED DRUM PRECISION XL 5 MOLY EP1 175KG LINED KEG PRECISION XL 5 MOLY EP1 175KG LINED DRUM PRECISION XL 5 MOLY EP1 175KG LINED DRUM PRECISION XL 5 MOLY EP1 175KG LINED DRUM PRECISION XL 5 MOLY EP1 GREASE BIN PRECISION XL 5 MOLY EP1 GREASE BIN	PXL3M2C30 PXL3M2P17 PXL3M2P17 PXL3M2P17 PXL3M2CBC PXL3M2CBG PXL3AC30 PXL3AC30 PXL3ACGL PXL3ACBC PXL3ADRL PXL3ACBC PXL3ADRL PXL3ADRL PXL5M0P17 PXL5M0P17 PXL5M0DRL PXL5M0CBC PXL5M0BLK PXL5M1C30 PXL5M1C30 PXL5M1RGL PXL5M1DRL
20L PAIL PRODURO TO-4* SYNTHETIC ALL SEASON 205L DRUM PRODURO TO-4* SYNTHETICALL SEASON 1040L IBC PRODURO TO-4* SYNTHETIC ALL SEASON BULK PRODURO TO-4* XL SYNTHETIC BLEND LOTEMP PRODURO TO-4* XL SYNTHETICBL LOTEMP 20L PRODURO TO-4* XL SYNTHETICBL LOTEMP 205L DRUM PRODURO TO-4* XL SYNTHETICBL LOTEMP 205L DRUM PRODURO TO-4* XL SYNBL LOTEMP 1040L IBC PRODURO TO-4* XL SYNTHETICBLEND LOTEMP BULK  SMALL ENGINE OIL  Name  SUPREME SYNTHETIC BLEND 2-STROKE ENGINE OIL 2-STROKE ENGINE OIL 2-STROKE ENGINE OIL 2-STROKE ENGINE OIL 24X500ML CASE 2-STROKE ENGINE OIL DRUM	PD4ASDRM  PD4ASIBC  PD4ASBLK  PD4XLLT  PD4XLLTP20  PD4XLLTDRM  PD4XLLTIBC  PD4XLLTBLK  PAGE 20  Part Numbers  TWOSTR  TWOSTRC12  TWOSTRC16  TWOSTRC16  TWOSTRCM	SEPRO XL PAPER MACHINE OIL 220 1040L IBC SEPRO XL PAPER MACHINE OIL 220 BULK  SAW GUIDE OILS  Name  PETROGLIDE 100 PETROGLIDE 100 205L DRUM PETROGLIDE 100 1040L IBC PETROGLIDE 100 1040L IBC PETROGLIDE 150 DBULK  PETROGLIDE 150 205L DRUM PETROGLIDE 150 BULK  PETROGLIDE MC 32 PETROGLIDE MC 32 PETROGLIDE MC 32 PETROGLIDE BULK  PETROGLIDE BULK  PETROGLIDE BULK  PETROGLIDE BULK  PETROGLIDE BULK  PETROGLIDE GUIDE GUI	PAPA220IBC PAPA220BLK  PAGE 22  Part Numbers GLID100 GLID100DRM GLID100BLK GLID150DRM GLID150DRM GLID150DRM GLID150DRM GLID150DRM GLIDMC32 GLIDMC32DRM GLIDELV GLIDELV FAGE 24  Part Numbers PS PSC30 PSP17 PSKGL	PRECISION XL 3 MOLY EP2 30X400G TUBES CASE PRECISION XL 3 MOLY EP2 17KG PAIL PRECISION XL 3 MOLY EP2 17KG LINED KEG PRECISION XL 3 MOLY EP2 175KG LINED DRUM PRECISION XL 3 MOLY EP2 175KG LINED DRUM PRECISION XL 3 MOLY ARCTIC PRECISION XL 3 MOLY ARCTIC 30X400G TUBES CASE PRECISION XL 3 MOLY ARCTIC 54KG KEG PRECISION XL 3 MOLY ARCTIC 175KG DRUM PRECISION XL 3 MOLY ARCTIC GREASE BIN PRECISION XL 3 MOLY ARCTIC BULK  PRECISION XL 5 MOLY EP0 PRECISION XL 5 MOLY EP0 PRECISION XL 5 MOLY EP0 175KG LINED DRUM PRECISION XL 5 MOLY EP0 BULK  PRECISION XL 5 MOLY EP1 BULK  PRECISION XL 5 MOLY EP1 PRECISION XL 5 MOLY EP1 BULK  PRECISION XL 5 MOLY EP1 PRECISION XL 5 MOLY EP1 BULK  PRECISION XL 5 MOLY EP1 PRECISION XL 5 MOLY EP1 TO STAND THE ST	PXL3M2C30  PXL3M2P17  PXL3M2P17  PXL3M2CBG  PXL3A  PXL3AC30  PXL3AC30  PXL3ACGL  PXL3ACBG  PXL3ACBG  PXL3ADRL  PXL3ACBG  PXL3ADRL  PXL5M0P17  PXL5M0DRL  PXL5M0CBG  PXL5M0BLK  PXL5M1C30  PXL5M1C30  PXL5M1RGL  PXL5M1PICBG
20L PAIL PRODURO TO-4* SYNTHETIC ALL SEASON 205L DRUM PRODURO TO-4* SYNTHETICALL SEASON 1040L IBC PRODURO TO-4* SYNTHETICALL SEASON BULK PRODURO TO-4* XL SYNTHETIC BLEND LOTEMP PRODURO TO-4* XL SYNTHETICBL LOTEMP 20L PRODURO TO-4* XL SYNTHETICBL LOTEMP 205L DRUM PRODURO TO-4* XL SYNTHETICBL LOTEMP 205L DRUM PRODURO TO-4* XL SYNTHETICBL LOTEMP 205L DRUM PRODURO TO-4* XL SYNTHETICBLEND LOTEMP BULK  SMALL ENGINE OIL Name  SUPREME SYNTHETIC BLEND 2-STROKE ENGINE OIL 2-STROKE ENGINE OIL 2-STROKE ENGINE OIL 12X1L CASE 2-STROKE ENGINE OIL DRUM 2-STROKE ENGINE OIL DRUM 2-STROKE ENGINE OIL DRUM 2-STROKE ENGINE OIL BULK  CHAIN OILS	PD4ASDRM  PD4ASIBC  PD4ASBLK  PD4XLLT  PD4XLLTP20  PD4XLLTDRM  PD4XLLTIBC  PD4XLLTBLK  PAGE 20  Part Numbers  TWOSTRC  TWOSTRC12  TWOSTRC24  TWOSTRC16  TWOSTRDRM  TWOSTRBLK	SEPRO XL PAPER MACHINE OIL 220 1040L IBC SEPRO XL PAPER MACHINE OIL 220 BULK  SAW GUIDE OILS  Name  PETROGLIDE 100 PETROGLIDE 100 205L DRUM PETROGLIDE 100 1040L IBC PETROGLIDE 100 1040L IBC PETROGLIDE 150 DBULK  PETROGLIDE 150 205L DRUM PETROGLIDE 150 205L DRUM PETROGLIDE 150 BULK  PETROGLIDE MC 32 PETROGLIDE MC 32 PETROGLIDE ELV PETROGLIDE ELV PETROGLIDE ELV IBC  MULTI-APPLICATION GREASES  Name  PRECISION SYNTHETIC PRECISION SYNTHETIC 30X400G TUBES CASE PRECISION SYNTHETIC 17KG PAIL	PAPA220IBC PAPA220BLK  PAGE 22  Part Numbers GLID100 GLID100DRM GLID100IBC GLID100BLK GLID150DRM GLID150DRM GLID150DRM GLID150DRM GLIDEUS GLIDMC32DRM GLIDELV GLIDELVIBC  PAGE 24  Part Numbers PS PSC30 PSP17	PRECISION XL 3 MOLY EP2 30X400G TUBES CASE PRECISION XL 3 MOLY EP2 17KG PAIL PRECISION XL 3 MOLY EP2 17KG LINED KEG PRECISION XL 3 MOLY EP2 175KG LINED DRUM PRECISION XL 3 MOLY EP2 175KG LINED DRUM PRECISION XL 3 MOLY ARCTIC PRECISION XL 3 MOLY ARCTIC 30X400G TUBES CASE PRECISION XL 3 MOLY ARCTIC 54KG KEG PRECISION XL 3 MOLY ARCTIC 175KG DRUM PRECISION XL 3 MOLY ARCTIC BULK PRECISION XL 3 MOLY ARCTIC BULK PRECISION XL 5 MOLY EP0 17KG PAIL PRECISION XL 5 MOLY EP0 BULK PRECISION XL 5 MOLY EP1 30X400G TUBES CASE PRECISION XL 5 MOLY EP1 54KG LINED KEG PRECISION XL 5 MOLY EP1 175KG LINED KEG PRECISION XL 5 MOLY EP1 175KG LINED KEG PRECISION XL 5 MOLY EP1 175KG LINED DRUM PRECISION XL 5 MOLY EP1 175KG LINED KEG PRECISION XL 5 MOLY EP1 175KG LINED DRUM PRECISION XL 5 MOLY EP1 175KG LINED DRUM PRECISION XL 5 MOLY EP1 175KG LINED DRUM PRECISION XL 5 MOLY EP1 GREASE BIN PRECISION XL 5 MOLY EP1 GREASE BIN	PXL3M2C30  PXL3M2P17  PXL3M2P17  PXL3M2CBG  PXL3A  PXL3AC30  PXL3AC30  PXL3AGL  PXL3ACBG  PXL3ADRL  PXL3ACBG  PXL3ADRL  PXL5M0P17  PXL5M0DRL  PXL5M0DRL  PXL5M0BLK  PXL5M1C30  PXL5M1C30  PXL5M1C30  PXL5M1CBG  PXL5M1CBG  PXL5M1CBG  PXL5M1CBG  PXL5M1CBG  PXL5M1CBG  PXL5M1CBG  PXL5M1CBG
20L PAIL PRODURO TO-4* SYNTHETIC ALL SEASON 205L DRUM PRODURO TO-4* SYNTHETICALL SEASON 1040L IBC PRODURO TO-4* SYNTHETICALL SEASON BULK PRODURO TO-4* XL SYNTHETIC BLEND LOTEMP PRODURO TO-4* XL SYNTHETICBL LOTEMP 20L PRODURO TO-4* XL SYNTHETICBL LOTEMP 20L PRODURO TO-4* XL SYNTHETICBL LOTEMP 1040L IBC PRODURO TO-4* XL SYNTHETICBL LOTEMP 1040L IBC PRODURO TO-4* XL SYNTHETICBLEND LOTEMP BULK  SMALL ENGINE OIL Name SUPREME SYNTHETIC BLEND 2-STROKE ENGINE OIL 12X1L CASE 2-STROKE ENGINE OIL 12X1L CASE 2-STROKE ENGINE OIL 14X4L CASE 2-STROKE ENGINE OIL DRUM	PD4ASDRM  PD4ASIBC  PD4ASBLK  PD4XLLT  PD4XLLTP20  PD4XLLTDRM  PD4XLLTIBC  PD4XLLTBLK  PAGE 20  Part Numbers  TWOSTR  TWOSTRC12  TWOSTRC12  TWOSTRC16  TWOSTRC16  TWOSTRDRM  TWOSTRBLK	SEPRO XL PAPER MACHINE OIL 220 1040L IBC SEPRO XL PAPER MACHINE OIL 220 BULK  SAW GUIDE OILS  Name  PETROGLIDE 100 PETROGLIDE 100 205L DRUM PETROGLIDE 100 1040L IBC PETROGLIDE 100 1040L IBC PETROGLIDE 150 DBULK  PETROGLIDE 150 205L DRUM PETROGLIDE 150 BULK  PETROGLIDE MC 32 PETROGLIDE MC 32 PETROGLIDE MC 32 PETROGLIDE BULK  PETROGLIDE BULK  PETROGLIDE BULK  PETROGLIDE BULK  PETROGLIDE BULK  PETROGLIDE GUIDE GUI	PAPA220IBC PAPA220BLK  PAGE 22  Part Numbers GLID100 GLID100DRM GLID100BLK GLID150DRM GLID150DRM GLID150DRM GLID150DRM GLID150DRM GLIDMC32 GLIDMC32DRM GLIDELV GLIDELV FAGE 24  Part Numbers PS PSC30 PSP17 PSKGL	PRECISION XL 3 MOLY EP2 30X400G TUBES CASE PRECISION XL 3 MOLY EP2 17KG PAIL PRECISION XL 3 MOLY EP2 17KG LINED KEG PRECISION XL 3 MOLY EP2 175KG LINED DRUM PRECISION XL 3 MOLY EP2 175KG LINED DRUM PRECISION XL 3 MOLY ARCTIC PRECISION XL 3 MOLY ARCTIC 30X400G TUBES CASE PRECISION XL 3 MOLY ARCTIC 54KG KEG PRECISION XL 3 MOLY ARCTIC 175KG DRUM PRECISION XL 3 MOLY ARCTIC GREASE BIN PRECISION XL 3 MOLY ARCTIC BULK  PRECISION XL 5 MOLY EP0 PRECISION XL 5 MOLY EP0 PRECISION XL 5 MOLY EP0 175KG LINED DRUM PRECISION XL 5 MOLY EP0 BULK  PRECISION XL 5 MOLY EP1 BULK  PRECISION XL 5 MOLY EP1 PRECISION XL 5 MOLY EP1 BULK  PRECISION XL 5 MOLY EP1 PRECISION XL 5 MOLY EP1 BULK  PRECISION XL 5 MOLY EP1 PRECISION XL 5 MOLY EP1 TO STAND THE ST	PXL3M2C30  PXL3M2P17  PXL3M2P17  PXL3M2CBG  PXL3A  PXL3AC30  PXL3AC30  PXL3AGL  PXL3ACBG  PXL3ADRL  PXL3ACBG  PXL3ADRL  PXL5M0P17  PXL5M0DRL  PXL5M0DRL  PXL5M0BLK  PXL5M1C30  PXL5M1C30  PXL5M1C30  PXL5M1CBG  PXL5M1CBG  PXL5M1CBG  PXL5M1CBG  PXL5M1CBG  PXL5M1CBG  PXL5M1CBG  PXL5M1CBG
20L PAIL PRODURO TO-4* SYNTHETIC ALL SEASON 205L DRUM PRODURO TO-4* SYNTHETICALL SEASON 1040L IBC PRODURO TO-4* SYNTHETICALL SEASON BULK PRODURO TO-4* XL SYNTHETIC BLEND LOTEMP PRODURO TO-4* XL SYNTHETICBL LOTEMP 20L PRODURO TO-4* XL SYNTHETICBL LOTEMP 205L DRUM PRODURO TO-4* XL SYNTHETICBL LOTEMP 205L DRUM PRODURO TO-4* XL SYNTHETICBL LOTEMP 105L DRUM PRODURO TO-4* XL SYNTHETICBLEND LOTEMP BULK  SMALL ENGINE OIL 2-STROKE ENGINE OIL 2-STROKE ENGINE OIL 12X1L CASE 2-STROKE ENGINE OIL 24X500ML CASE 2-STROKE ENGINE OIL DRUM 2-STROKE ENGINE OIL BULK  CHAIN OILS  Name	PD4ASDRM PD4ASIBC PD4ASBLK PD4XLLT PD4XLLTP20 PD4XLLTP20 PD4XLLTBC PD4XLLTIBC PD4XLLTIBC PD4XLLTBLK  PAGE 20 Part Numbers TWOSTR TWOSTRC12 TWOSTRC12 TWOSTRC16 TWOSTRC16 TWOSTRDRM TWOSTRBLK  PAGE 22 Part Numbers	SEPRO XL PAPER MACHINE OIL 220 1040L IBC SEPRO XL PAPER MACHINE OIL 220 BULK  SAW GUIDE OILS  Name  PETROGLIDE 100 PETROGLIDE 100 205L DRUM PETROGLIDE 100 1040L IBC PETROGLIDE 100 1040L IBC PETROGLIDE 150 DBULK  PETROGLIDE 150 205L DRUM PETROGLIDE 150 BULK  PETROGLIDE MC 32 PETROGLIDE MC 32 PETROGLIDE ELV PETROGLIDE ELV PETROGLIDE ELV IBC  MULTI-APPLICATION GREASES  Name  PRECISION SYNTHETIC PRECISION SYNTHETIC 30X400G TUBES CASE PRECISION SYNTHETIC 17KG PAIL PRECISION SYNTHETIC 54KG LINED KEG PRECISION SYNTHETIC 175KG LINED DRUM	PAPA220IBC PAPA220BLK  PAPA220BLK  PAGE 22  Part Numbers GLID100 GLID100DRM GLID100IBC GLID150DRM GLID150DRM GLID150DRM GLID150DRM GLID150DRM GLIDMC32 GLIDMC32DRM GLIDELVIBC  PAGE 24  Part Numbers PS PSC30 PSP17 PSKGL PSDRL	PRECISION XL 3 MOLY EP2 30X400G TUBES CASE PRECISION XL 3 MOLY EP2 17KG PAIL PRECISION XL 3 MOLY EP2 17KG LINED KEG PRECISION XL 3 MOLY EP2 17KG LINED DRUM PRECISION XL 3 MOLY EP2 175KG LINED DRUM PRECISION XL 3 MOLY ARCTIC PRECISION XL 3 MOLY ARCTIC 30X400G TUBES CASE PRECISION XL 3 MOLY ARCTIC 54KG KEG PRECISION XL 3 MOLY ARCTIC 175KG DRUM PRECISION XL 3 MOLY ARCTIC GREASE BIN PRECISION XL 3 MOLY ARCTIC BULK  PRECISION XL 5 MOLY EP0 PRECISION XL 5 MOLY EP0 PRECISION XL 5 MOLY EP0 17KG LINED DRUM PRECISION XL 5 MOLY EP0 BULK  PRECISION XL 5 MOLY EP0 BULK  PRECISION XL 5 MOLY EP1 PRECISION XL 5 MOLY EP1 54KG LINED DRUM PRECISION XL 5 MOLY EP1 10X400G TUBES CASE PRECISION XL 5 MOLY EP1 54KG LINED DRUM PRECISION XL 5 MOLY EP1 175KG LINED DRUM PRECISION XL 5 MOLY EP1 54KG LINED KEG PRECISION XL 5 MOLY EP1 175KG LINED DRUM PRECISION XL 5 MOLY EP1 GREASE BIN PRECISION XL 5 MOLY EP1 175KG LINED DRUM PRECISION XL 5 MOLY EP1 GREASE BIN PRECISION XL 5 MOLY EP1 GREASE BIN PRECISION XL 5 MOLY EP1 GREASE BIN PRECISION XL 5 MOLY EP2 20X4400G TUBES CASE	PXL3M2C30  PXL3M2P17  PXL3M2P17  PXL3M2CBG  PXL3AC30  PXL3AC30  PXL3AC30  PXL3ACBG  PXL3ACBG  PXL3ADRL  PXL3ACBG  PXL3ADRL  PXL5M0  PXL5M0P17  PXL5M0DRL  PXL5M0CBG  PXL5M0BLK  PXL5M1  PXL5M1C30  PXL5M1C30  PXL5M1CBG  PXL5M2C30
20L PAIL PRODURO TO-4* SYNTHETIC ALL SEASON 205L DRUM PRODURO TO-4* SYNTHETICALL SEASON 1040L IBC PRODURO TO-4* SYNTHETICALL SEASON BULK PRODURO TO-4* XL SYNTHETIC BLEND LOTEMP PRODURO TO-4* XL SYNTHETICBL LOTEMP 205L DRUM PRODURO TO-4* XL SYNTHETICBL LOTEMP 205L DRUM PRODURO TO-4* XL SYNTHETICBL LOTEMP 205L DRUM PRODURO TO-4* XL SYNBL LOTEMP 1040L IBC PRODURO TO-4* XL SYNTHETICBLEND LOTEMP BULK  SMALL ENGINE OIL  2-STROKE ENGINE OIL 2-STROKE ENGINE OIL 2-STROKE ENGINE OIL 12X1L CASE 2-STROKE ENGINE OIL 24X500ML CASE 2-STROKE ENGINE OIL DRUM 2-STROKE ENGINE OIL DRUM 2-STROKE ENGINE OIL BULK  CHAIN OILS  Name  DURATAC CHAIN OIL 32	PD4ASDRM PD4ASIBC  PD4ASBLK  PD4XLLT  PD4XLLTP20 PD4XLLTDRM PD4XLLTIBC PD4XLLTIBC PD4XLLTBLK  PAGE 20 Part Numbers  TWOSTR  TWOSTRC12 TWOSTRC12 TWOSTRC24 TWOSTRC16 TWOSTRDRM TWOSTRBLK  PAGE 22 Part Numbers  DTAC32	SEPRO XL PAPER MACHINE OIL 220 1040L IBC SEPRO XL PAPER MACHINE OIL 220 BULK  SAW GUIDE OILS  Name  PETROGLIDE 100 PETROGLIDE 100 205L DRUM PETROGLIDE 100 1040L IBC PETROGLIDE 100 BULK  PETROGLIDE 150 DBULK  PETROGLIDE 150 205L DRUM PETROGLIDE 150 BULK  PETROGLIDE MC 32 PETROGLIDE MC 32 PETROGLIDE BULK  PETROGLIDE BULK  PETROGLIDE BULK  PETROGLIDE BULK  PETROGLIDE GUIDE  MULTI-APPLICATION GREASES  Name  PRECISION SYNTHETIC PRECISION SYNTHETIC 30X400G TUBES CASE PRECISION SYNTHETIC 17KG PAIL PRECISION SYNTHETIC 54KG LINED KEG PRECISION SYNTHETIC 175KG LINED DRUM PRECISION SYNTHETIC GREASE BIN PRECISION SYNTHETIC GREASE BIN PRECISION SYNTHETIC GREASE BIN PRECISION SYNTHETIC BULK	PAPA220IBC PAPA220IBC PAPA220BLK  PAGE 22  Part Numbers GLID100 GLID100DRM GLID100BLK GLID150DRM GLID150DRM GLID150DRM GLID150DRM GLID150DRM GLIDELV GLIDELV GLIDELV PAGE 24  Part Numbers PS PSC30 PSP17 PSKGL PSDRL PSCBG PSBLK	PRECISION XL 3 MOLY EP2 30X400G TUBES CASE PRECISION XL 3 MOLY EP2 17KG PAIL PRECISION XL 3 MOLY EP2 17KG LINED KEG PRECISION XL 3 MOLY EP2 17KG LINED DRUM PRECISION XL 3 MOLY EP2 17KG LINED DRUM PRECISION XL 3 MOLY EP2 GREASE BIN  PRECISION XL 3 MOLY ARCTIC PRECISION XL 3 MOLY ARCTIC 50 PRECISION XL 3 MOLY ARCTIC 50 PRECISION XL 3 MOLY ARCTIC 50 PRECISION XL 3 MOLY ARCTIC 175KG DRUM PRECISION XL 3 MOLY ARCTIC BULK  PRECISION XL 3 MOLY ARCTIC BULK  PRECISION XL 5 MOLY EP0 BULK  PRECISION XL 5 MOLY EP0 BULK  PRECISION XL 5 MOLY EP1 PRECISION XL 5 MOLY EP1 30X400G TUBES CASE PRECISION XL 5 MOLY EP1 54KG LINED DRUM PRECISION XL 5 MOLY EP1 54KG LINED KEG PRECISION XL 5 MOLY EP1 GREASE BIN PRECISION XL 5 MOLY EP2 30X400G TUBES CASE PRECISION XL 5 MOLY EP2 30X400G TUBES CASE PRECISION XL 5 MOLY EP2 30X400G TUBES CASE	PXL3M2C30  PXL3M2P17  PXL3M2P17  PXL3M2CBG  PXL3A  PXL3AC30  PXL3AC30  PXL3AKGL  PXL3ACBG  PXL3ACBG  PXL3ABLK  PXL5M0  PXL5M0P17  PXL5M0DRL  PXL5M0DRL  PXL5M1C30  PXL5M1C30  PXL5M1C30  PXL5M1CBG  PXL5M2  PXL5M2C30  PXL5M2C30  PXL5M2C30
20L PAIL PRODURO TO-4* SYNTHETIC ALL SEASON 205L DRUM PRODURO TO-4* SYNTHETICALL SEASON 1040L IBC PRODURO TO-4* SYNTHETIC ALL SEASON BULK PRODURO TO-4* XL SYNTHETIC BLEND LOTEMP PRODURO TO-4* XL SYNTHETICBL LOTEMP 20L PRODURO TO-4* XL SYNTHETICBL LOTEMP 205L DRUM PRODURO TO-4* XL SYNTHETICBL LOTEMP 205L DRUM PRODURO TO-4* XL SYNTHETICBL LOTEMP 205L DRUM PRODURO TO-4* XL SYNTHETICBLEND LOTEMP BULK  SMALL ENGINE OIL  Name  SUPREME SYNTHETIC BLEND 2-STROKE ENGINE OIL 2-STROKE ENGINE OIL 2-STROKE ENGINE OIL 12X1L CASE 2-STROKE ENGINE OIL DRUM 2-STROKE ENGINE OIL DRUM 2-STROKE ENGINE OIL DRUM 2-STROKE ENGINE OIL BULK  CHAIN OILS  Name  DURATAC CHAIN OIL 32 DURATAC CHAIN OIL 32 DURATAC CHAIN OIL 32 DURATAC CHAIN OIL 32	PD4ASDRM  PD4ASIBC  PD4ASBLK  PD4XLLT  PD4XLLTP20  PD4XLLTDRM  PD4XLLTIBC  PD4XLLTBLK  PAGE 20  Part Numbers  TWOSTRC12  TWOSTRC12  TWOSTRC16  TWOSTRDRM  TWOSTRDRM  TWOSTRBLK  PAGE 22  Part Numbers  DTAG32  DTAG32C16	SEPRO XL PAPER MACHINE OIL 220 1040L IBC SEPRO XL PAPER MACHINE OIL 220 BULK  SAW GUIDE OILS  Name  PETROGLIDE 100 PETROGLIDE 100 205L DRUM PETROGLIDE 100 1040L IBC PETROGLIDE 150 105L DRUM PETROGLIDE 150 205L DRUM PETROGLIDE 150 205L DRUM PETROGLIDE 150 BULK  PETROGLIDE MC 32 PETROGLIDE MC 32 PETROGLIDE MC 32 PETROGLIDE ELV PETROGLIDE ELV PETROGLIDE ELV IBC  MULTI-APPLICATION GREASES  Name  PRECISION SYNTHETIC PRECISION SYNTHETIC 17KG PAIL PRECISION SYNTHETIC 175KG LINED KEG PRECISION SYNTHETIC 175KG LINED DRUM PRECISION SYNTHETIC GREASE BIN PRECISION SYNTHETIC GREASE BIN PRECISION SYNTHETIC BULK PRECISION SYNTHETIC BULK	PAPA220IBC PAPA220BLK  PAGE 22  Part Numbers GLID100 GLID100DRM GLID100BLK GLID150 GLID150DRM GLID150BLK GLID150BLK GLID150BLK GLIDMC32 GLIDMC32DRM GLIDELVIBC  PAGE 24  Part Numbers PS PSC30 PSP17 PSKGL PSDRL PSCBG	PRECISION XL 3 MOLY EP2 30X400G TUBES CASE PRECISION XL 3 MOLY EP2 17KG PAIL PRECISION XL 3 MOLY EP2 17KG LINED KEG PRECISION XL 3 MOLY EP2 17KG LINED DRUM PRECISION XL 3 MOLY EP2 17KG LINED DRUM PRECISION XL 3 MOLY ARCTIC PRECISION XL 3 MOLY ARCTIC PRECISION XL 3 MOLY ARCTIC 54KG KEG PRECISION XL 3 MOLY ARCTIC 175KG DRUM PRECISION XL 3 MOLY ARCTIC 175KG DRUM PRECISION XL 3 MOLY ARCTIC BULK PRECISION XL 3 MOLY ARCTIC BULK PRECISION XL 5 MOLY EP0 17KG PAIL PRECISION XL 5 MOLY EP0 BULK PRECISION XL 5 MOLY EP1 175KG LINED DRUM PRECISION XL 5 MOLY EP1 BULK PRECISION XL 5 MOLY EP1 BULK PRECISION XL 5 MOLY EP1 BULK PRECISION XL 5 MOLY EP1 SAKG LINED KEG PRECISION XL 5 MOLY EP1 175KG LINED DRUM PRECISION XL 5 MOLY EP1 54KG LINED DRUM PRECISION XL 5 MOLY EP2 17KG LINED DRUM PRECISION XL 5 MOLY EP2 30X400G TUBES CASE PRECISION XL 5 MOLY EP2 30X400G TUBES CASE PRECISION XL 5 MOLY EP2 17KG PAIL PRECISION XL 5 MOLY EP2 54KG LINED KEG PRECISION XL 5 MOLY EP2 54KG LINED KEG PRECISION XL 5 MOLY EP2 17KG PAIL PRECISION XL 5 MOLY EP2 17KG PAIL PRECISION XL 5 MOLY EP2 17KG LINED LEGG PRECISION X	PXL3M2C30  PXL3M2P17  PXL3M2P17  PXL3M2CBG  PXL3A  PXL3AC30  PXL3AC30  PXL3AGL  PXL3ACBG  PXL3ADRL  PXL3ACBG  PXL3ADRL  PXL3ACBG  PXL3ABLK  PXL5M0  PXL5M0P17  PXL5M0DRL  PXL5M0CBG  PXL5M0BLK  PXL5M1C30  PXL5M1C30  PXL5M1CBG  PXL5M1CBG  PXL5M1CBG  PXL5M1CBG  PXL5M1CBG  PXL5M1CBG  PXL5M1CBG  PXL5M2  PXL5M2C30  PXL5M2P17  PXL5M2P17  PXL5M2CBL
20L PAIL PRODURO TO-4* SYNTHETIC ALL SEASON 205L DRUM PRODURO TO-4* SYNTHETICALL SEASON 1040L IBC PRODURO TO-4* SYNTHETICALL SEASON BULK PRODURO TO-4* XL SYNTHETIC BLEND LOTEMP PRODURO TO-4* XL SYNTHETICBL LOTEMP 205L DRUM PRODURO TO-4* XL SYNTHETICBLEND LOTEMP BULK  SMALL ENGINE OIL  Name  SUPREME SYNTHETIC BLEND 2-STROKE ENGINE OIL 2-STROKE ENGINE OIL 2-STROKE ENGINE OIL 2-STROKE ENGINE OIL 12X1L CASE 2-STROKE ENGINE OIL DRUM 2-STROKE ENGINE OIL DRUM 2-STROKE ENGINE OIL BULK  CHAIN OILS  Name  DURATAC CHAIN OIL 32 DURATAC CHAIN OIL 32 DURATAC CHAIN OIL 32 205L DRUM	PD4ASDRM  PD4ASIBC  PD4ASBLK  PD4XLLT  PD4XLLTP20  PD4XLLTDRM  PD4XLLTIBC  PD4XLLTBLK  PAGE 20  Part Numbers  TWOSTRC12  TWOSTRC12  TWOSTRC16  TWOSTRDRM  TWOSTRDRM  TWOSTRBLK  PAGE 22  Part Numbers  DTAG32  DTAG32C16  DTAG32DRM	SEPRO XL PAPER MACHINE OIL 220 1040L IBC SEPRO XL PAPER MACHINE OIL 220 BULK  SAW GUIDE OILS  Name  PETROGLIDE 100 PETROGLIDE 100 205L DRUM PETROGLIDE 100 1040L IBC PETROGLIDE 100 BULK  PETROGLIDE 150 PETROGLIDE 150 205L DRUM PETROGLIDE 150 205L DRUM PETROGLIDE 150 BULK  PETROGLIDE MC 32 PETROGLIDE MC 32 PETROGLIDE ELV PETROGLIDE ELV PETROGLIDE ELV IBC  MULTI-APPLICATION GREASES  Name  PRECISION SYNTHETIC 30X400G TUBES CASE PRECISION SYNTHETIC 17KG PAIL PRECISION SYNTHETIC 17KG PAIL PRECISION SYNTHETIC 175KG LINED KEG PRECISION SYNTHETIC 175KG LINED DRUM PRECISION SYNTHETIC GREASE BIN PRECISION SYNTHETIC BULK  PRECISION SYNTHETIC 200 PRECISION SYNTHETIC 220 PRECISION SYNTHETIC 220 PRECISION SYNTHETIC 220	PAPA220IBC PAPA220IBC PAPA220BLK  PAGE 22  Part Numbers GLID100 GLID100DRM GLID100IBC GLID150DRM GLID150DRM GLID150DRM GLID150DRM GLID150DRM GLID150BLK GLIDMC32 GLIDMC32 PAGE 24  Part Numbers PS PSC30 PSP17 PSKGL PSDRL PSCBG PSBLK PS220	PRECISION XL 3 MOLY EP2 30X400G TUBES CASE PRECISION XL 3 MOLY EP2 17KG PAIL PRECISION XL 3 MOLY EP2 17KG LINED KEG PRECISION XL 3 MOLY EP2 175KG LINED DRUM PRECISION XL 3 MOLY EP2 175KG LINED DRUM PRECISION XL 3 MOLY ARCTIC PRECISION XL 3 MOLY ARCTIC PRECISION XL 3 MOLY ARCTIC 54KG KEG PRECISION XL 3 MOLY ARCTIC 175KG DRUM PRECISION XL 3 MOLY ARCTIC 175KG DRUM PRECISION XL 3 MOLY ARCTIC GREASE BIN PRECISION XL 3 MOLY ARCTIC BULK  PRECISION XL 5 MOLY EP0 17KG PAIL PRECISION XL 5 MOLY EP0 BULK  PRECISION XL 5 MOLY EP1 80LK  PRECISION XL 5 MOLY EP1 30X400G TUBES CASE PRECISION XL 5 MOLY EP1 175KG LINED DRUM PRECISION XL 5 MOLY EP1 175KG LINED DRUM PRECISION XL 5 MOLY EP1 54KG LINED KEG PRECISION XL 5 MOLY EP1 175KG LINED DRUM PRECISION XL 5 MOLY EP2 30X400G TUBES CASE PRECISION XL 5 MOLY EP2 30X400G TUBES CASE PRECISION XL 5 MOLY EP2 17KG PAIL PRECISION XL 5 MOLY EP2 17KG PAIL PRECISION XL 5 MOLY EP2 17KG PAIL PRECISION XL 5 MOLY EP2 17KG LINED KEG PRECISION XL 5 MOLY EP2 17KG PAIL PRECISION XL 5 MOLY EP2 17KG PAIL PRECISION XL 5 MOLY EP2 17KG LINED KEG PRECISION XL 5 MOLY EP2 17KG LINED DRUM PRECISION XL 5 MOLY EP2 2 GREASE BIN	PXL3M2C30  PXL3M2P17  PXL3M2P17  PXL3M2CBG  PXL3A  PXL3AC30  PXL3AC30  PXL3AC30  PXL3AGL  PXL3ACBG  PXL3ADRL  PXL3ACBG  PXL3ADRL  PXL3ACBG  PXL3ADRL  PXL5M0P17  PXL5M0P17  PXL5M0CBG  PXL5M0BLK  PXL5M1C30  PXL5M1C30  PXL5M1CBG  PXL5M1CBG  PXL5M1CBG  PXL5M1CBG  PXL5M1CBG  PXL5M1CBG  PXL5M2C30  PXL5M2C30  PXL5M2P17  PXL5M2CBG
20L PAIL PRODURO TO-4* SYNTHETIC ALL SEASON 205L DRUM PRODURO TO-4* SYNTHETICALL SEASON 1040L IBC PRODURO TO-4* SYNTHETIC ALL SEASON BULK PRODURO TO-4* XL SYNTHETIC BLEND LOTEMP PRODURO TO-4* XL SYNTHETICBL LOTEMP 20L PRODURO TO-4* XL SYNTHETICBL LOTEMP 205L DRUM PRODURO TO-4* XL SYNTHETICBL LOTEMP 205L DRUM PRODURO TO-4* XL SYNTHETICBL LOTEMP 205L DRUM PRODURO TO-4* XL SYNTHETICBLEND LOTEMP BULK  SMALL ENGINE OIL  Name  SUPREME SYNTHETIC BLEND 2-STROKE ENGINE OIL 2-STROKE ENGINE OIL 2-STROKE ENGINE OIL 12X1L CASE 2-STROKE ENGINE OIL DRUM 2-STROKE ENGINE OIL DRUM 2-STROKE ENGINE OIL DRUM 2-STROKE ENGINE OIL BULK  CHAIN OILS  Name  DURATAC CHAIN OIL 32 DURATAC CHAIN OIL 32 DURATAC CHAIN OIL 32 DURATAC CHAIN OIL 32	PD4ASDRM  PD4ASIBC  PD4ASBLK  PD4XLLT  PD4XLLTP20  PD4XLLTDRM  PD4XLLTIBC  PD4XLLTBLK  PAGE 20  Part Numbers  TWOSTRC12  TWOSTRC12  TWOSTRC16  TWOSTRDRM  TWOSTRDRM  TWOSTRBLK  PAGE 22  Part Numbers  DTAG32  DTAG32C16	SEPRO XL PAPER MACHINE OIL 220 1040L IBC SEPRO XL PAPER MACHINE OIL 220 BULK  SAW GUIDE OILS  Name  PETROGLIDE 100 PETROGLIDE 100 205L DRUM PETROGLIDE 100 1040L IBC PETROGLIDE 150 105L DRUM PETROGLIDE 150 205L DRUM PETROGLIDE 150 205L DRUM PETROGLIDE 150 BULK  PETROGLIDE MC 32 PETROGLIDE MC 32 PETROGLIDE MC 32 PETROGLIDE ELV PETROGLIDE ELV PETROGLIDE ELV IBC  MULTI-APPLICATION GREASES  Name  PRECISION SYNTHETIC PRECISION SYNTHETIC 17KG PAIL PRECISION SYNTHETIC 175KG LINED KEG PRECISION SYNTHETIC 175KG LINED DRUM PRECISION SYNTHETIC GREASE BIN PRECISION SYNTHETIC GREASE BIN PRECISION SYNTHETIC BULK PRECISION SYNTHETIC BULK	PAPA220IBC PAPA220IBC PAPA220BLK  PAGE 22  Part Numbers GLID100 GLID100DRM GLID100BLK GLID150DRM GLID150DRM GLID150DRM GLID150DRM GLID150DRM GLIDELV GLIDELV GLIDELV PAGE 24  Part Numbers PS PSC30 PSP17 PSKGL PSDRL PSCBG PSBLK	PRECISION XL 3 MOLY EP2 30X400G TUBES CASE PRECISION XL 3 MOLY EP2 17KG PAIL PRECISION XL 3 MOLY EP2 17KG LINED KEG PRECISION XL 3 MOLY EP2 17KG LINED DRUM PRECISION XL 3 MOLY EP2 17KG LINED DRUM PRECISION XL 3 MOLY ARCTIC PRECISION XL 3 MOLY ARCTIC PRECISION XL 3 MOLY ARCTIC 54KG KEG PRECISION XL 3 MOLY ARCTIC 175KG DRUM PRECISION XL 3 MOLY ARCTIC 175KG DRUM PRECISION XL 3 MOLY ARCTIC BULK PRECISION XL 3 MOLY ARCTIC BULK PRECISION XL 5 MOLY EP0 17KG PAIL PRECISION XL 5 MOLY EP0 BULK PRECISION XL 5 MOLY EP1 175KG LINED DRUM PRECISION XL 5 MOLY EP1 BULK PRECISION XL 5 MOLY EP1 BULK PRECISION XL 5 MOLY EP1 BULK PRECISION XL 5 MOLY EP1 SAKG LINED KEG PRECISION XL 5 MOLY EP1 175KG LINED DRUM PRECISION XL 5 MOLY EP1 54KG LINED DRUM PRECISION XL 5 MOLY EP2 17KG LINED DRUM PRECISION XL 5 MOLY EP2 30X400G TUBES CASE PRECISION XL 5 MOLY EP2 30X400G TUBES CASE PRECISION XL 5 MOLY EP2 17KG PAIL PRECISION XL 5 MOLY EP2 54KG LINED KEG PRECISION XL 5 MOLY EP2 54KG LINED KEG PRECISION XL 5 MOLY EP2 17KG PAIL PRECISION XL 5 MOLY EP2 17KG PAIL PRECISION XL 5 MOLY EP2 17KG LINED LEGG PRECISION X	PXL3M2C30  PXL3M2P17  PXL3M2P17  PXL3M2CBG  PXL3A  PXL3AC30  PXL3AC30  PXL3AGL  PXL3ACBG  PXL3ADRL  PXL3ACBG  PXL3ADRL  PXL3ACBG  PXL3ABLK  PXL5M0  PXL5M0P17  PXL5M0DRL  PXL5M0CBG  PXL5M0BLK  PXL5M1C30  PXL5M1C30  PXL5M1CBG  PXL5M1CBG  PXL5M1CBG  PXL5M1CBG  PXL5M1CBG  PXL5M1CBG  PXL5M1CBG  PXL5M2  PXL5M2C30  PXL5M2P17  PXL5M2P17  PXL5M2CBL
20L PAIL PRODURO TO-4* SYNTHETIC ALL SEASON 205L DRUM PRODURO TO-4* SYNTHETICALL SEASON 1040L IBC PRODURO TO-4* SYNTHETICALL SEASON BULK PRODURO TO-4* XL SYNTHETIC BLEND LOTEMP PRODURO TO-4* XL SYNTHETICBL LOTEMP 205L DRUM PRODURO TO-4* XL SYNTHETICBLEND LOTEMP BULK  SMALL ENGINE OIL  Name  SUPREME SYNTHETIC BLEND 2-STROKE ENGINE OIL 2-STROKE ENGINE OIL 2-STROKE ENGINE OIL 2-STROKE ENGINE OIL 12X1L CASE 2-STROKE ENGINE OIL DRUM 2-STROKE ENGINE OIL DRUM 2-STROKE ENGINE OIL BULK  CHAIN OILS  Name  DURATAC CHAIN OIL 32 DURATAC CHAIN OIL 32 DURATAC CHAIN OIL 32 205L DRUM	PD4ASDRM  PD4ASIBC  PD4ASBLK  PD4XLLT  PD4XLLTP20  PD4XLLTDRM  PD4XLLTIBC  PD4XLLTBLK  PAGE 20  Part Numbers  TWOSTRC12  TWOSTRC12  TWOSTRC16  TWOSTRDRM  TWOSTRDRM  TWOSTRBLK  PAGE 22  Part Numbers  DTAG32  DTAG32C16  DTAG32DRM	SEPRO XL PAPER MACHINE OIL 220 1040L IBC SEPRO XL PAPER MACHINE OIL 220 BULK  SAW GUIDE OILS  Name  PETROGLIDE 100 PETROGLIDE 100 205L DRUM PETROGLIDE 100 1040L IBC PETROGLIDE 100 BULK  PETROGLIDE 150 PETROGLIDE 150 205L DRUM PETROGLIDE 150 205L DRUM PETROGLIDE 150 BULK  PETROGLIDE MC 32 PETROGLIDE MC 32 PETROGLIDE ELV PETROGLIDE ELV PETROGLIDE ELV IBC  MULTI-APPLICATION GREASES  Name  PRECISION SYNTHETIC 30X400G TUBES CASE PRECISION SYNTHETIC 17KG PAIL PRECISION SYNTHETIC 17KG PAIL PRECISION SYNTHETIC 175KG LINED KEG PRECISION SYNTHETIC 175KG LINED DRUM PRECISION SYNTHETIC GREASE BIN PRECISION SYNTHETIC BULK  PRECISION SYNTHETIC 200 PRECISION SYNTHETIC 220 PRECISION SYNTHETIC 220 PRECISION SYNTHETIC 220	PAPA220IBC PAPA220IBC PAPA220BLK  PAGE 22  Part Numbers GLID100 GLID100DRM GLID100IBC GLID150DRM GLID150DRM GLID150DRM GLID150DRM GLID150DRM GLID150BLK GLIDMC32 GLIDMC32 PAGE 24  Part Numbers PS PSC30 PSP17 PSKGL PSDRL PSCBG PSBLK PS220	PRECISION XL 3 MOLY EP2 30X400G TUBES CASE PRECISION XL 3 MOLY EP2 17KG PAIL PRECISION XL 3 MOLY EP2 17KG LINED KEG PRECISION XL 3 MOLY EP2 175KG LINED DRUM PRECISION XL 3 MOLY EP2 175KG LINED DRUM PRECISION XL 3 MOLY ARCTIC PRECISION XL 3 MOLY ARCTIC PRECISION XL 3 MOLY ARCTIC 54KG KEG PRECISION XL 3 MOLY ARCTIC 175KG DRUM PRECISION XL 3 MOLY ARCTIC 175KG DRUM PRECISION XL 3 MOLY ARCTIC GREASE BIN PRECISION XL 3 MOLY ARCTIC BULK  PRECISION XL 5 MOLY EP0 17KG PAIL PRECISION XL 5 MOLY EP0 BULK  PRECISION XL 5 MOLY EP1 80LK  PRECISION XL 5 MOLY EP1 30X400G TUBES CASE PRECISION XL 5 MOLY EP1 175KG LINED DRUM PRECISION XL 5 MOLY EP1 175KG LINED DRUM PRECISION XL 5 MOLY EP1 54KG LINED KEG PRECISION XL 5 MOLY EP1 175KG LINED DRUM PRECISION XL 5 MOLY EP2 30X400G TUBES CASE PRECISION XL 5 MOLY EP2 30X400G TUBES CASE PRECISION XL 5 MOLY EP2 17KG PAIL PRECISION XL 5 MOLY EP2 17KG PAIL PRECISION XL 5 MOLY EP2 17KG PAIL PRECISION XL 5 MOLY EP2 17KG LINED KEG PRECISION XL 5 MOLY EP2 17KG PAIL PRECISION XL 5 MOLY EP2 17KG PAIL PRECISION XL 5 MOLY EP2 17KG LINED KEG PRECISION XL 5 MOLY EP2 17KG LINED DRUM PRECISION XL 5 MOLY EP2 2 GREASE BIN	PXL3M2C30  PXL3M2P17  PXL3M2P17  PXL3M2CBG  PXL3A  PXL3AC30  PXL3AC30  PXL3AC30  PXL3ACBG  PXL3ADRL  PXL3ACBG  PXL3ADRL  PXL3ADRL  PXL3ACBG  PXL3ABLK  PXL5M0P17  PXL5M0P17  PXL5M0CBG  PXL5M0BLK  PXL5M1C30  PXL5M1C30  PXL5M1C30  PXL5M1CBG  PXL5M1CBG  PXL5M1CBG  PXL5M1CBG  PXL5M1CBG  PXL5M1CBG  PXL5M1CBG  PXL5M1CBG  PXL5M2C30  PXL5M2C30  PXL5M2C30  PXL5M2CBG
20L PAIL PRODURO TO-4* SYNTHETIC ALL SEASON 205L DRUM PRODURO TO-4* SYNTHETICALL SEASON 1040L IBC PRODURO TO-4* SYNTHETICALL SEASON BULK PRODURO TO-4* XL SYNTHETIC BLESASON BULK PRODURO TO-4* XL SYNTHETICBL LOTEMP PRODURO TO-4* XL SYNTHETICBL LOTEMP 205L DRUM PRODURO TO-4* XL SYNTHETICBL LOTEMP 205L DRUM PRODURO TO-4* XL SYNTHETICBL LOTEMP 205L DRUM PRODURO TO-4* XL SYNTHETICBLEND LOTEMP BULK  SMALL ENGINE OIL  2-STROKE ENGINE OIL 2-STROKE ENGINE OIL 2-STROKE ENGINE OIL 12X1L CASE 2-STROKE ENGINE OIL 12X1L CASE 2-STROKE ENGINE OIL DRUM 2-STROKE ENGINE OIL DRUM 2-STROKE ENGINE OIL BULK  CHAIN OILS  Name  DURATAC CHAIN OIL 32 DURATAC CHAIN OIL 32 205L DRUM DURATAC CHAIN OIL 32 5DLK	PD4ASDRM  PD4ASIBC  PD4ASBLK  PD4XLLT  PD4XLLTP20  PD4XLLTDRM  PD4XLLTIBC  PD4XLLTBLK  PAGE 20  Part Numbers  TWOSTR  TWOSTRC12  TWOSTRC12  TWOSTRC16  TWOSTRDRM  TWOSTRDRM  TWOSTRBLK  PAGE 22  Part Numbers  DTAC32  DTAC32  DTAC32C16  DTAC32C16  DTAC32BLK	SEPRO XL PAPER MACHINE OIL 220 1040L IBC SEPRO XL PAPER MACHINE OIL 220 BULK  SAW GUIDE OILS  Name  PETROGLIDE 100 PETROGLIDE 100 205L DRUM PETROGLIDE 100 1040L IBC PETROGLIDE 100 1040L IBC PETROGLIDE 150 BULK  PETROGLIDE 150 BULK  PETROGLIDE 150 BULK  PETROGLIDE 150 BULK  PETROGLIDE MC 32 PETROGLIDE MC 32 PETROGLIDE ELV PETROGLIDE ELV IBC  MULTI-APPLICATION GREASES  Name  PRECISION SYNTHETIC PRECISION SYNTHETIC 17KG PAIL PRECISION SYNTHETIC 17KG PAIL PRECISION SYNTHETIC 175KG LINED DRUM PRECISION SYNTHETIC 175KG LINED DRUM PRECISION SYNTHETIC GREASE BIN PRECISION SYNTHETIC GREASE BIN PRECISION SYNTHETIC BULK  PRECISION SYNTHETIC 220	PAPA220IBC PAPA220IBC PAPA220BLK  PAGE 22  Part Numbers GLID100 GLID100DRM GLID100IBC GLID150GRM GLID150GRM GLID150BLK GLID150BLK GLIDMC32 GLIDMC32 GLIDMC32 GLIDMC32DRM GLIDELV GLIDELVIBC  PAGE 24  Part Numbers PS PSC30 PSP17 PSKGL PSDRL PSCBG PSBLK PS220 PS220C30	PRECISION XL 3 MOLY EP2 30X400G TUBES CASE PRECISION XL 3 MOLY EP2 17KG PAIL PRECISION XL 3 MOLY EP2 17KG LINED KEG PRECISION XL 3 MOLY EP2 175KG LINED DRUM PRECISION XL 3 MOLY EP2 175KG LINED DRUM PRECISION XL 3 MOLY ARCTIC PRECISION XL 3 MOLY ARCTIC PRECISION XL 3 MOLY ARCTIC 54KG KEG PRECISION XL 3 MOLY ARCTIC 175KG DRUM PRECISION XL 3 MOLY ARCTIC 175KG DRUM PRECISION XL 3 MOLY ARCTIC GREASE BIN PRECISION XL 3 MOLY ARCTIC BULK  PRECISION XL 5 MOLY EP0 17KG PAIL PRECISION XL 5 MOLY EP0 BULK  PRECISION XL 5 MOLY EP1 80LK  PRECISION XL 5 MOLY EP1 30X400G TUBES CASE PRECISION XL 5 MOLY EP1 175KG LINED DRUM PRECISION XL 5 MOLY EP1 175KG LINED DRUM PRECISION XL 5 MOLY EP1 54KG LINED KEG PRECISION XL 5 MOLY EP1 175KG LINED DRUM PRECISION XL 5 MOLY EP2 30X400G TUBES CASE PRECISION XL 5 MOLY EP2 30X400G TUBES CASE PRECISION XL 5 MOLY EP2 17KG PAIL PRECISION XL 5 MOLY EP2 17KG PAIL PRECISION XL 5 MOLY EP2 17KG PAIL PRECISION XL 5 MOLY EP2 17KG LINED KEG PRECISION XL 5 MOLY EP2 17KG PAIL PRECISION XL 5 MOLY EP2 17KG PAIL PRECISION XL 5 MOLY EP2 17KG LINED KEG PRECISION XL 5 MOLY EP2 17KG LINED DRUM PRECISION XL 5 MOLY EP2 2 GREASE BIN	PXL3M2C30  PXL3M2P17  PXL3M2P17  PXL3M2CBG  PXL3A  PXL3AC30  PXL3AC30  PXL3AC30  PXL3AGL  PXL3ACBG  PXL3ADRL  PXL3ACBG  PXL3ADRL  PXL3ACBG  PXL3ADRL  PXL5M0P17  PXL5M0P17  PXL5M0CBG  PXL5M0BLK  PXL5M1C30  PXL5M1C30  PXL5M1CBG  PXL5M1CBG  PXL5M1CBG  PXL5M1CBG  PXL5M1CBG  PXL5M1CBG  PXL5M2C30  PXL5M2C30  PXL5M2P17  PXL5M2CBG

PRECISION SYNTHETIC 220 175KG LINED DRUM

PS220DRL

DTAC68DRM

DTAC68BLK

DURATAC CHAIN OIL 68 205L DRUM DURATAC CHAIN OIL 68 BULK

PRECISION GENERAL PURPOSE EP1	PGP1
PRECISION GENERAL PURPOSE EP1 30X400G TUBES CASE	PGP1C30
PRECISION GENERAL PURPOSE EP1 17KG PAIL	PGP1P17
PRECISION GENERAL PURPOSE EP1 54KG KEG	PGP1KGL
PRECISION GENERAL PURPOSE EP1 175KG DRUM	PGP1DRL
PRECISION GENERAL PURPOSE EP2	PGP2
PRECISION GENERAL PURPOSE EP2 30X400G TUBES CASE	PGP2C30
PRECISION GENERAL PURPOSE EP2 17KG PAIL	PGP2P17
PRECISION GENERAL PURPOSE EP2 54KG	PGP2KGL
PRECISION GENERAL PURPOSE EP2 175KG DRUM	PGP2DRL
PRECISION GENERAL PURPOSE EP2 GREASE BIN	PGP2CBG
PRECISION GENERAL PURPOSE MOLY EP2	PGPM2
PRECISION GENERAL PURPOSE MOLY EP2 TUBES CASE	PGPM2C30
PRECISION GENERAL PURPOSE MOLY EP2 17KG	PGPM2P17
PRECISION GENERAL PURPOSE MOLY EP2 54KG	PGPM2KG
PRECISION GENERAL PURPOSE MOLY EP2 175KG	PGPM2DRI
PRECISION GENERAL PURPOSE MOLY EP2 BIN	PGPM2CB0
PRECISION GENERAL PURPOSE MOLY EP2 BULK	PGPM2BL
PEERLESS POLY EMB	PLEMB
PEERLESS POLY EMB 30X400G TUBES CASE	PLEMBC30
PEERLESS LLG	PLLLG
PEERLESS LLG 30X400G TUBES CASE	PLLLGC30
PEERLESS LLG 17KG PAIL	PLLLGP17
PEERLESS LLG 54KG LINED KEG	PLLLGKGL
PEERLESS LLG 175KG LINED DRUM	PLLLGDRL
PEERLESS OG0	PLOG0
PEERLESS OG0 30X400G TUBES CASE	PLOG0C30
PEERLESS OG0 54KG LINED KEG	PLOG0KGI
PEERLESS OG1	PLOG1
PEERLESS OG1 30X400G TUBES CASE	PLOG1C30
PEERLESS OG1 17KG PAIL	PLOG1P17
PEERLESS OG1 54KG LINED KEG	PLOG1KGI
PEERLESS OG1 175KG LINED DRUM	PLOG1DRI
PEERLESS OG2	PLOG2
PEERLESS OG2 30X400G TUBES CASE	PLOG2C30
PEERLESS OG2 17KG PAIL	PLOG2P17
PEERLESS OG2 54KG LINED KEG	PLOG2KGI
PEERLESS OG2 175KG LINED DRUM	PLOG2DRI
PEERLESS OG2 RED	PLOG2R
PEERLESS OG2 RED 30X400G TUBES CASE	PLOG2RC3
PEERLESS OG2 RED 17KG PAIL	PLOG2RP1
PEERLESS OG2 RED 54KG LINED KEG	PLOG2RKG
PEERLESS OG2 RED 175KG LINED DRUM	PLOG2RDR
PEERLESS OG PLUS	PLOGP
PEERLESS OG PLUS 30X400G TUBES CASE	PLOGPC30
PEERLESS OG PLUS 54KG LINED KEG	PLOGPKGI
PEERLESS OG PLUS 175KG LINED DRUM	PLOGPDRI
PEERLESS 3 MOLY 322	PL3M322
FEERLESS S MULT 322	PL3M322C3
PEERLESS 3 MOLY 322 30X400G TUBES CASE PEERLESS 3 MOLY 322 54KG LINED KEG	PL3M322KG

Name	Part Numbers
VULTREX MPG SYNTHETIC ARCTIC	VULMPGA
VULTREX MPG SYNTHETIC ARCTIC 30X400G TUBES CASE	VULMPGAC30
VULTREX MPG SYNTHETIC ARCTIC 54KG KEG	VULMPGAKGL
VULTREX MPG SYNTHETIC ARCTIC 175KG DRUM	VULMPGADRL
VULTREX MPG SYNTHETIC ARCTIC GREASE BIN	VULMPGACBG
VULTREX MPG SYNTHETIC ARCTIC BULK	VULMPGABLK
VULTREX MPG EP1	VULMPG1
VULTREX MPG EP1 30X400G TUBES CASE	VULMPG1C30
VULTREX MPG EP1 54KG LINED KEG	VULMPG1KGL
VULTREX MPG EP1 175KG LINED DRUM	VULMPG1DRL
VULTREX MPG EP1 GREASE BIN VULTREX MPG EP1 BULK	VULMPG1CBG VULMPG1BLK
VULTREX MPG EP1	VULMPGIBLK
VULTREX MPG EP2 30X400G TUBES CASE	VULMPG2C30
VULTREX MPG EP2 17KG PAIL	VULMPG2P17
VULTREX MPG EP2 54KG LINED KEG	VULMPG2KGL
VULTREX MPG EP2 175KG LINED DRUM	VULMPG2DRL
VULTREX MPG EP2 GREASE BIN	VULMPG2CBG
VULTREX OGL SYNTHETIC ALL SEASON 680	VULOGLS
VULTREX OGL SYNTHETIC ALL SEASON 680 54KG	VULOGLSKGL
VULTREX OGL SYNTHETIC ALL SEASON 680 175KG	VULOGLSDRL
VULTREX OGL SYNTHETIC ALL SEASON 680 BIN	VULOGLSCBG
VULTREX OGL SYNTHETIC ALL SEASON 680 BULK	VULOGLSBLK
VULTREX OGL HEAVY 6200	VUL6200
VULTREX OGL HEAVY 6200 54KG KEG	VUL6200K54
VULTREX OGL SYNTHETIC 2200	VUL2200
VULTREX OGL SYNTHETIC 2200 175KG DRUM	VUL2200DRL
VULTREX OGL SYNTHETIC 2200 GREASE BIN	VUL2200CBG
VULTREX OGL SYNTHETIC 2200 GREASE BIN VULTREX OGL SYNTHETIC 2200 BULK	
VULTREX OGL SYNTHETIC 2200 GREASE BIN VULTREX OGL SYNTHETIC 2200 BULK VULTREX GEAR SHIELD NC	VUL2200CBG VUL2200BLK VULGSNC
VULTREX OGL SYNTHETIC 2200 GREASE BIN VULTREX OGL SYNTHETIC 2200 BULK  VULTREX GEAR SHIELD NC VULTREX GEAR SHIELD NC 54KG LINED KEG	VUL2200CBG VUL2200BLK  VULGSNC VULGSNCKGL
VULTREX OGL SYNTHETIC 2200 GREASE BIN VULTREX OGL SYNTHETIC 2200 BULK  VULTREX GEAR SHIELD NC VULTREX GEAR SHIELD NC 54KG LINED KEG VULTREX GEAR SHIELD NC 175KG LINED DRUM	VUL2200CBG VUL2200BLK  VULGSNC VULGSNCKGL VULGSNCDRL
VULTREX OGL SYNTHETIC 2200 GREASE BIN VULTREX OGL SYNTHETIC 2200 BULK  VULTREX GEAR SHIELD NC VULTREX GEAR SHIELD NC 54KG LINED KEG	VUL2200CBG VUL2200BLK  VULGSNC VULGSNCKGL
VULTREX OGL SYNTHETIC 2200 GREASE BIN VULTREX OGL SYNTHETIC 2200 BULK  VULTREX GEAR SHIELD NC VULTREX GEAR SHIELD NC 54KG LINED KEG VULTREX GEAR SHIELD NC 175KG LINED DRUM	VUL2200CBG VUL2200BLK  VULGSNC VULGSNCKGL VULGSNCDRL
VULTREX OGL SYNTHETIC 2200 GREASE BIN VULTREX OGL SYNTHETIC 2200 BULK  VULTREX GEAR SHIELD NC VULTREX GEAR SHIELD NC 54KG LINED KEG VULTREX GEAR SHIELD NC 175KG LINED DRUM VULTREX GEAR SHIELD NC BULK	VUL2200CBG VUL2200BLK VULGSNC VULGSNCKGL VULGSNCDRL VULGSNCBLK
VULTREX OGL SYNTHETIC 2200 GREASE BIN VULTREX OGL SYNTHETIC 2200 BULK  VULTREX GEAR SHIELD NC VULTREX GEAR SHIELD NC 54KG LINED KEG VULTREX GEAR SHIELD NC 175KG LINED DRUM VULTREX GEAR SHIELD NC BULK  SPECIALTY GREASES	VUL2200CBG VUL2200BLK  VULGSNC VULGSNCKGL VULGSNCBLK  VULGSNCBLK
VULTREX OGL SYNTHETIC 2200 GREASE BIN VULTREX OGL SYNTHETIC 2200 BULK  VULTREX GEAR SHIELD NC  VULTREX GEAR SHIELD NC 54KG LINED KEG VULTREX GEAR SHIELD NC 175KG LINED DRUM VULTREX GEAR SHIELD NC BULK  SPECIALTY GREASES  Name	VUL2200CBG VUL2200BLK  VULGSNC VULGSNCKGL VULGSNCBLK  VULGSNCBLK  PAGE 32  Part Numbers
VULTREX OGL SYNTHETIC 2200 GREASE BIN VULTREX OGL SYNTHETIC 2200 BULK  VULTREX GEAR SHIELD NC  VULTREX GEAR SHIELD NC 54KG LINED KEG VULTREX GEAR SHIELD NC 175KG LINED DRUM VULTREX GEAR SHIELD NC BULK  SPECIALTY GREASES  Name PEERLESS LLG	VUL2200CBG VUL2200BLK  VULGSNC VULGSNCKGL VULGSNCBLK  VULGSNCBLK  PAGE 32  Part Numbers PLLLG
VULTREX OGL SYNTHETIC 2200 GREASE BIN VULTREX OGL SYNTHETIC 2200 BULK  VULTREX GEAR SHIELD NC VULTREX GEAR SHIELD NC 54KG LINED KEG VULTREX GEAR SHIELD NC 175KG LINED DRUM VULTREX GEAR SHIELD NC BULK  SPECIALTY GREASES  Name  PEERLESS LLG PEERLESS LLG 30X400G TUBES CASE	VUL2200CBG VUL2200BLK  VULGSNC VULGSNCKGL VULGSNCBLK  PAGE 32  Part Numbers PLLLG PLLLGC30
VULTREX OGL SYNTHETIC 2200 GREASE BIN VULTREX OGL SYNTHETIC 2200 BULK  VULTREX GEAR SHIELD NC VULTREX GEAR SHIELD NC 54KG LINED KEG VULTREX GEAR SHIELD NC 175KG LINED DRUM VULTREX GEAR SHIELD NC BULK  SPECIALTY GREASES  Name  PEERLESS LLG PEERLESS LLG 30X400G TUBES CASE PEERLESS LLG 17KG PAIL	VUL2200CBG VUL2200BLK  VULGSNC VULGSNCKGL VULGSNCBLK  VULGSNCBLK  PAGE 32  Part Numbers  PLLLG PLLLGC30 PLLLGP17
VULTREX OGL SYNTHETIC 2200 GREASE BIN VULTREX OGL SYNTHETIC 2200 BULK  VULTREX GEAR SHIELD NC VULTREX GEAR SHIELD NC 54KG LINED KEG VULTREX GEAR SHIELD NC 175KG LINED DRUM VULTREX GEAR SHIELD NC BULK  SPECIALTY GREASES  Name  PEERLESS LLG PEERLESS LLG 30X400G TUBES CASE PEERLESS LLG 17KG PAIL PEERLESS LLG 54KG LINED KEG	VUL2200CBG VUL2200BLK  VULGSNC VULGSNCKGL VULGSNCBLK  PAGE 32  Part Numbers PLLLG PLLGC30 PLLLGP17 PLLLGKGL
VULTREX OGL SYNTHETIC 2200 GREASE BIN VULTREX OGL SYNTHETIC 2200 BULK  VULTREX GEAR SHIELD NC  VULTREX GEAR SHIELD NC 54KG LINED KEG VULTREX GEAR SHIELD NC 175KG LINED DRUM VULTREX GEAR SHIELD NC BULK  SPECIALTY GREASES  Name  PEERLESS LLG PEERLESS LLG 17KG PAIL PEERLESS LLG 17KG PAIL PEERLESS LLG 175KG LINED KEG PEERLESS LLG 175KG LINED KEG PEERLESS LLG 175KG LINED DRUM	VUL2200CBG VUL2200BLK  VULGSNC VULGSNCKGL VULGSNCBLK  PAGE 32  Part Numbers PLLLG PLLLGC30 PLLLGP17 PLLLGKGL PLLLGDRL
VULTREX OGL SYNTHETIC 2200 GREASE BIN VULTREX OGL SYNTHETIC 2200 BULK  VULTREX GEAR SHIELD NC VULTREX GEAR SHIELD NC 54KG LINED KEG VULTREX GEAR SHIELD NC 175KG LINED DRUM VULTREX GEAR SHIELD NC BULK  SPECIALTY GREASES  Name  PEERLESS LLG PEERLESS LLG 30X400G TUBES CASE PEERLESS LLG 17KG PAIL PEERLESS LLG 175KG LINED KEG PEERLESS LLG 175KG LINED DRUM  PEERLESS SVG 102	VUL2200CBG VUL2200BLK  VULGSNC VULGSNCKGL VULGSNCBLK  PAGE 32  Part Numbers PLLLG PLLLGC30 PLLLGP17 PLLLGKGL PLLLGDRL PLSVG
VULTREX OGL SYNTHETIC 2200 GREASE BIN VULTREX OGL SYNTHETIC 2200 BULK  VULTREX GEAR SHIELD NC  VULTREX GEAR SHIELD NC 54KG LINED KEG  VULTREX GEAR SHIELD NC 175KG LINED DRUM  VULTREX GEAR SHIELD NC BULK  SPECIALTY GREASES  Name  PEERLESS LLG  PEERLESS LLG 17KG PAIL  PEERLESS LLG 17KG PAIL  PEERLESS LLG 175KG LINED DRUM  PEERLESS VG 102  PEERLESS SVG 102  PEERLESS XCG-FLEX  PEERLESS XCG-FLEX  PEERLESS XCG-FLEX	VUL2200CBG VUL2200BLK  VULGSNC VULGSNCKGL VULGSNCBLK  VULGSNCBLK  PAGE 32  Part Numbers PLLLG PLLLGC30 PLLLGP17 PLLLGKGL PLLLGDRL PLSVG PLSVGDRL PLXCG PLXCGC30
VULTREX OGL SYNTHETIC 2200 GREASE BIN VULTREX OGL SYNTHETIC 2200 BULK  VULTREX GEAR SHIELD NC  VULTREX GEAR SHIELD NC 54KG LINED KEG  VULTREX GEAR SHIELD NC 175KG LINED DRUM  VULTREX GEAR SHIELD NC BULK  SPECIALTY GREASES  Name  PEERLESS LLG  PEERLESS LLG 17KG PAIL  PEERLESS LLG 17KG PAIL  PEERLESS LLG 175KG LINED DRUM  PEERLESS SVG 102  PEERLESS SVG 102  PEERLESS XCG-FLEX  PEERLESS XCG-FLEX 30X400G TUBES CASE  PEERLESS XCG-FLEX 17KG PAIL	VUL2200CBG VUL2200BLK  VULGSNC VULGSNCKGL VULGSNCBLK  VULGSNCBLK  PAGE 32  Part Numbers  PLLLG PLLLGC30 PLLLGP17 PLLLGKGL PLLGDRL  PLSVG PLSVGDRL  PLXCG PLXCGC30 PLXCGP17
VULTREX OGL SYNTHETIC 2200 GREASE BIN VULTREX GEAR SHIELD NC VULTREX GEAR SHIELD NC VULTREX GEAR SHIELD NC 175KG LINED KEG VULTREX GEAR SHIELD NC 175KG LINED DRUM VULTREX GEAR SHIELD NC BULK  SPECIALTY GREASES  Name  PEERLESS LLG PEERLESS LLG 30X400G TUBES CASE PEERLESS LLG 17KG PAIL PEERLESS LLG 175KG LINED DRUM  PEERLESS SVG 102 PEERLESS SVG 102 175KG LINED DRUM  PEERLESS XCG-FLEX PEERLESS XCG-FLEX 30X400G TUBES CASE PEERLESS XCG-FLEX 17KG PAIL	VUL2200CBG VUL2200BLK  VULGSNC VULGSNCKGL VULGSNCBLK  VULGSNCBLK  PAGE 32  Part Numbers  PLLLG PLLLGC30 PLLLGP17 PLLLGKGL PLLGDRL  PLSVG PLSVGDRL  PLXCG PLXCGC30 PLXCGP17 PLXCGKGL
VULTREX OGL SYNTHETIC 2200 GREASE BIN VULTREX GEAR SHIELD NC VULTREX GEAR SHIELD NC VULTREX GEAR SHIELD NC 54KG LINED KEG VULTREX GEAR SHIELD NC 175KG LINED DRUM VULTREX GEAR SHIELD NC BULK  SPECIALTY GREASES  Name PEERLESS LLG PEERLESS LLG 17KG PAIL PEERLESS LLG 17KG PAIL PEERLESS LLG 175KG LINED DRUM  PEERLESS LLG 175KG LINED DRUM  PEERLESS SVG 102 PEERLESS SVG 102 175KG LINED DRUM  PEERLESS XCG-FLEX PEERLESS XCG-FLEX 30X400G TUBES CASE PEERLESS XCG-FLEX 17KG PAIL PEERLESS XCG-FLEX 17KG PAIL PEERLESS XCG-FLEX 17KG PAIL PEERLESS XCG-FLEX 54KG LINED KEG PEERLESS XCG-FLEX 54KG LINED KEG PEERLESS XCG-FLEX 54KG LINED KEG PEERLESS XCG-FLEX 54KG LINED DRUM	VUL2200CBG VUL2200BLK  VULGSNC VULGSNCKGL VULGSNCBLK  VULGSNCBLK  PAGE 32  Part Numbers  PLLLG PLLLGC30 PLLLGP17 PLLLGKGL PLLGDRL  PLSVG PLSVGDRL  PLXCG PLXCGC30 PLXCGP17 PLXCGKGL PLXCGKGL
VULTREX OGL SYNTHETIC 2200 GREASE BIN VULTREX GEAR SHIELD NC VULTREX GEAR SHIELD NC VULTREX GEAR SHIELD NC 54KG LINED KEG VULTREX GEAR SHIELD NC 175KG LINED DRUM VULTREX GEAR SHIELD NC BULK  SPECIALTY GREASES  Name  PEERLESS LLG PEERLESS LLG 30X400G TUBES CASE PEERLESS LLG 17KG PAIL PEERLESS LLG 175KG LINED DRUM  PEERLESS SVG 102 PEERLESS SVG 102 PEERLESS XCG-FLEX PEERLESS XCG-FLEX PEERLESS XCG-FLEX 30X400G TUBES CASE PEERLESS XCG-FLEX 17KG PAIL PEERLESS XCG-FLEX 17KG LINED DRUM PRECISION SYNTHETIC EPOO	VUL2200CBG VUL2200BLK  VULGSNC VULGSNCKGL VULGSNCBLK  VULGSNCBLK  PAGE 32  Part Numbers  PLLLG PLLLGC30 PLLLGP17 PLLLGKGL PLLGDRL  PLSVG PLSVGDRL  PLXCG PLXCGC30 PLXCGP17 PLXCGKGL PLXCGCBDL PLXCGCBDL
VULTREX OGL SYNTHETIC 2200 GREASE BIN VULTREX GEAR SHIELD NC VULTREX GEAR SHIELD NC VULTREX GEAR SHIELD NC 54KG LINED KEG VULTREX GEAR SHIELD NC 175KG LINED DRUM VULTREX GEAR SHIELD NC BULK  SPECIALTY GREASES  Name  PEERLESS LLG PEERLESS LLG 30X400G TUBES CASE PEERLESS LLG 17KG PAIL PEERLESS LLG 175KG LINED DRUM  PEERLESS SVG 102 PEERLESS SVG 102 PEERLESS XCG-FLEX PEERLESS XCG-FLEX PEERLESS XCG-FLEX 30X400G TUBES CASE PEERLESS XCG-FLEX 17KG PAIL PEERLESS XCG-FLEX 17KG PAIL PEERLESS XCG-FLEX 17KG PAIL PEERLESS XCG-FLEX 17KG PAIL PEERLESS XCG-FLEX 17KG LINED DRUM  PEERLESS XCG-FLEX 17KG PAIL PEERLESS XCG-FLEX 17KG PAIL PEERLESS XCG-FLEX 17KG LINED DRUM  PRECISION SYNTHETIC EPOO PRECISION SYNTHETIC EPOO	VUL2200CBG VUL2200BLK  VULGSNC VULGSNCKGL VULGSNCBLK  VULGSNCBLK  PAGE 32  Part Numbers  PLLLG PLLLGC30 PLLLGP17 PLLLGKGL PLLGDRL  PLSVG PLSVGDRL  PLXCG PLXCGC30 PLXCGP17 PLXCGKGL PLXCGCBDL PLXCGDRL PS00 PS00P17
VULTREX OGL SYNTHETIC 2200 GREASE BIN VULTREX GEAR SHIELD NC VULTREX GEAR SHIELD NC VULTREX GEAR SHIELD NC 54KG LINED KEG VULTREX GEAR SHIELD NC 175KG LINED DRUM VULTREX GEAR SHIELD NC 175KG LINED DRUM VULTREX GEAR SHIELD NC BULK  SPECIALTY GREASES  Name  PEERLESS LLG PEERLESS LLG 77KG PAIL PEERLESS LLG 177KG PAIL PEERLESS LLG 175KG LINED DRUM  PEERLESS VG 102 PEERLESS VG 102 PEERLESS XCG-FLEX PEERLESS XCG-FLEX PEERLESS XCG-FLEX 30X400G TUBES CASE PEERLESS XCG-FLEX 177KG PAIL PEERLESS XCG-FLEX 175KG LINED DRUM  PRECISION SYNTHETIC EP00 PRECISION SYNTHETIC EP00 17KG PAIL PRECISION SYNTHETIC EP00 54KG LINED KEG	VUL2200CBG VUL2200BLK  VULGSNC VULGSNCKGL VULGSNCBLK  VULGSNCBLK  PAGE 32  Part Numbers  PLLLG PLLLGC30 PLLLGP17 PLLLGKGL PLLGDRL  PLSVG PLSVGDRL  PLXCG PLXCGC30 PLXCGP17 PLXCGKGL PLXCGCBDL PLXCGCBDL
VULTREX OGL SYNTHETIC 2200 GREASE BIN VULTREX GEAR SHIELD NC VULTREX GEAR SHIELD NC VULTREX GEAR SHIELD NC 54KG LINED KEG VULTREX GEAR SHIELD NC 175KG LINED DRUM VULTREX GEAR SHIELD NC BULK  SPECIALTY GREASES  Name  PEERLESS LLG PEERLESS LLG 30X400G TUBES CASE PEERLESS LLG 17KG PAIL PEERLESS LLG 175KG LINED DRUM  PEERLESS SVG 102 PEERLESS SVG 102 PEERLESS XCG-FLEX PEERLESS XCG-FLEX PEERLESS XCG-FLEX 30X400G TUBES CASE PEERLESS XCG-FLEX 17KG PAIL PEERLESS XCG-FLEX 17KG PAIL PEERLESS XCG-FLEX 17KG PAIL PEERLESS XCG-FLEX 17KG PAIL PEERLESS XCG-FLEX 17KG LINED DRUM  PEERLESS XCG-FLEX 17KG PAIL PEERLESS XCG-FLEX 17KG PAIL PEERLESS XCG-FLEX 17KG LINED DRUM  PRECISION SYNTHETIC EPOO PRECISION SYNTHETIC EPOO	VUL2200CBG VUL2200BLK  VULGSNCKGL VULGSNCKGL VULGSNCBLK  PAGE 32  Part Numbers  PLLLG PLLLGP17 PLLLGKGL PLLLGPRL PLSVG PLSVGDRL PLXCG PLXCGC30 PLXCGP17 PLXCGKGL PLXCGKGL PLXCGDRL PS00 PS00P17

PRECISION SYNTHETIC HEAVY 460	PSH
PRECISION SYNTHETIC HEAVY 460 30X400G TUBES CASE	PSHC30
PRECISION SYNTHETIC HEAVY 460 17KG PAIL	PSHP17
PRECISION SYNTHETIC HEAVY 460 54KG KEG	PSHKGL
PRECISION SYNTHETIC HEAVY 460 175KG DRUM	PSHDRL
PRECISION SYNTHETIC EMB	PSEMB
PRECISION SYNTHETIC EMB 30X400G TUBES CASE	PSEMBC30
PRECISION XL EMB	PXLEMB
PRECISION XL EMB 30X400G TUBES CASE	PXLEMBC30
PRECISION XL EMB 17KG PAIL	PXLEMBP17
PEERLESS POLY EMB	PLEMB
PEERLESS POLY EMB 30X400G TUBES CASE	PLEMBC30
PRECISION XL EP00	PXL00
PRECISION XL EP00 17KG PAIL	PXL00P17
PRECISION XL EP00 54KG LINED KEG	PXL00KGL
PRECISION XL EP00 175KG LINED DRUM	PXL00DRL
PRECISION XL EP000	PXL000
PRECISION XL EP000 17KG PAIL	PXL000P17
PRECISION XL EP000 175KG LINED DRUM	PXL000DRL
PRECISION XL HEAVY-DUTY	PXLHD
PRECISION XL HEAVY-DUTY 175KG LINED DRUM	PXLHDDRL
PRECISION XL HEAVY-DUTY GREASE BIN	PXLHDCBG
PRECISION XL RAIL CURVE GREASE	PXLRCG
PRECISION XL RAIL CURVE GREASE 17KG PAIL	PXLRCGP17
PRECISION XL RAIL CURVE GREASE 175KG DRUM	PXLRCGDRL
PRECISION XL RAIL CURVE GREASE BIN 1700KG	PXLRCGCBG
THERMEX	THRMX
THERMEX 30X400G TUBES CASE	THRMXC30
THERMEX 17KG PAIL	THRMXP17
THERMEX 175KG LINED DRUM	THRMXDRL
VULTREX API MODIFIED THREAD COMPOUND	VULTHRD
VULTREX API MOD THREAD COMP 17KG PAIL	VULTHRDP17
VULTREX DRILL ROD HEAVY	VULDROD
VULTREX DRILL ROD HEAVY 17KG PAIL	VULDRODP17
VULTREX DRILL ROD HEAVY 175KG LINED DRUM	VULDRODDRL
VULTREX G-123	VULG123
VULTREX G-123 30X400G TUBES CASE	VULG123C30
VULTREX G-123 54KG LINED KEG	VULG123KGL
VULTREX G-124	VULG124
VULTREX G-124 30X400G TUBES CASE	VULG124C30
VULTREX G-124 54KG LINED KEG	VULG124KGL
VULTREX G-124 175KG LINED DRUM	VULG124DRL
VULTREX ROCK DRILL EP000	VULRD
VULTREX ROCK DRILL EP000 17KG PAIL	VULRDP17

VULTREX ROCK DRILL EP000 17KG PAIL	VULRDP17
INDUSTRIAL GEAR OILS	PAGE 36
Name	Part Numbers
ENDURATEX EP 32	ENT32
ENDURATEX EP 32 205L DRUM	ENT32DRM
ENDURATEX EP 68	ENT68
ENDURATEX EP 68 20L PAIL	ENT68P20
ENDURATEX EP 68 205L DRUM	ENT68DRM
ENDURATEX EP 68 BULK	ENT68BLK
ENDURATEX EP 100	ENT100
ENDURATEX EP 100 20L PAIL	ENT100P20
ENDURATEX EP 100 205L DRUM	ENT100DRM
ENDURATEX EP 100 BULK	ENT100BLK
ENDURATEX EP 150	ENT150
ENDURATEX EP 150 20L PAIL	ENT150P20
ENDURATEX EP 150 205L DRUM	ENT150DRM
ENDURATEX EP 150 1040L IBC	ENT150IBC
ENDURATEX EP 150 BULK	ENT150BLK

ENDURATEX EP 220	ENT220	SYNDURO SHB 150 SYNTHETIC FLUID	SYND150	HYDREX EXTREME	HDXEXT
ENDURATEX EP 220 20L PAIL	ENT220P20	SYNDURO SHB 150 SYNTHETIC FLUID 20L PAIL	SYND150P20	HYDREX EXTREME 20L PAIL	HDXEXTP20
ENDURATEX EP 220 205L DRUM	ENT220DRM	SYNDURO SHB 150 SYNTHETIC FLUID 205L	SYND150DRM	HYDREX EXTREME 205L DRUM	HDXEXTDRM
ENDURATEX EP 220 1040L IBC	ENT220IBC	DRUM	01110100011111	HYDREX EXTREME 1040L IBC	HDXEXTIBC
ENDURATEX EP 220 BULK	ENT220BLK	SYNDURO SHB 220 SYNTHETIC FLUID	SYND220	HYDREX MV ARCTIC 15 HYDRAULIC OIL	HDXAR15
ENDURATEX EP 320	ENT320	SYNDURO SHB 220 SYNTHETIC FLUID 20L PAIL	SYND220P20	HYDREX MV ARCTIC 15 HYDRAULIC OIL 20L	HDXAR15P20
ENDURATEX EP 320 20L PAIL	ENT320P20	SYNDURO SHB 220 SYNTHETIC FLUID 205L	SYND220DRM	HYDREX MV ARCTIC 15 HYDRAULIC OIL 205	HDXAR15DRM
ENDURATEX EP 320 205L DRUM	ENT320DRM	DRUM		HYDREX MV ARCTIC 15 HYDRAULIC 1040L IBC	HDXAR15IBC
ENDURATEX EP 320 BULK	ENT320BLK	SYNDURO SHB 460 SYNTHETIC FLUID	SYND460	HYDREX MV ARCTIC 15 HYDRAULIC OIL BULK	HDXAR15BLK
ENDURATEX EP 460	ENT460	SYNDURO SHB 460 SYNTHETIC FLUID 205L	SYND460DRM	HYDREX DT 46 HYDRAULIC OIL	HDXDT46
ENDURATEX EP 460 20L PAIL	ENT460P20	DRUM		HYDREX DT 46 HYDRAULIC OIL 205L DRUM	HDXDT46DRM
ENDURATEX EP 460 205L DRUM	ENT460DRM			HYDREX DT 46 HYDRAULIC OIL BULK	HDXDT46BLK
ENDURATEX EP 460 BULK	ENT460BLK	INDUSTRIAL HYDRAULIC FLUIDS	PAGE 38		
		Name	Part Numbers	ENVIRON AW 32	ENVAW32
ENDURATEX EP 680	ENT680			ENVIRON AW 32 20L PAIL	ENVAW32P20
ENDURATEX EP 680 20L PAIL	ENT680P20	HYDREX AW 22	HDXAW22	ENVIRON AW 32 205L DRUM	ENVAW32DRM
ENDURATEX EP 680 205L DRUM	ENT680DRM	HYDREX AW 22 HYDRAULIC OIL 20L PAIL	HDXAW22P20	ENVIRON AW 32 BULK	ENVAW32BLK
ENDURATEX EP 1000	ENT1000	HYDREX AW 22 HYDRAULIC OIL 205L DRUM	HDXAW22DRM	ENVIRON AW 46	ENVAW46
ENDURATEX EP 1000 205L DRUM	ENT1000DRM	HYDREX AW 22 HYDRAULIC OIL BULK	HDXAW22BLK	ENVIRON AW 46 20L PAIL	ENVAW46P20
ENDURATEX XL SYNTHETIC BLEND	ENTERA	HYDREX AW 32	HDXAW32	ENVIRON AW 46 205L DRUM	ENVAW46DRM
68/150	ENT6815	HYDREX AW 32 HYDRAULIC OIL 20L PAIL	HDXAW32P20	ENVIRON AW 46 205L 1040L IBC	ENVAW46IBC
ENDURATEX XL SYNTHETIC BLEND	ENT6815DRM	HYDREX AW 32 HYDRAULIC OIL 205L DRUM	HDXAW32DRM	ENVIRON AW 46 BULK	ENVAW46BLK
68/150 205L DRUM		HYDREX AW 32 HYDRAULIC OIL IBC	HDXAW32IBC	ENVIRON AW 68	ENVAW68
ENDURATEX XL SYNTHETIC BLEND 68/150 1040L IBC	ENT6815IBC	HYDREX AW 32 HYDRAULIC OIL BULK	HDXAW32BLK	ENVIRON AW 68 205L DRUM	ENVAW68DRM
ENDURATEX XL SYNTHETIC BLEND		HYDREX AW 46	HDXAW46	ENVIRON AW 68 205L 1040L IBC	ENVAW68IBC
68/150 BULK	ENT6815BLK	HYDREX AW 46 HYDRAULIC OIL 20L PAIL	HDXAW46P20	ENVIRON AW 68 BULK	ENVAW68BLK
ENDURATEX XL SYNTHETIC		HYDREX AW 46 HYDRAULIC OIL 205L DRUM	HDXAW46DRM	ENVIRON MV 32	ENVMV32
BLEND 68/220	ENT6822	HYDREX AW 46 HYDRAULIC OIL IBC	HDXAW46IBC	ENVIRON MV 32 ENVIRON MV 32 20L PAIL	ENVMV32P20
ENDURATEX XL SYNTHETIC BLEND	51.550000000	HYDREX AW 46 HYDRAULIC OIL BULK	HDXAW46BLK	ENVIRON MV 32 20E PAIL ENVIRON MV 32 205L DRUM	ENVMV32P20
68/220 20L PAIL	ENT6822P20	HYDREY AW CO	LIDVAMCO	ENVIRON MV 32 200E BHOM ENVIRON MV 32 1040L IBC	ENVMV32BRW
ENDURATEX XL SYNTHETIC BLEND	ENT6822DRM	HYDREX AW 68	HDXAW68	ENVIRON MV 32 BULK	ENVMV32BLK
68/220 205L DRUM		HYDREX AW 68 HYDRAULIC OIL 20L PAIL	HDXAW68P20		
ENDURATEX XL SYNTHETIC BLEND 68/220 BULK	ENT6822BLK	HYDREX AW 68 HYDRAULIC OIL 205L DRUM	HDXAW68DRM HDXAW68IBC	ENVIRON MV 46	ENVMV46
		HYDREX AW 68 HYDRAULIC OIL 1040L IBC		ENVIRON MV 46 20L PAIL	ENVMV46P20
ENDURATEX SYNTHETIC EP 150	ENTS150	HYDREX AW 68 HYDRAULIC OIL BULK	HDXAW68BLK	ENVIRON MV 46 205L DRUM	ENVMV46DRM
ENDURATEX SYNTHETIC EP 150 20L PAIL	ENTS150P20	HYDREX AW 80	HDXAW80	ENVIRON MV 46 1040L IBC	ENVMV46IBC
ENDURATEX SYNTHETIC EP 150 205L DRUM	ENTS150DRM	HYDREX AW 80 HYDRAULIC OIL BULK	HDXAW80BLK	ENVIRON MV 46 BULK	ENVMV46BLK
ENDURATEX SYNTHETIC EP 150 1040L IBC	ENTS150IBC	HYDREX AW 100	HDXAW10		
ENDURATEX SYNTHETIC EP 220	ENTS220	HYDREX AW 100 HYDRAULIC OIL 20L PAIL	HDXAW10P20	TURBINE FLUIDS & WIND TURBINE GEAR OILS	PAGE 40
ENDURATEX SYNTHETIC EP 220 20L PAIL	ENTS220P20	HYDREX AW 100 HYDRAULIC OIL 205L DRUM	HDXAW10DRM	WIND FORBINE GEAR OLES	
ENDURATEX SYNTHETIC EP 220 205L DRUM	ENTS220DRM	HYDREX AW 100 HYDRAULIC OIL 1040L IBC	HDXAW10IBC	Name	Part Numbers
ENDURATEX SYNTHETIC EP 220 1040L IBC	ENTS220IBC	HYDREX AW 100 HYDRAULIC OIL BULK	HDXAW10BLK	TURBOFLO R&O 10	TFRO10
ENDURATEX SYNTHETIC EP 320	ENTS320	HYDREX MV 22	HDXMV22	TURBOFLO R&O 10 20L PAIL	TFRO10P20
ENDURATEX SYNTHETIC EP 320 20L PAIL	ENTS320P20	HYDREX MV 22 HYDRAULIC OIL 20L PAIL	HDXMV22P20	TURBOFLO R&O 10 205L DRUM	TFRO10DRM
ENDURATEX SYNTHETIC EP 320 205L DRUM	ENTS320DRM	HYDREX MV 22 HYDRAULIC OIL 205L DRUM	HDXMV22DRM	TURBOFLO R&O 10 1040L IBC	TFRO10IBC
ENDURATEX SYNTHETIC EP 320 1040L IBC	ENTS320IBC	HYDREX MV 22 HYDRAULIC OIL 1040L IBC	HDXMV22IBC	TURBOFLO R&O 10 BULK	TFRO10BLK
ENDURATEX SYNTHETIC EP 460	ENTS460	HYDREX MV 22 HYDRAULIC OIL BULK	HDXMV22BLK	TURBOFLO R&O 22	TFRO22
ENDURATEX SYNTHETIC EP 460 20L PAIL	ENTS460P20	HYDREX MV 32	HDXMV32	TURBOFLO R&O 22 20L PAIL	TFRO22P20
ENDURATEX SYNTHETIC EP 460 205L DRUM	ENTS460DRM	HYDREX MV 32 HYDRAULIC OIL 20L PAIL	HDXMV32P20	TURBOFLO R&O 22 205L DRUM	TFRO22DRM
		HYDREX MV 32 HYDRAULIC OIL 205L DRUM	HDXMV32DRM	TURBOFLO R&O 22 BULK	TFRO22BLK
ENDURATEX SYNTHETIC OHV 680	ENTS680	HYDREX MV 32 HYDRAULIC OIL 1040L IBC	HDXMV32IBC		
ENDURATEX SYNTHETIC OHV 680 20L PAIL	ENTS680P20	HYDREX MV 32 HYDRAULIC OIL BULK	HDXMV32BLK	TURBOFLO R&O 32	TFRO32
ENDURATEX SYNTHETIC OHV 680 1040L IBC	ENTS680IBC			TURBOFLO R&O 32 20L PAIL	TFRO32P20
ENDURATEX MILD WORM GEAR OIL 460	ENTW460	HYDREX MV 46	HDXMV46	TURBOFLO R&O 32 205L DRUM	TFRO32DRM
ENDURATEX MILD WORM GEAR OIL 460	ENTW460P20	HYDREX MV 46 HYDRAULIC OIL 20L PAIL	HDXMV46P20	TURBOFLO R&O 32 1040L IBC	TFRO32IBC
20L PAIL		HYDREX MV 46 HYDRAULIC OIL 205L DRUM	HDXMV46DRM	TURBOFLO R&O 32 BULK	TFRO32BLK
ENDURATEX MILD WORM GEAR OIL 460 205L DRUM	ENTW460DRM	HYDREX MV 46 HYDRAULIC OIL 1040L IBC	HDXMV46IBC	TURBOFLO R&O 46	TFRO46
ENDURATEX MILD WORM GEAR OIL 460 BULK	ENTW460BLK	HYDREX MV 46 HYDRAULIC OIL BULK	HDXMV46BLK	TURBOFLO R&O 46 20L PAIL	TFRO46P20
		HYDREX MV 68	HDXMV68	TURBOFLO R&O 46 205L DRUM	TFRO46DRM
		HYDREX MV 68 HYDRAULIC OIL 20L PAIL	HDXMV68P20	TURBOFLO R&O 46 1040L IBC	TFRO46IBC
ENDURATEX MILD WORM GEAR OIL 680	ENTW680			T. (DD 0.5) 0. D0 0. 10 D1 11 11	TEDO JODI I
ENDURATEX MILD WORM GEAR OIL 680 ENDURATEX MILD WORM GEAR OIL 680	ENTW680DRM	HYDREX MV 68 HYDRAULIC OIL 205L DRUM	HDXMV68DRM	TURBOFLO R&O 46 BULK	TFRO46BLK
ENDURATEX MILD WORM GEAR OIL 680 ENDURATEX MILD WORM GEAR OIL 680 205L DRUM		HYDREX MV 68 HYDRAULIC OIL 205L DRUM HYDREX MV 68 HYDRAULIC OIL 1040L IBC	HDXMV68DRM HDXMV68IBC	TURBOFLO R&O 46 BULK	TFRO68
ENDURATEX MILD WORM GEAR OIL 680 ENDURATEX MILD WORM GEAR OIL 680 205L DRUM ENDURATEX MILD WORM GEAR					
ENDURATEX MILD WORM GEAR OIL 680 ENDURATEX MILD WORM GEAR OIL 680 205L DRUM ENDURATEX MILD WORM GEAR OIL 1000	ENTW680DRM	HYDREX MV 68 HYDRAULIC OIL 1040L IBC	HDXMV68IBC	TURBOFLO R&O 68	TFRO68
ENDURATEX MILD WORM GEAR OIL 680 ENDURATEX MILD WORM GEAR OIL 680 205L DRUM ENDURATEX MILD WORM GEAR	ENTW680DRM	HYDREX MV 68 HYDRAULIC OIL 1040L IBC HYDREX MV 68 HYDRAULIC OIL BULK	HDXMV68IBC HDXMV68BLK HDXAS	TURBOFLO R&O 68 TURBOFLO R&O 68 20L PAIL	TFRO68 TFRO68P20
ENDURATEX MILD WORM GEAR OIL 680 ENDURATEX MILD WORM GEAR OIL 680 205L DRUM  ENDURATEX MILD WORM GEAR OIL 1000 ENDURATEX MILD WORM GEAR OIL	ENTW680DRM	HYDREX MV 68 HYDRAULIC OIL 1040L IBC HYDREX MV 68 HYDRAULIC OIL BULK HYDREX XV ALL SEASON	HDXMV68IBC HDXMV68BLK	TURBOFLO R&O 68 TURBOFLO R&O 68 20L PAIL TURBOFLO R&O 68 205L DRUM	TFRO68 TFRO68P20 TFRO68DRM

HYDREX XV ALL SEASON HYDRAULIC OIL 205L DRUM

HYDREX XV ALL SEASON HYDRAULIC OIL BULK

HYDREX XV ALL SEASON HYDRAULIC OIL IBC

OIL 20L PAIL

SYNDURO SHB 32 SYNTHETIC FLUID 20L PAIL

SYNDURO SHB 46 SYNTHETIC FLUID

SYNDURO SHB 46 SYNTHETIC FLUID 20L PAIL

SYNDURO SHB 68 SYNTHETIC FLUID

SYNDURO SHB 68 SYNTHETIC FLUID 20L PAIL

SYNDURO SHB 68 SYNTHETIC FLUID 205L DRUM SYND68DRM

SYNDURO SHB 32 SYNTHETIC FLUID 205L DRUM

SYNDURO SHB 46 SYNTHETIC FLUID

205L DRUM

SYND32P20

SYND32DRM

SYND46

SYND46P20

SYND46DRM

SYND68

SYND68P20

HDXASDRM HDXASIBC

HDXASBLK

TURBOFLO R&O 100	TFRO100	STATIONARY GAS ENGINE OILS	PAGE 42	SENTRON VTP 10W-40 PLUS	STNF14P
TURBOFLO R&O 100 20L PAIL	TFRO100P20			SENTRON VTP10W-40 PLUS 4X4L CASE	STNF14PC16
TURBOFLO R&O 100 205L DRUM	TFRO100DRM	Name	Part Numbers	SENTRON VTP10W-40 PLUS 20 L PAIL	STNF14PP20
TURBOFLO R&0 100 BULK	TFRO100BLK	SENTRON ASHLESS 40	STL541		
TURBOFLO R&O 150	TFRO150	SENTRON ASHLESS 40 205L DRUM	STL541DRM	COMPRESSOR FLUIDS	PAGE 44
TURBOFLO R&O 150 20L PAIL	TFRO150P20	SENTRON ASHLESS 40 205L PLASTIC DRUM	STL541DRP	Name	Part Numbers
TURBOFLO R&O 150 205L DRUM	TFRO150DRM	SENTRON ASHLESS 40 BULK	STL541BLK		
TURBOFLO R&O 150 BULK	TFRO150BLK	SENTRON LD 5000	STN5LD	COMPRO COMPRESSOR FLUID 32	CP32
TURBOFLO R&O 220	TFRO220	SENTRON LD 5000 20L PAIL	STN5LDP20	COMPRO COMPRESSOR FLUID 32 20L PAIL	CP32P20
TURBOFLO R&O 220 20L PAIL	TFRO220P20	SENTRON LD 5000 20L EURO PAIL	STN5LDJ20	COMPRO COMPRESSOR FLUID 32 205L DRUM	CP32DRM
TURBOFLO R&O 220 205L DRUM	TFRO220DRM	SENTRON LD 5000 205L DRUM	STN5LDDRM	COMPRO COMPRESSOR FLUID 68	CP68
TURBOFLO R&O 220 1040L IBC	TFRO220IBC	SENTRON LD 5000 205L PLASTIC DRUM	STN5LDDRP	COMPRO COMPRESSOR FLUID 68 20L PAIL	CP68P20
TURBOFLO R&O 220 BULK	TFRO220BLK	SENTRON LD 5000 1040L IBC	STN5LDIBC	COMPRO COMPRESSOR FLUID 68 205L DRUM	CP68DRM
TURBOFLO R&O 320	TFRO320	SENTRON LD 5000 BULK	STN5LDBLK	COMPRO SYNTHETIC COMPRESSOR	CPSYN32
TURBOFLO R&O 320 205L DRUM	TFRO320DRM	SENTRON LD SYNTHETIC BLEND	STNLDSB	FLUID	
TURBOFLO R&O 320 BULK	TFRO320BLK	SENTRON LD SYNTHETIC BLEND 20 L PAIL	STNLDSBP20	COMPRO SYNTHETIC COMPRESSOR FLUID 5 USG PAIL	CPSYN32P5U
TURBOFLO R&O 460		SENTRON LD SYNTHETIC BLEND 205L DRUM	STNLDSBDRM	COMPRO SYNTHETIC COMPRESSOR	ODOVALOODDILL
TURBOFLO R&O 460 20L PAIL	TFRO460P20	SENTRON LD SYNTHETIC BLEND 1040L IBC	STNLDSBIBC	FLUID 208L DRUM	CPSYN32DRU
TURBOFLO R&O 460 205L DRUM	TFRO460DRM	SENTRON CG 40 PLUS	STNCGP	COMPRO SYNTHETIC COMPRESSOR	CPSYN32IBC
TURBOFLO R&O 460 1040L IBC	TFRO460IBC	SENTRON CG 40 PLUS 205L DRUM	STNCGPDRM	FLUID 1040L IBC	
TURBOFLO R&O 460 BULK	TFRO460BLK	SENTRON CG 40 PLUS 1040L IBC	STNCGPIBC	COMPRO XL-R COMPRESSOR FLUID	CPXR
TURBOFLO LV 32	TFLV32	SENTRON CG 40 PLUS BULK	STNCGPBLK	COMPRO XL-R COMPRESSOR FLUID 20L PAIL	CPXRP20
TURBOFLO LV 32 205L DRUM	TFLV32DRM	SENTRON LD 3000	STN3LD	COMPRO XL-R COMPRESSOR FLUID 205L DRUM	CPXRDRM
TURBOFLO LV 32 1040L IBC	TFLV32IBC	SENTRON LD 3000 20L PAIL	STN3LDP20		
TURBOFLO LV 32 BULK	TFLV32BLK	SENTRON LD 3000 205L DRUM	STN3LDDRM	COMPRO XL-S COMPRESSOR FLUID 32	CPXS32
TURBOFLO LV 46	TFLV46	SENTRON LD 3000 205L PLASTIC DRUM	STN3LDDRP	COMPRO XL-S COMPRESSOR FLUID 32 20L PAIL	CPXS32P20
TURBOFLO LV 46 205L DRUM	TFLV46DRM	SENTRON LD 3000 BULK	STN3LDBLK	COMPRO XL-S COMPRESSOR FLUID 32 205L DRUM	CPXS32DRM
TURBOFLO LV 46 1040L IBC	TFLV46IBC	SENTRON LD 8000	STN8LD	COMPRO XL-S COMPRESSOR FLUID 32 BULK	CPXS32BLK
TURBOFLO LV 46 BULK	TFLV46BLK	SENTRON LD 8000 20L PAIL	STN8LDP20	COMPRO VI C COMPRESCOR FI IIID 4C	ODVC46
TURBOFLO EP 32	TFEP32	SENTRON LD 8000 20L EURO PAIL	STN8LDJ20	COMPRO XL-S COMPRESSOR FLUID 46  COMPRO XL-S COMPRESSOR FLUID 46	CPXS46
TURBOFLO EP 32 205L DRUM	TFEP32DRM	SENTRON LD 8000 205L DRUM	STN8LDDRM	20L PAIL	CPXS46P20
TURBOFLO EP 32 BULK	TFEP32BLK	SENTRON LD 8000 205L PLASTIC DRUM	STN8LDDRP	COMPRO XL-S COMPRESSOR FLUID 46	CPXS46DRM
TURBOFLO EP 46	TFEP46	SENTRON LD 8000 1040L IBC	STN8LDIBC	205L DRUM	
TURBOFLO EP 46 TURBOFLO EP 46 205L DRUM	TFEP46DRM	SENTRON LD 8000 BULK	STN8LDBLK	COMPRO XL-S COMPRESSOR FLUID 46 BULK	CPXS46BLK
TURBOFLO EP 46 1040L IBC	TFEP46IBC	SENTRON CG 40	STLCG	COMPRO XL-S COMPRESSOR FLUID 68	CPXS68
TURBOFLO EP 46 BULK	TFEP46BLK	SENTRON CG 40 20L EURO PAIL	STLCGJ20	COMPRO XL-S COMPRESSOR FLUID 68	CPXS68P20
		SENTRON CG 40 205L DRUM	STLCGDRM	20L PAIL	
TURBOFLO XL 32 TURBOFLO XL 32 20L PAIL	TFXL32 TFXL32P20	SENTRON CG 40 1040L IBC	STLCGIBC	COMPRO XL-S COMPRESSOR FLUID 68 205L DRUM	CPXS68DRM
TURBOFLO XL 32 205L DRUM	TFXL32P20	SENTRON CG 40 BULK	STLCGBLK	COMPRO XL-S COMPRESSOR FLUID 100	CPXS100
TURBOFLO XL 32 1040L IBC	TEXT 32IBC	SENTRON MID ASH 40	STNMA40	COMPRO XL-S COMPRESSOR FLUID 100	CPASIOO
TURBOFLO XL 32 BULK	TFXL32BLK	SENTRON MID ASH 40 205L DRUM	STNMA40DRM	20L PAIL	CPXS100P20
TURBOFLO XL 46		SENTRON MID ASH 40 205L PLASTIC DRUM	STNMA40DRP	COMPRO XL-S COMPRESSOR FLUID 100	CPXS100DRM
TURBOFLO XL 46 TURBOFLO XL 46 20L PAIL	TFXL46 TFXL46P20	SENTRON MID ASH 40 BULK	STNMA40BLK	205L DRUM	OI XOTOODITIVI
TURBOFLO XL 46 205L DRUM	TFXL46DRM	SENTRON SP 40		COMPRO XL-S COMPRESSOR FLUID 150	CPXS150
TURBOFLO XL 46 1040L IBC	TFXL46IBC	SENTRON SP 40 205L DRM	STNSP40DRM	COMPRO XL-S COMPRESSOR FLUID 150	CPXS150P20
TURBOFLO XL 46 BULK	TFXL46BLK	SENTRON SP 40 1040L IBC	STNSP40IBC	20L PAIL	
TURBOFLO XL 68	TFXL68	SENTRON SP 40 BULK	STNSP40BLK	COMPRO XL-S COMPRESSOR FLUID 150 205L DRUM	CPXS150DRM
TURBOFLO XL 68 20L PAIL	TFXL68P20	SENTRON VLA 40		COMPRESSED ON PROCES	000000
TURBOFLO XL 68 205L DRUM	TFXL68DRM	SENTRON VLA 40 205L PLASTIC DRUM	STVLA40DRP	COMPRESSOR OIL RP 268	CRP268
		SENTRON VLA 40 BULK	STVLA40BLK	COMPRESSOR OIL RP 268 205L DRUM COMPRESSOR OIL RP 268 205L PLASTIC DRUM	CRP268DRM CRP268DRP
TURBONYCOIL 600	TN600	SENTRON VTP 10W-40	STNF14	COMPRESSOR OIL RP 268 BULK	CRP268BLK
TURBONYCOIL 600 55 USG DRUM EXPORT	TN600DRU	SENTRON VTP 10W-40 4X4L CASE	STNF14C16		
HARNEX 320 WIND TURBINE GEAR OIL	HNX320	SENTRON VTP 10W-40 20L PAIL	STNF14P20	COMPRESSOR OIL RP460 COMPRESSOR OIL RP460 205L DRUM	CMP460C CMP460CDRM
HARNEX 320 205L DRUM	HNX320DRM	SENTRON VTP 10W-40 205L DRUM	STNF14DRM		
PREMIUM R&O 77	HAR77	SENTRON VTP 10W-40 1040L IBC	STNF14IBC	NGS 1000	NGS1000
PREMIUM R&O 77 OIL 205L DRUM	HAR77DRM	SENTRON VTP 10W-40 BULK	STNF14BLK	NGS 1000 5 USG PAIL	NGS1000P5U
		SENTRON VTP 0W-30	STNF03	NGS 1000 208L DRUM	NGS1000DRU
		SENTRON VTP 0W-30 4X4L CASE	STNF03C16	NGS 1000 1040L IBC	NGS1000IBC
		SENTRON VTP 0W-30 20L PAIL	STNF03P20	NGS 1500	NGS1500
		SENTRON VTP 0W-30 205L DRUM	STNF03DRM	NGS 1500 55 USG DRUM	NGS1500DRU

SENTRON VTP 0W-30 1040L IBC

STNF03IBC

NGS 1500 5 USG PAIL

NGS1500P5U

NG COMPOIL AW 150	NGAW150	CALFLO SYNTHETIC	CALSYNA	PURITY FG AW HYDRAULIC WITH MICROL 46	PFMAW46
NG COMPOIL AW 150 20L PAIL NG COMPOIL AW 150 205L DRUM	NGAW150P20 NGAW150DRM	CALFLO SYNTHETIC 20L PAIL CALFLO SYNTHETIC 205L DRUM	CALSYNAP20 CALSYNADRM	PURITY FG AW HYDRAULIC WITH MICROL	BELLINGER
		CALFLO SYNTHETIC 2002 DROW	CALSYNAIBC	46 205L DRUM	PFMAW46DRX
NG COMPOIL AW 220	NGAW220		PTHERM	PURITY FG-X AW HYDRAULIC FLUID 46	PFXAW46
NG COMPOIL AW 220 20L PAIL NG COMPOIL AW 220 205L DRUM	NGAW220P20 NGAW220DRM	PETRO-THERM PETRO-THERM 205L DRUM	PTHERMDRM	PURITY FG-X AW HYDRAULIC FLUID	PFXAW46P20
		PETRO-THERM 1040L IBC	PTHERMIBC	46 20L PAIL	
NG SCREW COMPOIL 100 NG SCREW COMPOIL 100 5 USG PAIL	NGCO100 NGCO100P5U	PETRO-THERM BULK	PTHERMBLK	PURITY FG-X AW HYDRAULIC FLUID 46 205L DRUM	PFXAW46DRX
NG SCREW COMPOIL 100 5 USG DRUM		PETRO-THERM PPD	PTHERMP	PURITY FG-X AW HYDRAULIC FLUID	PFXAW46IBC
EXPORT	NGCO100DRU	PETRO-THERM PPD 205L DRUM	PTHERMPDRM	46 1040L IBC	11 XAW40IBC
NG SCREW COMPOIL 150	NGCO150	PETRO-THERM PPD BULK	PTHERMPBLK	PURITY FG AW HYDRAULIC FLUID 68	PFAW68
NG SCREW COMPOIL 150 5 USG PAIL	NGCO150P5U			PURITY FG AW HYDRAULIC FLUID 68 20L PAIL	PFAW68P20
NG SCREW COMPOIL 150 55 USG DRUM	NGCO150DRU	FOOD GRADE LUBRICANTS	PAGE 52	PURITY FG AW HYDRAULIC FLUID 68 205L DRUM PURITY FG AW HYDRAULIC FLUID 68 1040L IBC	PFAW68DRX
EXPORT		Name	Part Numbers		PFAW68IBC
NG COMPOIL PAO 150 NG COMPOIL PAO 150 5 USG PAIL	NGPA150 NGPA150P5U	PURITY FG GREASES	1 411 1141112010	PURITY FG AW HYDRAULIC WITH MICROL 68	PFMAW68
NG COMPOIL PAO 150 5 USG PAIL  NG COMPOIL PAO 150 55 USG DRUM EXPORT	NGPA150P50			PURITY FG AW HYDRAULIC WITH MICROL	PFMAW68DRX T
		PURITY FG00 GREASE	PFG00	68 205L DRUM	TTWAWGODIAT
<b>SPX 5000</b> SPX 5000 5 USG PAIL	<b>SPX5000</b> SPX5000P5U	PURITY FG00 17KG PAIL PURITY FG1 GREASE	PFG00P17 PFG1	PURITY FG AW HYDRAULIC FLUID 100	PFAW100
SPX 5000 208L DRUM	SPX5000DRU	PURITY FG1 GREASE 30X400G TUBES CASE	PFG1C30	PURITY FG AW HYDRAULIC FLUID 100 2051 DRUM	PFAW100DRX
SPX 7000	SPX7000	PURITY FG1 GREASE 17KG PAIL	PFG1P17		
SPX 7000 SPX 7000 5 USG PAIL	SPX7000 SPX7000P5U	PURITY FG1 GREASE 54KG LINED KEG	PFG1KGL	PURITY FG EP GEAR FLUID 100	PFEP100
SPX 7000 208L DRUM	SPX7000DRU	PURITY FG2 GREASE	PFG2	PURITY FG EP GEAR FLUID 100 20L PAIL PURITY FG EP GEAR FLUID 100 205L DRUM	PFEP100P20
SPX 7000 1040L IBC	SPX7000IBC	PURITY FG2 30X400G TUBES CASE	PFG2C30	PURITY FG EP GEAR FLUID 100 205L DROW	PFEP100DRX PFEP100IBC T T
SPX 7100	SPX7100	PURITY FG2 17KG PAIL	PFG2P17		
SPX 7100 5 USG PAIL	SPX7100P5U	PURITY FG2 54KG LINED KEG	PFG2KGL	PURITY FG EP GEAR FLUID 150 PURITY FG EP GEAR FLUID 150 20L PAIL	PFEP150 PFEP150P20
SPX 7100 208L DRUM	SPX7100DRU	PURITY FG2 175KG LINED DRUM	PFG2DRL	PURITY FG EP GEAR FLUID 150 205L DRUM	PFEP150DRX
SPX 7220	SPX7220	PURITY FG2 WITH MICROL MAX	PFGMICM	PURITY FG EP GEAR FLUID 220	PFEP220
SPX 7220 5 USG PAIL	SPX7220P5U	GREASE PURITY FG2 WITH MICROL MAX 30X400G		PURITY FG EP GEAR FLUID 220 20L PAIL	PFEP220P20
SPX 7220 55 USG DRUM EXPORT	SPX7220DRU	TUBES CASE	PFGMICMC30	PURITY FG EP GEAR FLUID 220 205L DRUM	PFEP220DRX
REFLO 46A AMMONIA OIL	REFL46A	PURITY FG2 WITH MICROL MAX 17KG PAIL	PFGMICMP17	PURITY FG SYNTHETIC EP GEAR	
REFLO 46A AMMONIA OIL 205L DRUM	REFL46ADRX	PURITY FG2 WITH MICROL MAX 54KG	PFGMICMKGL	FLUID 220	PFSN220
REFLO 68A AMMONIA OIL	REFL68A	LINED KEG		PURITY FG SYNTHETIC EP GEAR FLUID 220	PFSN220P20
REFLO 68A AMMONIA OIL 20L PAIL	REFL68AP20	PURITY FG2 EXTREME GREASE	PFGEX2	20L PAIL PURITY FG SYNTHETIC EP GEAR FLUID 220	
REFLO 68A AMMONIA OIL 205L DRUM	REFL68ADRM	PURITY FG2 EXTREME 30X400G TUBES CASE PURITY FG2 EXTREME 17KG PAIL	PFGEX2C30 PFGEX2P17	208L DRUM	PFSN220DRU
REFLO 68A AMMONIA OIL 1040L IBC	REFL68AIBC	PURITY FG2 EXTREME 54KG KEG	PFGEX2KGL	PURITY FG EP GEAR FLUID 320	PFEP320
REFLO 68A AMMONIA OIL BULK	REFL68ABLK	PURITY FG2 EXTREME 175KG DRUM	PFGEX2DRL	PURITY FG EP GEAR FLUID 320 20L PAIL	PFEP320P20
REFLO CFC	REFLCFC	PURITY FG2 CLEAR GREASE	PFGCL2	PURITY FG EP GEAR FLUID 320 205L DRUM	PFEP320DRX
REFLO OFO COST PRIMA	REFLOFOPPM	PURITY FG2 CLEAR 30X400G TUBES CASE	PFGCL2C30	PURITY FG EP GEAR FLUID 460	PFEP460
REFLO CFC 205L DRUM	REFLCFCDRM	PURITY FG2 CLEAR 17KG PAIL	PFGCL2P17	PURITY FG EP GEAR FLUID 460 20L PAIL	PFEP460P20
REFLO SYNTHETIC 68A LOW TEMP FLUID	RFSY68A	PURITY FG2 CLEAR 54KG LINED KEG	PFGCL2KGL	PURITY FG EP GEAR FLUID 460 205L DRUM	PFEP460DRX
REFLO SYNTHETIC 68A LOW TEMP	DECVOO A DOLL	PURITY FG2 CLEAR 175KG DRUM	PFGCL2DRL	PURITY FG EP GEAR FLUID 460 1040L IBC	PFEP460IBC
FLUID 55 USG DRUM	RFSY68ADRU	PURITY FG2 SYNTHETIC GREASE	PFGSYN2	PURITY FG SYNTHETIC EP GEAR	PFSYN460
REFLO SYNTHETIC 68A LOW TEMP FLUID 20L PAIL	RFSY68AP20	PURITY FG2 SYNTHETIC 30X400G TUBES CASE	PFGSYN2C30	FLUID 460 PURITY FG SYNTHETIC GEAR FLUID 460	
		PURITY FG2 SYNTHETIC 17KG PAIL	PFGSYN2P17	20L PAIL	PFSYN460P20
REFLO XL SYNTHETIC BLEND REFLO XL SYNTHETIC BLEND 20L PAIL	RFLXLA RFLXLAP20	PURITY FG2 SYNTHETIC 54KG LINED KEG PURITY FG2 SYNTHETIC 175KG LINED DRUM	PFGSYN2KGL PFGSYN2DRL	PURITY FG SYNTHETIC GEAR FLUID 460	PFSYN460DRU
REFLO XL SYNTHETIC BLEND 205L DRUM	RFLXLADRM		FFGSTNZDAL	55 USG DRUM	
		PURITY FG2 SYNTHETIC HEAVY 220 GREASE	PFGSN2H	PURITY FG CHAIN FLUID HEAVY	PFCHAH
HEAT TRANSFER FLUIDS	PAGE 48	PURITY FG2 SYNTHETIC HEAVY 220	DECCNOLICSO	PURITY FG CHAIN FLUID HEAVY 2051 DRUM	PFCHAHP20
		30X400G TUBES CASE	PFGSN2HC30	PURITY FG CHAIN FLUID HEAVY 205L DRUM	PFCHAHDRX
Name	Part Numbers	PURITY FG2 SYNTHETIC HEAVY 220 54KG LINED KEG	PFGSN2HKGL	PURITY FG CHAIN FLUID LIGHT PURITY FG CHAIN FLUID LIGHT 20L PAIL	PFCHAL PFCHALP20
PURITY FG HEAT TRANSFER FLUID	PFHTF	PURITY FG2 SYNTHETIC HEAVY 220	DECENIOLIDA	PURITY FG CHAIN FLUID LIGHT 205L DRUM	PFCHALDRX
PURITY FG HEAT TRANSFER FLUID 20L PAIL	PFHTFP20	175 KG LINED DRUM	PFGSN2HDRL	PURITY FG COMPRESSOR FLUID 32	PFC032
PURITY FG HEAT TRANSFER FLUID 205L DRUM PURITY FG HEAT TRANSFER FLUID IBC	PFHTFDRX PFHTFIBC	PURITY FG FLUIDS		PURITY FG COMPRESSOR FLUID 32 PURITY FG COMPRESSOR FLUID 32 20L PAIL	PFCO32P20
		PURITY FG AW HYDRAULIC FLUID 32	PFAW32	PURITY FG COMPRESSOR FLUID 32 205L DRUM	PFCO32DRX
CALFLO AF CALFLO AF 20L PAIL	CALAF		DELLUCADA		
UNELED AL CUE LAIE	CAL AFP20	PURITY FG AW HYDRAULIC FLUID 32 20L PAIL	PFAW32P20	PURITY FG COMPRESSOR FLUID 46	PFCO46
	CALAFP20 CALAFDRM	PURITY FG AW HYDRAULIC FLUID 32 20L PAIL PURITY FG AW HYDRAULIC FLUID 32 205L DRUM	PFAW32P20 PFAW32DRX	PURITY FG COMPRESSOR FLUID 46 PURITY FG COMPRESSOR FLUID 46 20L PAIL	PFCO46 PFCO46P20
CALFLO AF 205L DRUM CALFLO AF 1040L IBC	CALAFP20 CALAFDRM CALAFIBC				

CALFLO HTF 205L DRUM

CALFLO LT 205L DRUM

CALFLO LT 1040L IBC

CALFLO LT BULK

CALFLO AF BULK

CALFLO HTF BULK

CALFLO HTF

CALFLO LT

CALAFBLK

CALHTF

CALHTFDRM

CALHTFBLK

CALLT

CALLTDRM

CALLTIBC

CALLTBLK

PURITY FG AW HYDRAULIC FLUID

PURITY FG AW HYDRAULIC WITH MICROL

PURITY FG AW HYDRAULIC FLUID 46

PURITY FG AW HYDRAULIC FLUID 46 20L PAIL

PURITY FG AW HYDRAULIC FLUID 46 205L DRUM

PURITY FG AW HYDRAULIC FLUID 46 1040L IBC

WITH MICROL 32

32 205L DRUM

PFMAW32

PFMAW32DRX

PFAW46

PFAW46P20

PFAW46DRX

PFAW46IBC

**PURITY FG SYNTHETIC FLUID 46** 

PURITY FG SYNTHETIC FLUID 46 20L PAIL

PURITY FG SYNTHETIC FLUID 46 205L DRUM

PFSN46P20

PFSN46DRX

	TY FG COMPRESSOR FLUI
	Y FG COMPRESSOR FLUID 68 Y FG COMPRESSOR FLUID 68 2
	TY FG COMPRESSOR FLUI
	Y FG COMPRESSOR FLUID 100 Y FG COMPRESSOR FLUID 100
	TY FG SYNTHETIC FLUID
	Y FG SYNTHETIC FLUID 100 5 Y FG SYNTHETIC FLUID 100 55
	TY FG SEAMER-E FLUID
	Y FG SEAMER-E FLUID 205L D
	TY FG TROLLEY FLUID 46
	Y FG TROLLEY FLUID 46 20L P
	Y FG TROLLEY FLUID 46 205L
	TY FG WHITE OIL 10
	Y FG WO WHITE OIL 10 20L PA
	Y FG WO WHITE OIL 10 205L D Y FG WO WHITE OIL 10 1040L I
	Y FG WO WHITE OIL 10 1040L
	TY FG WHITE OIL 12
	Y FG WO WHITE OIL 12 BULK
	TY FG WHITE OIL 15
	Y FG WO WHITE OIL 15 20L PA
	Y FG WO WHITE OIL 15 205L D Y FG WO WHITE OIL 15 1040L I
	Y FG WO WHITE OIL 15 1040L Y FG WO WHITE OIL 15 BULK
	TY FG WHITE OIL 22
	Y FG WO WHITE OIL 22 BULK
	TY FG WO WHITE OIL 35
	Y FG WO WHITE OIL 35 20L PA
	Y FG WO WHITE OIL 35 205L D
	Y FG WO WHITE OIL 35 1040L Y FG WO WHITE OIL 35 BULK
	TY FG WO WHITE OIL 40
	Y FG WO WHITE OIL 40 205L D Y FG WO WHITE OIL 40 1040L
	Y FG WO WHITE OIL 40 1040L
	TY FG WO WHITE OIL 46
	Y FG WO WHITE OIL 46 BULK
	TY FG WHITE OIL 68
	Y FG WO WHITE OIL 68 20L PA
	Y FG WO WHITE OIL 68 205L D
	Y FG WO WHITE OIL 68 1040L
	Y FG WO WHITE OIL 68 BULK
PURI	TY FG WO WHITE OIL 90
	Y FG WO WHITE OIL 90 20L PA
	Y FG WO WHITE OIL 90 205L D
	Y FG WO WHITE OIL 90 1040L
	Y FG WO WHITE OIL 90 BULK

PURITY FG COMPRESSOR FLUID 68	3
PURITY FG COMPRESSOR FLUID 68 20L F	7
PURITY FG COMPRESSOR FLUID 68 205L	D
PURITY FG COMPRESSOR FLUID 10	)(
PURITY FG COMPRESSOR FLUID 100 20L	F
PURITY FG COMPRESSOR FLUID 100 205L I	D
PURITY FG SYNTHETIC FLUID 100	
PURITY FG SYNTHETIC FLUID 100 5 USG I	P.
PURITY FG SYNTHETIC FLUID 100 55 USG I	
PURITY FG SEAMER-E FLUID	
PURITY FG SEAMER-E FLUID 205L DRUM	
PURITY FG TROLLEY FLUID 46	
PURITY FG TROLLEY FLUID 46 20L PAIL	
PURITY FG TROLLEY FLUID 46 205L DRUI	V
PURITY FG WHITE OIL 10	
PURITY FG WO WHITE OIL 10 20L PAIL	
PURITY FG WO WHITE OIL 10 205L DRUM	
PURITY FG WO WHITE OIL 10 1040L IBC	
PURITY FG WO WHITE OIL 10 BULK	
PURITY FG WHITE OIL 12	
PURITY FG WO WHITE OIL 12 BULK	
PURITY FG WHITE OIL 15	
PURITY FG WO WHITE OIL 15 20L PAIL	
PURITY FG WO WHITE OIL 15 205L DRUM	
PURITY FG WO WHITE OIL 15 1040L IBC	
PURITY FG WO WHITE OIL 15 BULK	
PURITY FG WHITE OIL 22	
PURITY FG WO WHITE OIL 22 BULK	
PURITY FG WO WHITE OIL 35	
PURITY FG WO WHITE OIL 35 20L PAIL	
PURITY FG WO WHITE OIL 35 205L DRUM	
PURITY FG WO WHITE OIL 35 1040L IBC	
PURITY FG WO WHITE OIL 35 BULK	
PURITY FG WO WHITE OIL 40	
PURITY FG WO WHITE OIL 40 205L DRUM	
PURITY FG WO WHITE OIL 40 1040L IBC	
PURITY FG WO WHITE OIL 40 BULK	
PURITY FG WO WHITE OIL 46	
PURITY FG WO WHITE OIL 46 BULK	
PURITY FG WHITE OIL 68	
PURITY FG WO WHITE OIL 68 20L PAIL	
PURITY FG WO WHITE OIL 68 205L DRUM PURITY FG WO WHITE OIL 68 1040L IBC	
PURITY FG WO WHITE OIL 68 1040L IBC	
PURITY FG WO WHITE OIL 90	
PURITY FG WO WHITE OIL 90 20L PAIL	
PURITY FG WO WHITE OIL 90 205L DRUM PURITY FG WO WHITE OIL 90 1040L IBC	
PURITY FG WO WHITE OIL 90 1040L IBC	
DUDITY EC WO WHITE OIL OO DUILY	

PURITY FG SYN BARRIER FLUID 5

**PURITY FG SYN BARRIER FLUID 32** 

PURITY FG HEAT TRANSFER FLUID

PURITY FG HEAT TRANSFER FLUID 20L PAIL

PURITY FG HEAT TRANSFER FLUID 205L DRUM

PURITY FG HEAT TRANSFER FLUID 1040L IBC

PURITY FG SYN BARRIER FLUID 5 205 L DRUM

PURITY FG SYN BARRIER FLUID 32 205L DRUM

PURITY FG COMPRESSOR FLUID 68	
PURITY FG COMPRESSOR FLUID 68 20L PAIL	
PUBITY EG COMPRESSOR EL UID 68 2051 DRUM	
PURITY FG COMPRESSOR FLUID 100	
PURITY FG COMPRESSOR FLUID 100 20L PAIL	
PURITY FG COMPRESSOR FLUID 100 205L DRUM	
PURITY FG SYNTHETIC FLUID 100	
PURITY FG SYNTHETIC FLUID 100 5 USG PAIL	
PURITY FG SYNTHETIC FLUID 100 55 USG DRUM	
PURITY FG SEAMER-E FLUID	
PURITY FG SEAMER-E FLUID 205L DRUM	
PURITY FG TROLLEY FLUID 46	
PURITY FG TROLLEY FLUID 46 20L PAIL	
PURITY FG TROLLEY FLUID 46 205L DRUM	
PURITY FG WHITE OIL 10	
PURITY FG WO WHITE OIL 10 20L PAIL	
PURITY FG WO WHITE OIL 10 205L DRUM	
PURITY FG WO WHITE OIL 10 1040L IBC	
PURITY FG WO WHITE OIL 10 BULK	
PURITY FG WHITE OIL 12	
PURITY FG WO WHITE OIL 12 BULK	
PURITY FG WHITE OIL 15	
PURITY FG WO WHITE OIL 15 20L PAIL	
PURITY FG WO WHITE OIL 15 205L DRUM	
PURITY FG WO WHITE OIL 15 1040L IBC	
PURITY FG WO WHITE OIL 15 BULK	
PURITY FG WHITE OIL 22	
PURITY FG WO WHITE OIL 22 BULK	

PFWO10P20	MISCELLAN
PFWO10DRX	
PFWO10IBC	Name
PFWO10BLK	MACHINE TOO
PFWO12	ACCUFLO TI
PFWO12BLK	ACCUFLO TK 6
PFWO15	ACCUFLO TK 6
PFWO15P20	ACCUFLO TK 6
PFWO15DRX	ACCUFLO TI
PFWO15IBC	ACCUFLO TK 2
PFWO15BLK	ACCUFLO TK 2
PFW022	ACCUFLO TK 2
PFWO22BLK	ACCUFLO TK 2
PFW035	ACCUFLO SS
PFWO35P20	ACCUFLO SS 6
PFWO35DRX	ACCUFLO SS 6
PFWO35IBC	PC WAYLUB
PFWO35BLK	PC WAYLUBE 6
PFWO40	PC WAYLUBE 6
PFWO40DRX	PC WAYLUBE (
PFWO40IBC	ROCK DRILL I
PFWO40BLK	ARDEE 32
PFWO46	ARDEE 32 LUB
PFWO46BLK	ARDEE 32 LUB
PFW068	
PFWO68P20	ARDEE 46
PFWO68DRX	ARDEE 46 LUB
PFWO68IBC	ARDEE 46 LUB
PFWO68BLK	ARDEE 68
PFWO90	ARDEE 68 LUB
PFWO90P20	ARDEE 68 LUB
PFWO90DRX	ARDEE 100
PFWO90IBC	ARDEE 100 LU
	ADDEE 400 III

PFCO68

PFCO68P20

PFCO68DRX

PFCO100

PFCO100P20 PFCO100DRX

PFSY100

PFSY100P5U

PFSY100DRU PFSE PFSEDRX

PFTR46 PFTR46P20 PFTR46DRX PFWO10 PFW01

PFWO90BLK

PFSBF5

PFSBF5DRM

PFSBF32

PFSBF32DRM

PFHTF

PFHTFP20

PFHTFDRX

PFHTFIBC

**AEROSOL CANS** 

12X355ML CANS

MISCELLANEOUS

PURITY FG PENETRATING OIL SPRAY

PURITY FG SPRAY 12X290G CANS

ROTARY COOKER FLUID 205L DRUM

ROTARY COOKER FLUID

PURITY FG SILICONE SPRAY 12X355ML CANS

PFPOB12

PFSIB12

PFMFA12

RTCF150

RTCF150DRM

PURITY FG CORRCUT-E FLUID 15	PFCCE15	
PURITY FG CORRCUT-E FLUID 15 205L DRUM	PFCCE15DRX	
PURITY FG SYNTHETIC ROLL CLEAN FLUID	PFSYNCC	
PURITY FG SYNTHETIC ROLL CLEAN FLUID 205L DRUM	PFSYNCCDRX	
SLIDEWAY LUBRICANTS & MISCELLANEOUS FLUIDS	PAGE 58	
Name	Part Numbers	
MACHINE TOOL AND WAY LUBRICANTS		
ACCUFLO TK 68	ACFLK68	
ACCUFLO TK 68 20L PAIL	ACFLK68P20	
ACCUFLO TK 68 205L DRUM	ACFLK68DRM	
ACCUFLO TK 68 BULK	ACFLK68BLK	
ACCUFLO TK 220	ACFLK22	
ACCUFLO TK 220 20L PAIL	ACFLK22P20	
ACCUFLO TK 220 205L DRUM	ACFLK22DRM	
ACCUFLO TK 220 0557-30XH 1100L CUBE	ACFLK22CUS	
ACCUFLO TK 220 BULK	ACFLK22BLK	
ACCUFLO SS 68	ACFSS68	
ACCUFLO SS 68 DRUM	ACFSS68DRM	
ACCUFLO SS 68 BULK	ACFSS68BLK	
PC WAYLUBE 68	PCWAY68	
PC WAYLUBE 68 205L DRUM	PCWAY68DRM	
PC WAYLUBE 68 1040L IBC	PCWAY68IBC	
PC WAYLUBE 68 BULK	PCWAY68BLK	
ROCK DRILL LUBRICANTS		
ARDEE 32	RDE32	
ARDEE 32 LUBRICANT 20L PAIL	RDE32P20	
ARDEE 32 LUBRICANT 205L DRUM	RDE32DRM	
ARDEE 46	RDE46	
ARDEE 46 LUBRICANT 20L PAIL	RDE46P20	
ARDEE 46 LUBRICANT 205L DRUM	RDE46DRM	
ARDEE 68	RDE68	
ARDEE 68 LUBRICANT 20L PAIL	RDE68P20	
ARDEE 68 LUBRICANT 205L DRUM	RDE68DRM	
ARDEE 100	RDE100	
ARDEE 100 LUBRICANT 20L PAIL	RDE100P20	
ARDEE 100 LUBRICANT 205L DRUM	RDE100DRM	
ARDEE 100 BULK	RDE100BLK	
ARDEE 150	RDE150	
ARDEE 150 LUBRICANT 4X4L CASE	RDE150C16	
ARDEE 150 LUBRICANT 20L PAIL	RDE150P20	
ARDEE 150 LUBRICANT 205L DRUM	RDE150DRM	
ARDEE 220	RDE220	
ARDEE 220 LUBRICANT 20L PAIL	RDE220P20	
ARDEE 220 LUBRICANT 205L DRUM	RDE220DRM	

CON-REL-EZE 60 FORM OIL 205L DRUM  CON-REL-EZE 60 FORM OIL BULK  SYSTEM AND EQUIPMENT CLEANING  PC FLUSHING FLUID  FLUSHING FLUID 205L DRUM  FLUSHING FLUID 1040L IBC  FLUSHING FLUID BULK  PC CLEANING FLUID  PC CLEANING FLUID  PC CLEANING FLUID  PC CLEANING FLUID  PC CLEANING FLUID 205L DRUM  CLEA  PC COMPRESSOR CLEANER  PC COMPRESSOR CLEANER  PC COMPRESSOR CLEANER 20L PAIL  PC COMPRESSOR CLEANER 205L DRUM  CCLE  VACUUM PUMP FLUIDS	REGO 60DRM 60DLK 60BLK USHF HFDRM SHFIBC SHFBLK EANFL NFLDRM NFLDRM NFLBLK LEANR ANRP20
CON-REL-EZE 60 FORM OIL BULK  SYSTEM AND EQUIPMENT CLEANING  PC FLUSHING FLUID  FLUSHING FLUID 205L DRUM  FLUSHING FLUID 1040L IBC  FLUSHING FLUID BULK  PC CLEANING FLUID  CLEANING FLUID  PC CLEANING FLUID  PC CLEANING FLUID  PC CLEANING FLUID 205L DRUM  CLEANING FLUID CLEANING  PC COMPRESSOR CLEANER  PC COMPRESSOR CLEANER  PC COMPRESSOR CLEANER 20L PAIL  PC COMPRESSOR CLEANER 205L DRUM  CCLE  VACUUM PUMP FLUIDS	USHF HFDRM BHFIBC SHFBLK EANFL NFLDRM NFLBLK
SYSTEM AND EQUIPMENT CLEANING  PC FLUSHING FLUID FLUSHING FLUID 205L DRUM FLUSHING FLUID 1040L IBC FLUSHING FLUID BULK FLUSHING FLUID BULK  PC CLEANING FLUID CLEANING FLUID PC CLEANING FLUID PC CLEANING FLUID 205L DRUM CLEA PC COMPRESSOR CLEANER PC COMPRESSOR CLEANER PC COMPRESSOR CLEANER 20L PAIL PC COMPRESSOR CLEANER 205L DRUM CCLE VACUUM PUMP FLUIDS	USHF SHFDRM SHFBLK SHFBLK EANFL NFLDRM NFLDRM NFLBLK
PC FLUSHING FLUID FLUSHING FLUID 205L DRUM FLUSHING FLUID 1040L IBC FLUSHING FLUID 1040L IBC FLUSHING FLUID BULK FLUSHING FLUID CLEANING FLUID PC CLEANING FLUID PC CLEANING FLUID 205L DRUM CLEAPC CLEANING FLUID BULK CLEAPC COMPRESSOR CLEANER PC COMPRESSOR CLEANER 20L PAIL PC COMPRESSOR CLEANER 205L DRUM CCLE VACUUM PUMP FLUIDS	HFDRM SHFIBC SHFBLK EANFL NFLDRM NFLBLK
FLUSHING FLUID 205L DRUM FLUSHING FLUID 1040L IBC FLUSHING FLUID BULK  PC CLEANING FLUID PC CLEANING FLUID PC CLEANING FLUID BULK CLEA PC CLEANING FLUID BULK CLEANING FLUID BULK CLEANING FLUID BULK CLEANING FLUID BULK CCLEANING FLUID BULK CLEANING	HFDRM SHFIBC SHFBLK EANFL NFLDRM NFLBLK
FLUSHING FLUID 1040L IBC FLUSHING FLUID BULK  PC CLEANING FLUID  PC CLEANING FLUID  PC CLEANING FLUID 205L DRUM  PC CLEANING FLUID BULK  CLEA  PC COMPRESSOR CLEANER  PC COMPRESSOR CLEANER 20L PAIL  PC COMPRESSOR CLEANER 205L DRUM  CCLE  VACUUM PUMP FLUIDS	SHFIBC SHFBLK EANFL NFLDRM NFLBLK EANR
FLUSHING FLUID BULK  PC CLEANING FLUID  PC CLEANING FLUID  PC CLEANING FLUID 205L DRUM  PC CLEANING FLUID BULK  PC COMPRESSOR CLEANER  PC COMPRESSOR CLEANER  PC COMPRESSOR CLEANER 20L PAIL  PC COMPRESSOR CLEANER 205L DRUM  CCLE  VACUUM PUMP FLUIDS	EANFL NFLDRM NFLBLK LEANR
PC CLEANING FLUID  PC CLEANING FLUID 205L DRUM  PC CLEANING FLUID BULK  PC COMPRESSOR CLEANER  PC COMPRESSOR CLEANER 20L PAIL  PC COMPRESSOR CLEANER 20L DRUM  CCLE  PC COMPRESSOR CLEANER 205L DRUM  CCLE  VACUUM PUMP FLUIDS	EANFL NFLDRM NFLBLK EANR
PC CLEANING FLUID 205L DRUM CLEA PC CLEANING FLUID BULK CLEA PC COMPRESSOR CLEANER PC COMPRESSOR CLEANER 20L PAIL PC COMPRESSOR CLEANER 205L DRUM CCLE VACUUM PUMP FLUIDS	NFLDRM NFLBLK .EANR
PC CLEANING FLUID BULK  PC COMPRESSOR CLEANER  PC COMPRESSOR CLEANER 20L PAIL  PC COMPRESSOR CLEANER 205L DRUM  CCLE  VACUUM PUMP FLUIDS	NFLBLK .EANR
PC COMPRESSOR CLEANER PC COMPRESSOR CLEANER 20L PAIL PC COMPRESSOR CLEANER 205L DRUM CCLE VACUUM PUMP FLUIDS	EANR.
PC COMPRESSOR CLEANER 20L PAIL CCLE PC COMPRESSOR CLEANER 205L DRUM CCLE. VACUUM PUMP FLUIDS	
PC COMPRESSOR CLEANER 205L DRUM CCLE. VACUUM PUMP FLUIDS	ANRP20
VACUUM PUMP FLUIDS	
	ANRDRM
SUPER VAC FLUID 15	
	/F15
SUPER VAC FLUID 15 205L DRUM SVF	15DRM
SUPER VAC FLUID 19	/F19
SUPER VAC FLUID 19 20L PAIL SVF	19P20
SUPER VAC FLUID 19 205L DRUM SVF	19DRM
SUPER VAC FLUID 19 BULK SVF	19BLK
SUPER VAC FLUID 20 SI	/F20
SUPER VAC FLUID 20 20L PAIL SVF	20P20
SUPER VAC FLUID 20 205L DRUM SVF.	20DRM

PAGE 62
Part Numbers
LUMTR
LUMTRDRX
LUMTRBLK
LUMTRI
LUMTRIDRX
LUMTRIIBC
LUMTRIBLK
LUMLS
LUMLSDRM
LUMLSBLK
LUMDI
LUMDIDRM
LUMDIIBC
LUMDIBLK

## **NOTES**

## **NOTES**

## **NOTES**

## OUR NO-NONSENSE LUBRICANTS WARRANTY

"Petro-Canada Lubricants will repair damaged equipment, or replace damaged equipment parts resulting from a failure due to defects of the Petro-Canada Lubricants product, as long as the lubricant is used in accordance with your equipment manufacturer's and our recommendations."

#### IT'S MORE THAN JUST A WARRANTY. IT'S A COMMITMENT.

To learn more about how Petro-Canada Lubricants can help your business visit: **lubricants.petro-canada.com** or contact us at **lubecsr@petrocanadalsp.com** 

Committed to the disciplined operation of our business.



